

Well Name: FEDERAL 12	Well Location: T19S / R32E / SEC 12 / SENE /	County or Parish/State: LEA / NM
Well Number: 02	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM56251	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002532975	Well Status: Abandoned	Operator: COG OPERATING LLC

Accepted for Record Only

SUBJECT TO LIKE
APPROVAL BY BLM

X7

NMOCD 1/5/23

Subsequent Report**Sundry ID:** 2699353**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 10/24/2022**Time Sundry Submitted:** 11:01**Date Operation Actually Began:** 10/05/2022

Actual Procedure: 10/5/2022 MIRU plugging equipment. ND pumpjack head. 10/06/22 POH w/ rods & pump. Dug out cellar. NU BOP. POH w/ tbg. 10/07/22 Set 5 1/2 CIBP @ 7353'. Ran CBL to 7353'. 10/10/22 Tagged 5 1/2 CIBP @ 7353'. Circ'd hole w/ MLF & salt gel. Pressure tested csg, held 500 PSI. Spotted 70 sx class C cmt w/ 2% CACL @ 7353-6653'. WOC. Tagged plug @ 6683'. 10/11/22 Spotted 25 sx class C cmt @ 5203-4953'. Spotted 25 sx class C cmt @ 3552-3302'. Perf'd @ 3120'. Pressured up on perms to 500 PSI. Spotted 50 sx class C cmt @ 3178-2678'. WOC & Tagged @ 2598'. Perf'd @ 1740'. 10/12/22 Sqz'd 60 sx class C cmt w/ 1 bag of CACL @ 1740-1540'. WOC. Tagged plug @ 1620'. Perf'd @ 500'. Spotted 25 sx class C cmt @ 1620-1370'. WOC. 10/13/22 Tagged plug @ 1310'. ND BOP. Sqz'd 140 sx class C cmt @ 500' & circulated to surface in 8 5/8. Rigged down & moved off. 10/17/22 Moved in backhoe and welder. Cut off well head & anchors. Joe Balderas w/ BLM verified cmt @ surface via picture text message. Welded on "Under Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments**Actual Procedure**

Federal_12_number_2_DHM_20221024110100.pdf

Federal_12_2_Plugged_WBD_20221024105935.pdf

Federal_12_2_Subsequent_Report_20221024105927.pdf

Reclamation Doc 4-17-23

Well Name: FEDERAL 12	Well Location: T19S / R32E / SEC 12 / SENE /	County or Parish/State: LEA /
Well Number: 02	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM56251	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002532975	Well Status: Abandoned	Operator: COG OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: RUTH SHOCKENCY**Signed on:** OCT 24, 2022 11:01 AM**Name:** COG OPERATING LLC**Title:** Regulatory Analyst**Street Address:** 600 W. ILLINOIS AVE.**City:** MIDLAND**State:** TX**Phone:** (575) 703-8321**Email address:** RUTH.SHOCKENCY@CONOCOPHILLIPS.COM**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:****BLM Point of Contact****BLM POC Name:** JAMES A AMOS**BLM POC Title:** Acting Assistant Field Manager**BLM POC Phone:** 5752345927**BLM POC Email Address:** jamos@blm.gov**Disposition:** Accepted**Disposition Date:** 12/20/2022**Signature:** James A. Amos



COMING PHILIPS
FEDERAL 12#2
30-025-32975 LEAD
660 FEL 2080FNL
NM 56251 PTAID-1300
SEC 12 T19S R33E

CONOCOPHILLIPS		PLUGGED	
Author:	DEF	Well No. #2	
Well Name	Federal 12	API #: 30-025-32975	
Field	West Tonto	Prop #:	
County	Lea	Zone: Delaware	
State	New Mexico		
Date	2/2/2022		
GL	3656		
KB			

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	-	-	-	-	-	-
Inter Csg 1	13.375"	n/a	48	450'	475	0'
Inter Csg 2	8.625"	n/a	24 & 26	3069'	1200	0'
Prod Csg	5.5"	n/a	17	7590'	860	2500'



Formation Depths	
T/Salt	1690
B/Salt	2820
Yates	3476
Queen	4135
SA	4946
Del Sand	5883
Bone Sp	7526

7. Perf'd @ 500'. Sqz'd 140 sx class C cmt @ 500' & circulated to surface in 8 5/8.

17" hole

13-3/8" (48 ppf) @ 450' w/475 sx

TOC @ Surf

6. Spotted 25 sx class C cmt @ 1620-1370'. WOC.

5. Perf'd @ 1740'. Sqz'd 60 sx class C cmt w/ 1 bag of CACL @ 1740-1540'. WOC. Tagged plug @ 1620'.

TOC @ 2,500'

4. Perf'd @ 3120'. Pressured up on perms to 500 PSI. Spotted 50 sx class C cmt @ 3178-2678'. WOC & Tagged @ 2598'.

12 1/4" hole

8-5/8" (24 & 26 ppf) @ 3,069' w/1,200 sx

TOC @ Surf

3. Spotted 25 sx class C cmt @ 3552-3302'.

2. Spotted 25 sx class C cmt @ 5203-4953'.

DV Tool @ 6,895'

1. Tagged 5 1/2 CIBP @ 7353'. Circ'd hole w/ MLF & salt gel. Pressure tested csg, held 500 PSI. Spotted 70 sx class C cmt w/ 2% CACL @ 7353-6653'. WOC. Tagged plug @ 6683'.

7,403' to 7,460' (15 Holes) Delaware

233 jts 2 7/8" tbq @ 7,480'

No packer

7 7/8" hole

5-1/2" (17#) @ 7,570' w/860 sx


TOC @ 2,500'

PBTD @ 7,570'

TD @ 7,590'

CONOCOPHILLIPS		PLUGGED	
Author:	DEF	Well No. #2	
Well Name	Federal 12	API #: 30-025-32975	
Field	West Tonto	Prop #:	
County	Lea	Zone: Delaware	
State	New Mexico		
Date	2/2/2022		
GL	3656		
KB			

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	-	-	-	-	-	-
Inter Csg 1	13.375"	n/a	48	450'	475	0'
Inter Csg 2	8.625"	n/a	24 & 26	3069'	1200	0'
Prod Csg	5.5"	n/a	17	7590'	860	2500'



Formation Depths	
T/Salt	1690
B/Salt	2820
Yates	3476
Queen	4135
SA	4946
Del Sand	5883
Bone Sp	7526

7. Perf'd @ 500'. Sqz'd 140 sx class C cmt @ 500' & circulated to surface in 8 5/8.

17" hole

13-3/8" (48 ppf) @ 450' w/475 sx

TOC @ Surf

6. Spotted 25 sx class C cmt @ 1620-1370'. WOC.

5. Perf'd @ 1740'. Sqz'd 60 sx class C cmt w/ 1 bag of CACL @ 1740-1540'. WOC. Tagged plug @ 1620'.

TOC @ 2,500'

4. Perf'd @ 3120'. Pressured up on perfs to 500 PSI. Spotted 50 sx class C cmt @ 3178-2678'. WOC & Tagged @ 2598'.

12 1/4" hole

8-5/8" (24 & 26 ppf) @ 3,069' w/1,200 sx

TOC @ Surf

3. Spotted 25 sx class C cmt @ 3552-3302'.

2. Spotted 25 sx class C cmt @ 5203-4953'.

DV Tool @ 6,895'

1. Tagged 5 1/2 CIBP @ 7353'. Circ'd hole w/ MLF & salt gel. Pressure tested csg, held 500 PSI. Spotted 70 sx class C cmt w/ 2% CACL @ 7353-6653'. WOC. Tagged plug @ 6683'.

7,403' to 7,460' (15 Holes) Delaware

233 jts 2 7/8" tbg @ 7,480'

No packer

7 7/8" hole

5-1/2" (17#) @ 7,570' w/860 sx

TOC @ 2,500'

PBTD @ 7,570'

TD @ 7,590'

**Plug Abandonment
Subsequent Report**

OPERATOR NAME:	COG OPERATING LLC
LEASE NO.:	NMNM56251
WELL NAME & NO.:	FEDERAL 12 #2
US WELL NUMBER:	30-025-32975
LOCATION:	SEC 12, T19S, R32E
COUNTY:	LEA, NM

10/5/2022 MIRU plugging equipment. ND pumpjack head. 10/06/22 POH w/ rods & pump. Dug out cellar. NU BOP. POH w/ tbg. 10/07/22 Set 5 1/2 CIBP @ 7353. Ran CBL to 7353'. 10/10/22 Tagged 5 1/2 CIBP @ 7353'. Circ'd hole w/ MLF & salt gel. Pressure tested csg, held 500 PSI. Spotted 70 sx class C cmt w/ 2% CACL @ 7353-6653'. WOC. Tagged plug @ 6683'. 10/11/22 Spotted 25 sx class C cmt @ 5203-4953'. Spotted 25 sx class C cmt @ 3552-3302'. Perf'd @ 3120'. Pressured up on perms to 500 PSI. Spotted 50 sx class C cmt @ 3178-2678'. WOC & Tagged @ 2598'. Perf'd @ 1740'. 10/12/22 Sqz'd 60 sx class C cmt w/ 1 bag of CACL @ 1740-1540'. WOC. Tagged plug @ 1620'. Perf'd @ 500'. Spotted 25 sx class C cmt @ 1620-1370'. WOC. 10/13/22 Tagged plug @ 1310'. ND BOP. Sqz'd 140 sx class C cmt @ 500' & circulated to surface in 8 5/8. Rigged down & moved off. 10/17/22 Moved in backhoe and welder. Cut off well head & anchors. Joe Balderas w/ BLM verified cmt @ surface vie picture text message. Welded on "Under Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 173136

COMMENTS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 173136
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	1/6/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 173136

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 173136
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	1/5/2023