

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: SHEETS Well Location: T31N / R9W / SEC 28 / County or Parish/State: SAN

NWSW / JUAN / NM

Well Number: 4E Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF080376A Unit or CA Name: Unit or CA Number:

US Well Number: 3004533892 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

# **Subsequent Report**

**Sundry ID: 2684438** 

Type of Submission: Subsequent Report

Type of Action: Recompletion

Date Sundry Submitted: 07/28/2022 Time Sundry Submitted: 06:54

**Date Operation Actually Began:** 05/18/2022

Actual Procedure: PER NMOCD: FILE AN ADDITIONAL SUBSEQUENT NOTING THE DK AS A TA, INCLUDING THE INTERVAL TESTED. 5/16/2022: MIRU. CK WELL PRESSURES (SICP: 82 PSI, SITP: 82 PSI, SIBH: 0 PSI). ND WH. NU BOP & FT. GOOD TST. SDFN. 5/17/2022: CK WELL PRESSURES (SICP: 80 PSI, SITP: 80 PSI, SIBH: 0 PSI). RU TUBOSCOPE & SCAN OOH W/TBG. PU BIT & SCRAPER & TIH. PU & TIH W/CIBP & SET @ 7325'. LW W/125 BBL 2% KCL. PT CSG TO 560 PSI, FOR 30 MINS, GOOD TST. BLEED DWN PRESSURE. SDFN. 5/18/2022: CK WELL PRESSURES (SICP: 0 PSI, SITP: 0 PSI, SIBH: 0 PSI). RU WELLCHECK & PT CSG TO 560 PSI F/30 MINS, GOOD TST. MIT WITNESSED BY LENNY MOORE/NMOCD. LD TBG & SETTING TOOL. PU & TIH W/SEMI COMPOSITE CIBP & SET @ 3050'. LD 1 JT, MU HANGER & LAND. ND BOP, NU 5K TST CAP. RU WELLCHECK & PT CSG TO 3830 PSI F/30 MINS, GOOD TST. BLEED DWN PRESSURE. ND TSTER. LD 3000' TBG. ND BOPS. INSTALL TBG HANGER, NU MASTER VALVE. RDRR @ 19:00 HRS. DK IS NOW IN A TA STATUS.

# **SR Attachments**

# **Actual Procedure**

MIT\_Chart\_20220728065409.pdf

Page 1 of 2

eceived by OCD: 8/2/2022 9:53:44 AM Well Name: SHEETS County or Parish/State: SAN 200 Well Location: T31N / R9W / SEC 28 /

NWSW /

JUAN / NM

Well Number: 4E Allottee or Tribe Name: Type of Well: CONVENTIONAL GAS

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number:** 3004533892 Well Status: Producing Gas Well **Operator: HILCORP ENERGY** 

COMPANY

# **Operator**

Lease Number: NMSF080376A

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: JUL 28, 2022 06:54 AM **Operator Electronic Signature: AMANDA WALKER** 

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

#### **Field**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 


# **BLM Point of Contact**

**BLM POC Name: KENNETH G RENNICK BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742 BLM POC Email Address: krennick@blm.gov

**Disposition:** Accepted Disposition Date: 08/02/2022

Signature: Kenneth Rennick




Report Printed: 7/20/2022

# Hilcorp Energy Company

#### **Schematic - Current**

Well Name: SHEETS #4E



Most Recent Job Actual Start Date Primary Job Type RECOMPLETION Secondary Job Type Capital Workover 5/16/2022 5/19/2022 TD: 7,556.0 Original Hole [VERTICAL] MD (ftKB) Vertical schematic (actual) 🗝 7 1/16in, Tubing Hanger (7 1/16" 3K With seal 🚜 sub); 16.00-16.75; 0.75; 2-1; 7 1/16; 2.00 167 Casing Hanger, 9 5/8in; 16.00-19.22; 3.22; 1-1; 9 5/8; 9.00 236.2 Casing Joints, 9 5/8in; 19.22-236.09; 216.87; 1-2; 9 5/8; 9.00 365.2 Casing Joints, 7in; 16.05-365.29; 349.24; 2-1; 7; 869.1 Collar, 9 5/8in; 236.09-237.00; 0.91; 1-3; 9 5/8; 1,710.0 OJO ALAMO (OJO ALAMO (final)) Casing Joints - SHORT JT, 7in; 365.29-375.54; KIRTLAND (KIRTLAND (final)) 10.25; 2-2; 7; 6.46 2,399.9 Casing Joints, 4 1/2in; 15.96-868.96; 853.00; 3-1; 4 1/2; 4.00 Casing Pup Joint, 4 1/2in; 868.96-901.56; 32.60; 3 2.425.2 -2; 4 1/2; 4.00 Casing Joints, 7in; 375.54-2,425.33; 2,049.79; 2-3; 2,626.0 FRUITLAND (FRUITLAND (final)) 7: 6.46 **\*\*\* 100 100** 2 3/8in, Tubing (Yellow Band); 16.75-2,978.93; 2,979.0 2000 2,962.18; 2-2; 2 3/8; 2.00 Stage Tool, 7in; 2,425.33-2,428.43; 3.10; 2-4; 7; W (W) 2,980.3 800 XX Casing Joints, 4 1/2in; 901.56-4,570.78; 3,669.22; 3.018.0 PICTURED CLIFFS (PICTURED CLIFFS (final)) 3-3; 4 1/2; 4.05 LEWIS (LEWIS (final)) Casing Joints, 7in; 2,428.43-3,291.16; 862.73; 2-5; 3,291.0 7; 6.46 2,831.0-2,987.0ftKB on 6/10/2022 07:00 (PERFORATED); 2,831.00-2,987.00; 2022-06-10 3,335.0 07:00 2 3/8in, Seat Nipple (1.78" I.D.); 2,978.93-3,348.1 2,980.03; 1.10; 2-3; 2 3/8; 1.78 HUERFANITO BENTENITE (HUERFANITO B... 2 3/8in, Mule Shoe Collar; 2,980.03-2,980.43; 4,045.9 · CHACRA (CHACRA (final)) 0.40; 2-4; 2 3/8; 2.00 Float Collar, 7in; 3,291.16-3,291.91; 0.75; 2-6; 7; 4,586.0 UPPER CLIFFHOUSE (UPPER CLIFFHOUSE... Casing Joints - FLOAT JT., 7in; 3,291.91-3,335.00; 4,861.9 MENEFEE (MENEFEE (final)) 43.09; 2-7; 7; 6.46 POINT LOOKOUT (POINT LOOKOUT (final)) Float Shoe, 7in; 3,335.00-3,336.00; 1.00; 2-8; 7 7,065.9 Marker Joint, 4 1/2in; 4,570.78-4,586.08; 15.30; 3-4; 4 1/2; 4.05 Casing Joints, 4 1/2in; 4,586.08-7,066.03; 7,250.0 GREENHORN (GREENHORN (final)) 2,479.95; 3-5; 4 1/2; 4.05 GRANEROS (GRANEROS (final)) Marker Joint, 4 1/2in; 7,066.03-7,081.33; 15.30; 3-7,325.1 6; 4 1/2; 4.05 Casing Joints, 4 1/2in; 7,081.33-7,551.26; 469.93; 7,357.9 Dakota (Dakota (final)) 3-7; 4 1/2; 4.05 7,370.0-7,522.0ftKB on 12/13/2006 08:15 (PERF 7,522.0 DAKOTA); 7,370.00-7,522.00; 2006-12-13 08:15 Float Collar, 4 1/2in; 7,551.26-7,552.11; 0.85; 3-8; 7,551.2 4 1/2; 4.05 Float Shoe, 4 1/2in; 7,552.11-7,554.00; 1.89; 3-9; 4 7,554.1 1/2: 4.05

Page 1/1

www.peloton.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 130564

#### **CONDITIONS**

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	130564
	Action Type:
	[C-103] Sub. Temporary Abandonment (C-103U)

#### CONDITIONS

Created By	Condition	Condition Date
mkuehling	this is for record only - this well s not tad - paperwork is out of sequence.	1/6/2023