

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Cimarex Energy Company 600 N. Marienfeld St., Suite 600 Midland, TX 79701		² OGRID Number 215099
		³ Reason for Filing Code/ Effective Date NW 11/10/21
⁴ API Number 30 - 025-47655	⁵ Pool Name Grama Ridge; Bone Spring, West	⁶ Pool Code 28432
⁷ Property Code 313931	⁸ Property Name West Grama Ridge 7 Federal	⁹ Well Number 3H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	7	22S	34E		469	South	1339	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	7	22S	34E		101	North	658	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 11/10/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
24650	Targa Midstream Services, LLC	G
372603	3 Bears Field Services, LLC	O

IV. Well Completion Data

²¹ Spud Date 5/11/21	²² Ready Date 11/10/21	²³ TD 15,262MD/ 10,836TVD	²⁴ PBTD 15,242	²⁵ Perforations 11,031 - 15,247	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2	13-3/8	1663	1578		
12-1/4	9-5/8	5121	1926		
8-3/4	7	11,021	890		
6	4-1/2, 3-1/2 tbg	15,262, tbg 10,002	335		

V. Well Test Data

³¹ Date New Oil 11/10/21	³² Gas Delivery Date 11/10/21	³³ Test Date 11/28/21	³⁴ Test Length 24hrs	³⁵ Tbg. Pressure 115	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil 390	³⁹ Water 1083	⁴⁰ Gas 591		⁴¹ Test Method Gas lift

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name: Kanicia Schlichting		Approved by: PATRICIA MARTINEZ	
Title: Regulatory Analyst		Title: PETROLEUM SPECIALIST	
E-mail Address: kschlichting@cimarex.com		Approval Date: 1/10/2023	
Date: 2/7/22	Phone: 432-571-7894		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47655	² Pool Code 28432	³ Pool Name Grama Ridge; Bone Springs, West
⁴ Property Code 313931	⁵ Property Name WEST GRAMA RIDGE 7 FEDERAL	⁶ Well Number 3H
⁷ OGRID No. 215099	⁸ Operator Name CIMAREX ENERGY CO.	⁹ Elevation 3515.4'


¹⁰ Surface Location

UL or lot no. O	Section 7	Township 22S	Range 34E	Lot Idn	Feet from the 469	North/South line SOUTH	Feet from the 1339	East/West line EAST	County LEA
--------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. A	Section 7	Township 22S	Range 34E	Lot Idn	Feet from the 101	North/South line NORTH	Feet from the 658	East/West line EAST	County LEA
¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷ OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

K. Schlichting 1/13/22
Signature Date

Kanicia Schlichting
Printed Name

kanicia.schlichting@coterra.com
E-mail Address

¹⁸ SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

November 13, 2019
Date of Survey

Signature and Seal of Professional Surveyor:

PAUL BUCHELE
NEW MEXICO
23782
12-17-21
PROFESSIONAL SURVEYOR

Certificate Number:



Final Surveys - Cimarex West Grama Ridge 7-6 Federal Com #3H MWD 0ft-15262ft (Surcon Corrected) Survey Geodetic Report (Def Survey)



Report Date: May 29, 2021 - 05:12 PM Client: Cimarex Energy Field: NM Lea County (NAD 83) Structure / Slot: Cimarex West Grama Ridge 7-6 Federal Com #3H / New Slot Well: West Grama Ridge 7-6 Federal Com #3H Borehole: West Grama Ridge 7-6 Federal Com #3H UWI / API#: Unknown / Unknown Survey Name: Final Surveys - Cimarex West Grama Ridge 7-6 Federal Com #3H MWD 0ft-15262ft (Surcon Corrected) Survey Date: May 09, 2021 Tort / AHD / DDI / ERD Ratio: 174.832 ° / 5495.846 ft / 6.131 / 0.507 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 24' 0.92631", W 103° 30' 17.74204" Location Grid N/E Y/X: N 510335.410 HUS, E 797015.160 HUS CRS Grid Convergence Angle: 0.4439 ° Grid Scale Factor: 0.99998396 Version / Patch: 2.10.825.0	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 359.665 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3538.400 ft above MSL Seabed / Ground Elevation: 3515.400 ft above MSL Magnetic Declination: 6.447 ° Total Gravity Field Strength: 998.4762mgm (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47828.684 nT Magnetic Dip Angle: 60.089 ° Declination Date: May 29, 2021 Magnetic Declination Model: HDGM 2021 North Reference: Grid North Grid Convergence Used: 0.4439 ° Total Corr Mag North->Grid North: 6.0028 ° Local Coord Referenced To: Well Head	
---	--	--


Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
SHL 1469' FSL, 1339' FEL)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	510335.41	797015.16	N 32 24 0.93	W 103 30 17.74	0.00	0.00
	209.00	0.40	353.10	209.00	0.72	0.72	-0.09	0.19	510336.13	797015.07	N 32 24 0.93	W 103 30 17.74	353.10	0.73
	308.00	0.51	6.67	308.00	1.51	1.50	-0.08	0.15	510336.91	797015.08	N 32 24 0.94	W 103 30 17.74	357.03	1.51
	397.00	0.42	13.98	396.99	2.21	2.21	0.05	0.12	510337.62	797015.21	N 32 24 0.95	W 103 30 17.74	1.21	2.22
	488.00	0.48	15.03	487.99	2.91	2.91	0.23	0.07	510338.32	797015.39	N 32 24 0.96	W 103 30 17.74	4.45	2.92
	576.00	0.58	27.11	575.99	3.66	3.66	0.52	0.17	510339.07	797015.68	N 32 24 0.96	W 103 30 17.74	8.16	3.70
	667.00	0.59	41.47	666.98	4.41	4.42	1.04	0.16	510339.83	797016.20	N 32 24 0.97	W 103 30 17.73	13.30	4.54
	757.00	0.59	37.94	756.98	5.12	5.13	1.64	0.04	510340.54	797016.80	N 32 24 0.98	W 103 30 17.72	17.69	5.39
	846.00	0.56	359.07	845.97	5.92	5.93	1.91	0.43	510341.34	797017.07	N 32 24 0.98	W 103 30 17.72	17.87	6.23
	1030.00	1.03	63.29	1029.96	7.55	7.57	3.37	0.51	510342.98	797018.53	N 32 24 1.00	W 103 30 17.70	24.02	8.29
	1124.00	1.32	64.32	1123.94	8.39	8.42	5.10	0.31	510343.83	797020.26	N 32 24 1.01	W 103 30 17.68	31.22	9.85
	1218.00	1.69	58.93	1217.90	9.56	9.61	7.27	0.42	510345.01	797022.43	N 32 24 1.02	W 103 30 17.66	37.11	12.04
	1407.00	2.46	60.35	1406.78	12.97	13.05	13.18	0.41	510348.46	797028.34	N 32 24 1.05	W 103 30 17.59	45.28	18.55
	1501.00	2.64	62.80	1500.69	14.94	15.04	16.86	0.22	510350.45	797032.02	N 32 24 1.07	W 103 30 17.54	48.27	22.59
	1615.00	2.76	61.81	1614.56	17.41	17.53	21.61	0.11	510352.94	797036.77	N 32 24 1.10	W 103 30 17.49	50.95	27.83
	1701.00	4.36	61.00	1700.39	19.94	20.10	26.30	1.86	510355.51	797041.46	N 32 24 1.12	W 103 30 17.43	52.61	33.10
	1890.00	4.60	91.47	1888.84	23.15	23.39	40.16	1.25	510358.80	797055.32	N 32 24 1.15	W 103 30 17.27	59.79	46.47
	2078.00	4.48	87.77	2076.25	23.16	23.48	55.03	0.17	510358.89	797070.19	N 32 24 1.15	W 103 30 17.10	66.90	59.83
	2171.00	4.52	88.22	2168.96	23.37	23.73	62.32	0.06	510359.14	797077.48	N 32 24 1.16	W 103 30 17.01	69.15	66.69
	2266.00	4.68	101.68	2263.66	22.66	23.07	69.86	1.15	510358.47	797085.02	N 32 24 1.15	W 103 30 16.93	71.73	73.57
	2361.00	4.88	104.94	2358.33	20.79	21.24	77.56	0.36	510356.65	797092.72	N 32 24 1.13	W 103 30 16.84	74.69	80.42
	2549.00	5.11	99.14	2545.62	17.30	17.85	93.55	0.29	510353.26	797108.71	N 32 24 1.10	W 103 30 16.65	79.20	95.24
	2644.00	5.17	97.73	2640.24	16.00	16.60	101.97	0.15	510352.01	797117.13	N 32 24 1.08	W 103 30 16.55	80.75	103.31
	2737.00	5.31	94.92	2732.85	15.02	15.67	110.41	0.31	510351.08	797125.57	N 32 24 1.07	W 103 30 16.45	81.92	111.52
	2830.00	5.75	93.62	2825.41	14.31	15.00	119.35	0.49	510350.41	797134.51	N 32 24 1.07	W 103 30 16.35	82.83	120.29
	3017.00	7.38	88.41	3011.18	13.92	14.75	140.70	0.93	510350.16	797155.86	N 32 24 1.06	W 103 30 16.10	84.02	141.47
	3111.00	8.12	87.98	3104.32	14.25	15.15	153.37	0.79	510350.56	797168.53	N 32 24 1.06	W 103 30 15.95	84.36	154.12
	3206.00	8.66	85.81	3198.31	14.93	15.91	167.21	0.66	510351.32	797182.37	N 32 24 1.07	W 103 30 15.79	84.57	167.97
	3299.00	9.24	85.11	3290.17	15.99	17.05	181.63	0.63	510352.46	797196.79	N 32 24 1.08	W 103 30 15.62	84.64	182.43
	3393.00	10.18	83.20	3382.83	17.53	18.68	197.40	1.06	510354.09	797212.56	N 32 24 1.10	W 103 30 15.44	84.59	198.28
	3487.00	10.71	82.99	3475.27	19.48	20.73	214.32	0.57	510356.14	797229.48	N 32 24 1.11	W 103 30 15.24	84.48	215.32
	3582.00	10.45	91.15	3568.66	20.28	21.64	231.70	1.60	510357.04	797246.85	N 32 24 1.12	W 103 30 15.04	84.67	232.70
	3676.00	10.39	94.82	3661.11	19.30	20.75	248.67	0.71	510356.16	797263.82	N 32 24 1.11	W 103 30 14.84	85.23	249.53
	3865.00	9.39	95.46	3847.30	16.21	17.85	281.00	0.53	510353.26	797296.15	N 32 24 1.08	W 103 30 14.46	86.36	281.56
	3958.00	8.96	95.36	3939.11	14.72	16.45	295.76	0.46	510351.86	797310.91	N 32 24 1.07	W 103 30 14.29	86.82	296.22
	4053.00	8.53	95.69	4033.00	13.25	15.06	310.14	0.46	510350.47	797325.29	N 32 24 1.05	W 103 30 14.12	87.22	310.50
	4147.00	8.41	95.83	4125.98	11.78	13.68	323.91	0.13	510349.09	797339.07	N 32 24 1.04	W 103 30 13.96	87.58	324.20
	4336.00	8.26	94.94	4312.98	9.05	11.10	351.19	0.10	510346.51	797366.34	N 32 24 1.01	W 103 30 13.65	88.19	351.36
	4431.00	8.55	93.79	4406.96	7.91	10.05	365.03	0.35	510345.46	797380.19	N 32 24 1.00	W 103 30 13.48	88.42	365.17
	4525.00	8.59	96.30	4499.91	6.60	8.82	378.98	0.40	510344.23	797394.14	N 32 24 0.98	W 103 30 13.32	88.67	379.08
	4620.00	8.50	95.03	4593.86	5.12	7.42	393.03	0.22	510342.83	797408.18	N 32 24 0.97	W 103 30 13.16	88.92	393.10
	4715.00	8.61	95.04	4687.80	3.80	6.18	407.11	0.12	510341.59	797422.26	N 32 24 0.96	W 103 30 12.99	89.13	407.15
	4809.00	8.51	95.45	4780.75	2.44	4.90	421.04	0.12	510340.31	797436.19	N 32 24 0.94	W 103 30 12.83	89.33	421.07
	4903.00	8.57	94.30	4873.71	1.17	3.72	434.95	0.19	510339.13	797450.10	N 32 24 0.93	W 103 30 12.67	89.51	434.96
	4998.00	8.55	93.33	4967.65	0.15	2.78	449.05	0.15	510338.19	797464.21	N 32 24 0.92	W 103 30 12.50	89.65	449.06
	5074.00	8.57	92.76	5042.81	-0.52	2.17	460.35	0.11	510337.58	797475.50	N 32 24 0.91	W 103 30 12.37	89.73	460.36
	5268.00	8.49	91.84	5234.66	-1.84	1.02	489.10	0.08	510336.43	797504.25	N 32 24 0.90	W 103 30 12.04	89.86	489.10
	5363.00	7.93	93.06	5328.69	-2.49	0.44	502.66	0.62	510335.85	797517.81	N 32 24 0.89	W 103 30 11.88	89.95	502.66
	5457.00	7.70	93.50	5421.81	-3.30	-0.29	515.42	0.25	510335.12	797530.57	N 32 24 0.88	W 103 30 11.73	90.03	515.42
	5552.00	7.37	91.17	5515.99	-3.89	-0.80	527.86	0.47	510334.61	797543.01	N 32 24 0.88	W 103 30 11.59	90.09	527.86
	5647.00	7.12	90.16	5610.24	-4.10	-0.94	539.84	0.30	510334.47	797554.99	N 32 24 0.88	W 103 30 11.45	90.10	539.84
	5741.00	6.63	88.68	5703.56	-4.05	-0.83	551.09	0.55	510334.58	797566.24	N 32 24 0.88	W 103 30 11.31	90.09	551.09
	5834.00	6.36	86.40	5795.96	-3.67	-0.38	561.60	0.40	510335.03	797576.75	N 32 24 0.88	W 103 30 11.19	90.04	561.60
	5928.00	6.02	84.77	5889.41	-2.95	0.39	571.70	0.41	510335.80	797586.85	N 32 24 0.89	W 103 30 11.07	89.96	571.70
	6022.00	6.06	83.50	5982.89	-2.00	1.40	581.54	0.15	510336.81	797596.69	N 32 24 0.90	W 103 30 10.96	89.86	581.54
	6117.00	6.63	82.84	6077.31	-0.81	2.65	591.97	0.60	510338.06	797607.12	N 32 24 0.91	W 103 30 10.84	89.74	591.97
	6211.00	5.75	83.42	6170.76	0.35	3.87	602.03	0.94	510339.28	797617.18	N 32 24 0.92	W 103 30 10.72	89.63	602.04
	6306.00	5.72	83.05	6265.29	1.41	4.99	611.46	0.05	510340.40	797626.60	N 32 24 0.93	W 103 30 10.61	89.53	611.48
	6399.00	5.63	82.23	6357.83	2.54	6.17	620.58	0.13	510341.58	797635.72	N 32 24 0.94	W 103 30 10.50	89.43	620.61
	6493.00	5.24	79.98	6451.41	3.86	7.54	629.37	0.47	510342.95	797644.52	N 32 24 0.95	W 103 30 10.40	89.31	629.42
	6587.00	5.09	78.95	6545.03	5.35	9.08	637.69	0.19	510344.49	797652.84	N 32 24 0.97	W 103 30 10.30	89.18	637.76
	6680.00	5.11	79.51	6637.66	6.85	10.63	645.81	0.06	510346.04	797660.96	N 32 24 0.98	W 103 30 10.21	89.06	645.90
	6775.00	4.98	78.46	6732.29	8.40	12.22	654.01	0.17	510347.63	797669.16	N 32 24 1.00	W 103 30 10.11	88.93	654.13
	6868.00	4.97	80.16	6824.94	9.85	13.75	661.94	0.16	510349.13	797677.08	N 32 24 1.01	W 103 30 10.02	88.81	662.08
	6963.00	4.79	80.40	6919.59	11.17	15.08	669.90	0.19	510350.49	797685.05	N 32 24 1.02	W 103 30		

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
KOP	9410.00	0.64	213.06	9365.39	-10.72	-6.49	723.79	1.04	510328.92	797738.94	N 32 24 0.81 W 103 30 9.30		90.51	723.82
	9504.00	0.13	122.84	9459.39	-11.22	-6.99	723.60	0.70	510328.42	797738.74	N 32 24 0.80 W 103 30 9.30		90.55	723.63
	9598.00	0.48	109.95	9553.38	-11.41	-7.18	724.06	0.38	510328.23	797739.20	N 32 24 0.80 W 103 30 9.30		90.57	724.09
	9693.00	0.94	118.45	9648.38	-11.92	-7.68	725.12	0.50	510327.73	797740.26	N 32 24 0.79 W 103 30 9.29		90.61	725.16
	9787.00	1.28	125.35	9742.36	-12.91	-8.66	726.65	0.39	510326.75	797741.80	N 32 24 0.78 W 103 30 9.27		90.68	726.70
	9882.00	1.49	128.64	9837.33	-14.30	-10.04	728.48	0.24	510325.37	797743.63	N 32 24 0.77 W 103 30 9.25		90.79	728.55
	9977.00	1.19	140.08	9932.31	-15.84	-11.57	730.08	0.42	510323.84	797745.22	N 32 24 0.76 W 103 30 9.23		90.91	730.17
	10072.00	1.49	140.01	10027.28	-17.55	-13.28	731.50	0.32	510322.14	797746.65	N 32 24 0.74 W 103 30 9.21		91.04	731.63
	10124.00	1.55	141.37	10079.26	-18.62	-14.34	732.38	0.13	510321.07	797747.53	N 32 24 0.73 W 103 30 9.20		91.12	732.52
	10208.00	2.99	3.69	10164.03	-17.32	-13.03	733.24	5.03	510322.38	797748.38	N 32 24 0.74 W 103 30 9.19		91.02	733.35
First SLB Survey	10224.00	3.74	0.82	10179.20	-16.42	-12.14	733.27	5.03	510323.27	797748.42	N 32 24 0.75 W 103 30 9.19		90.95	733.37
	10272.00	9.24	357.07	10226.88	-11.00	-6.72	733.10	11.49	510328.69	797748.24	N 32 24 0.80 W 103 30 9.19		90.53	733.13
	10319.00	14.00	354.94	10272.90	-1.56	2.72	732.40	10.17	510338.13	797747.55	N 32 24 0.90 W 103 30 9.20		89.79	732.41
	10366.00	18.93	352.74	10317.96	11.68	15.95	730.93	10.57	510351.36	797746.08	N 32 24 1.03 W 103 30 9.22		88.75	731.11
	10413.00	23.43	351.30	10361.77	28.50	32.76	728.56	9.64	510368.17	797743.70	N 32 24 1.19 W 103 30 9.24		87.43	729.29
	10460.00	27.76	352.92	10404.15	48.62	52.87	725.79	9.33	510388.28	797740.94	N 32 24 1.39 W 103 30 9.27		85.83	727.72
	10507.00	31.92	354.16	10444.91	71.87	76.10	723.18	8.95	510411.51	797738.33	N 32 24 1.62 W 103 30 9.30		83.99	727.17
	10554.00	37.35	354.85	10483.57	98.47	102.68	720.63	11.58	510438.09	797735.78	N 32 24 1.89 W 103 30 9.33		81.89	727.91
	10600.00	41.01	357.44	10519.22	127.47	131.67	718.70	8.71	510467.08	797733.85	N 32 24 2.17 W 103 30 9.35		79.62	730.67
	10647.00	44.57	357.72	10553.71	159.37	163.57	717.36	7.59	510498.97	797732.51	N 32 24 2.49 W 103 30 9.36		77.16	735.77
	10694.00	48.77	356.71	10585.95	193.51	197.70	715.69	9.07	510533.11	797730.84	N 32 24 2.83 W 103 30 9.38		74.56	742.49
	10741.00	52.93	357.63	10615.62	229.92	234.10	713.90	8.98	510569.50	797729.05	N 32 24 3.19 W 103 30 9.39		71.84	751.30
	10788.00	55.10	357.20	10643.23	267.92	272.09	712.18	4.68	510607.49	797727.33	N 32 24 3.56 W 103 30 9.41		69.09	762.39
	10836.00	58.54	357.70	10669.50	308.06	312.22	710.40	7.22	510647.62	797725.54	N 32 24 3.96 W 103 30 9.43		66.27	775.98
	10883.00	63.11	357.19	10692.40	349.05	353.20	708.56	9.77	510688.60	797723.71	N 32 24 4.37 W 103 30 9.45		63.50	791.72
	10930.00	68.43	356.22	10711.69	391.84	395.97	706.09	11.47	510731.38	797721.24	N 32 24 4.79 W 103 30 9.47		60.72	809.55
	10976.00	72.02	356.46	10727.25	435.05	439.17	703.33	7.82	510774.57	797718.48	N 32 24 5.22 W 103 30 9.50		58.02	829.18
	11057.00	78.68	356.20	10747.72	513.24	517.33	698.32	8.23	510852.73	797713.46	N 32 24 5.99 W 103 30 9.55		53.47	869.06
	11151.00	84.94	357.74	10761.11	606.13	610.19	693.41	6.85	510945.59	797708.56	N 32 24 6.91 W 103 30 9.60		48.65	923.66
	11245.00	85.25	357.57	10769.14	699.72	703.77	689.58	0.38	511039.16	797704.73	N 32 24 7.84 W 103 30 9.64		44.42	985.30
	11338.00	87.17	358.19	10775.29	792.47	796.50	686.15	2.17	511131.89	797701.29	N 32 24 8.75 W 103 30 9.67		40.74	1051.29
	11434.00	89.86	357.76	10777.78	888.39	892.39	682.76	2.84	511227.79	797697.90	N 32 24 9.70 W 103 30 9.70		37.42	1123.62
	11528.00	89.52	358.02	10778.29	982.34	986.33	679.29	0.46	511321.72	797694.44	N 32 24 10.63 W 103 30 9.73		34.66	1197.62
	11716.00	88.03	357.50	10782.31	1170.19	1174.14	671.95	0.84	511509.53	797687.10	N 32 24 12.49 W 103 30 9.80		29.78	1352.82
	11811.00	87.90	357.12	10785.68	1265.05	1268.97	667.49	0.42	511604.36	797682.64	N 32 24 13.43 W 103 30 9.84		27.74	1433.82
	11905.00	88.37	356.80	10788.74	1358.89	1362.79	662.51	0.60	511698.17	797677.66	N 32 24 14.36 W 103 30 9.89		25.93	1515.29
	11999.00	87.83	359.05	10791.86	1452.79	1456.67	659.11	2.46	511792.05	797674.26	N 32 24 15.29 W 103 30 9.92		24.35	1598.85
	12094.00	88.43	0.54	10794.96	1547.74	1551.62	658.77	1.69	511887.00	797673.92	N 32 24 16.23 W 103 30 9.92		23.00	1685.67
	12188.00	88.08	0.57	10797.82	1641.68	1645.57	659.68	0.37	511980.95	797674.83	N 32 24 17.16 W 103 30 9.90		21.84	1772.87
	12282.00	88.52	0.76	10800.61	1735.63	1739.52	660.77	0.51	512074.90	797675.92	N 32 24 18.09 W 103 30 9.88		20.80	1860.79
	12376.00	88.15	0.36	10803.34	1829.57	1833.47	661.69	0.58	512168.85	797676.84	N 32 24 19.02 W 103 30 9.86		19.84	1949.22
	12471.00	88.03	0.19	10806.50	1924.52	1928.42	662.14	0.22	512263.80	797677.29	N 32 24 19.96 W 103 30 9.84		18.95	2038.93
	12565.00	88.50	0.71	10809.35	2018.46	2022.37	662.88	0.75	512357.75	797678.03	N 32 24 20.89 W 103 30 9.83		18.15	2128.24
	12660.00	88.08	0.11	10812.19	2113.41	2117.33	663.56	0.77	512452.70	797678.71	N 32 24 21.83 W 103 30 9.81		17.40	2218.87
	12755.00	88.13	0.38	10815.33	2208.36	2212.28	663.97	0.29	512547.65	797679.12	N 32 24 22.76 W 103 30 9.80		16.71	2309.77
	12849.00	88.19	0.66	10818.35	2302.30	2306.22	664.82	0.30	512641.59	797679.97	N 32 24 23.69 W 103 30 9.78		16.08	2400.14
	12940.00	88.51	0.86	10820.97	2393.24	2397.18	666.03	0.41	512732.54	797681.17	N 32 24 24.59 W 103 30 9.76		15.53	2487.98
	13030.00	89.28	1.12	10822.70	2483.20	2487.15	667.58	0.90	512822.51	797682.73	N 32 24 25.48 W 103 30 9.73		15.02	2575.18
	13121.00	88.89	0.70	10824.15	2574.17	2578.12	669.03	0.63	512913.49	797684.17	N 32 24 26.38 W 103 30 9.71		14.55	2663.52
	13213.00	89.85	1.33	10825.17	2666.13	2670.10	670.66	1.25	513005.46	797685.80	N 32 24 27.29 W 103 30 9.68		14.10	2753.04
	13303.00	89.95	358.35	10825.32	2756.12	2760.09	670.40	3.31	513095.45	797685.55	N 32 24 28.18 W 103 30 9.67		13.65	2840.34
	13393.00	89.82	357.96	10825.50	2846.09	2850.04	667.51	0.46	513185.04	797682.66	N 32 24 29.08 W 103 30 9.70		13.18	2927.17
	13575.00	89.30	356.43	10826.90	3027.91	3031.81	658.60	0.89	513367.17	797673.75	N 32 24 30.87 W 103 30 9.79		12.26	3102.52
	13665.00	89.51	358.45	10827.84	3117.83	3121.71	654.58	2.26	513457.07	797669.73	N 32 24 31.76 W 103 30 9.82		11.84	3189.61
	13756.00	89.72	358.34	10828.45	3208.81	3212.68	652.03	0.26	513548.03	797667.18	N 32 24 32.66 W 103 30 9.85		11.47	3278.18
	13848.00	89.53	359.96	10829.05	3300.80	3304.66	650.67	1.77	513640.01	797665.82	N 32 24 33.57 W 103 30 9.85		11.14	3368.11
	13939.00	90.12	0.55	10829.33	3391.80	3395.66	651.07	0.92	513731.01	797666.22	N 32 24 34.47 W 103 30 9.84		10.85	3457.51
	14029.00	89.77	0.91	10829.41	3481.78	3485.65	652.22	0.56	513821.00	797667.37	N 32 24 35.37 W 103 30 9.82		10.60	3546.15
	14120.00	89.22	0.31	10830.22	3572.76	3576.64	653.19	0.89	513911.99	797668.34	N 32 24 36.27 W 103 30 9.80		10.35	3635.80
	14212.00	90.13	0.11	10830.74	3664.76	3668.64	653.53	1.01	514003.98	797668.67	N 32 24 37.18 W 103 30 9.79		10.10	3726.39
	14302.00	89.21	0.37	10831.26	3754.75	3758.64	653.90	1.06	514093.98	797669.05	N 32 24 38.07 W 103 30 9.78		9.87	3815.09
14393.00	90.08	1.31	10831.82	3845.73	3849.62	655.24	1.41	514184.96	797670.39	N 32 24 38.97 W 103 30 9.75		9.66	3904.99	
14484.00	89.68	1.16	10832.01	3936.69	3940.60	657.20	0.47	5142757.9						

Borehole: West Grama Ridge 7-6 Federal Com #3H	Well: West Grama Ridge 7-6 Federal Com #3H	Field: NM Lea County (NAD 83)	Structure: Cimarex West Grama Ridge 7-6 Federal Com #3H
---	---	----------------------------------	--

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	HDGM 2021	Dip:	60.089°	Date:	29-May-2021	Lat:	N 32 24 0.93	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Slot:	New Slot	TVD Ref:
MagDec:	6.447°	FS:	47828.684nT	Gravity FS:	998.476mgn (9.80665 Based)	Lon:	W 103 30 17.74	Northing:	510335.41ftUS	Plan:	RKB(3538.4ft above MSL)
								Eastng:	797015.16ftUS	Final Surveys - Cimarex West Grama Ridge 7-6 Federal Com #3H MWD Offt-15262ft (Surcon Corrected)	
								Grid Conv:	0.4439°		
								Scale Fact:	0.99998396		

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
SHL [469° FSL, 1339° FEL]	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
KOP	10208.80	2.99	3.69	10164.03	-17.32	-13.03	733.24	5.03
First SLB Survey	10224.00	3.74	0.82	10179.20	-16.42	-12.14	733.27	5.03
Final Survey	15233.00	89.62	0.67	10836.74	4685.43	4689.33	653.21	2.14
TD, PTB [101° FNL, 658° FEL]	15262.00	89.62	0.67	10836.93	4714.43	4718.33	653.55	0.00



Grid
True
Mag

Grid North
Tot Corr (M->G 6.003°)
Mag Dec (6.447°)
Grid Conv (0.444°)

CONTROLLED



Final Surveys - Cimarex West Grama Ridge 7-6 Federal Com #3H MWD Offt-15262ft (Surcon Corrected)

of 3

29-May-2021

1	Client	
2	Client	
3	Office	
4	Office	

Copy number for



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

3a. Address

3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

9. API Well No.

10. Field and Pool or Exploratory Area

11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
☐ Final Abandonment Notice	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Title

Signature

Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well


0. SHL: SWSE / 469 FSL / 1339 FEL / TWSP: 22S / RANGE: 34E / SECTION: 7 / LAT: 32.400257 / LONG: -103.504928 (TVD: 0 feet, MD: 0 feet)

PPP: SWSE / 469 FSL / 1980 FEL / TWSP: 22S / RANGE: 34E / SECTION: 7 / LAT: 32.400255 / LONG: -103.507005 (TVD: 11650 feet, MD: 11916 feet)

PPP: SESE / 0 FSL / 1980 FEL / TWSP: 22S / RANGE: 34E / SECTION: 7 / LAT: 32.413506 / LONG: -103.506975 (TVD: 11795 feet, MD: 16693 feet)

BHL: LOT 2 / 100 FNL / 1980 FEL / TWSP: 22S / RANGE: 34E / SECTION: 6 / LAT: 32.427743 / LONG: -103.506943 (TVD: 11950 feet, MD: 21875 feet)

CONFIDENTIAL

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-47655		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name West Grama Ridge 7 Federal		
								6. Well Number: 3H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator Cimarex Energy Company						9. OGRID 215099				
10. Address of Operator 600 N. Marienfeld St., Suite 600 Midland, TX 79701						11. Pool name or Wildcat Grama Ridge; Bone Spring, West 28432				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	7	22S	34E		469	South	1339	East	Lea
BH:	A	7	22S	34E		101	North	658	East	Lea
13. Date Spudded 5/11/21	14. Date T.D. Reached 5/30/21		15. Date Rig Released 6/1/21			16. Date Completed (Ready to Produce) 11/10/21		17. Elevations (DF and RKB, RT, GR, etc.) 3515		
18. Total Measured Depth of Well 15,262			19. Plug Back Measured Depth 15,242			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run Gamma Ray		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,031 - 15,247										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8		54.5#		1663		17-1/2		1578 sx		
9-5/8		40#		5121		12-1/4		1926 sx		
7		32#		11,021		8-3/4		890 sx		
4-1/2		13.5#		15,262		6		335 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
								3-1/2		10,002
26. Perforation record (interval, size, and number) 11,031 - 15,247 560 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11,031 - 15,247		7,800,814 gals Slick water		
								10,002,852# 100 Mesh sand		
28. PRODUCTION										
Date First Production 11/10/21		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Pump				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 11/28/2021	Hours Tested 24hrs	Choke Size	Prod'n For Test Period	Oil - Bbl 390	Gas - MCF 591	Water - Bbl. 1083	Gas - Oil Ratio 1515			
Flow Tubing Press. 115	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 390	Gas - MCF 591	Water - Bbl. 1083	Oil Gravity - API - (<i>Corr.</i>) 39.2				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold							30. Test Witnessed By Josh Jones			
31. List Attachments C-105, C-102, Additional points required, Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature  Name Kanicia Schlichting Title Regulatory Analyst Date 2/7/22 E-mail Address kschlichting@cimarex.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 1715	T. Lamar 5188	T. Ojo Alamo	T. Penn A"
T. Salt	T. Bell Canyon 5294	T. Kirtland	T. Penn. "B"
B. Salt	T. Cherry Canyon 5856	T. Fruitland	T. Penn. "C"
T. Yates	T. Brushy Canyon 7074	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Lime Bone Spring 8840	T. Cliff House	T. Leadville
T. Queen	T. Avalon 9329	T. Menefee	T. Madison
T. Grayburg	T. 1st Bone Spring Sand 9943	T. Point Lookout	T. Elbert
T. San Andres	T. 2nd Bone Spring Carb 10,377	T. Mancos	T. McCracken
T. Glorieta	T. 2nd Bone Spring Sand 10,588	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 172135

ACKNOWLEDGMENTS

Operator: CIMAREX ENERGY CO. 600 N. Marienfeld Street Midland, TX 79701	OGRID: 215099
	Action Number: 172135
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 172135

CONDITIONS

Operator: CIMAREX ENERGY CO. 600 N. Marienfeld Street Midland, TX 79701	OGRID: 215099
	Action Number: 172135
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	1/10/2023