

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-49121	⁵ Pool Name JAL; Wolfcamp	⁶ Pool Code 33813
⁷ Property Code 331189	⁸ Property Name Blue Marlin Fed Com	⁹ Well Number 215H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	19	25-S	36-E	-	286'	SOUTH	2173'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	25-S	36-E	-	32'	NORTH	1646'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 1/9/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 8/21/2021	²² Ready Date 1/3/2022	²³ TD 22188'	²⁴ PBTB 22120'	²⁵ Perforations 11946 ft to 22050 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1308'	1130 sks		
12.25"	9.625"	5432'	1574 sks		
8.75"	7.625"	11275'	596 sks		
6.75"	5.5"	22168'	1248 sks		

V. Well Test Data

³¹ Date New Oil 1/9/2022	³² Gas Delivery Date 1/9/2022	³³ Test Date 2/2/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1500
³⁷ Choke Size 34/64	³⁸ Oil 1783	³⁹ Water 2764	⁴⁰ Gas 2841		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 1/11/2023		
Date: 3/3/2022		Phone: 720-772-5901			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As-Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49121		² Pool Code 33813		³ Pool Name JAL; WOLFCAMP, WEST	
⁴ Property Code 331189		⁵ Property Name BLUE MARLIN FED COM			⁶ Well Number 215H
⁷ OGRID No. #372043		⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3063'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	19	25-S	36-E	-	286'	SOUTH	2173'	WEST	LEA



¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	25-S	36-E	-	32'	NORTH	1646'	WEST	LEA

¹² Dedicated Acres 640.00	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 18, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

TAP
ROCK



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

BLUE MARLIN FED COM 215H PRE-COMPLETION	REVISION:		NOTES:
	INT	DATE	
DATE: 11/11/2021			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE: C:\BLUE_MARLIN_FED_COM_215H			
DRAWN BY: IMU			
SHEET: 2 OF 2			

S:\SURVEY\TAPROCK\BLUE_MARLIN\FINAL_PRODUCT\TAPROCK_BLUE_MARLIN_FED_COM_215H.DWG 3/14/2022 1:20:59 PM kmatheny



Operator: Tap Rock Resources, LLC.
Well Name: Blue Marlin Fed Com #215H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-49121

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 173' MD – 22,122' MD
Projection to Bit: 22,188' MD
Dates Performed: 08/20/2021 – 09/25/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
Well Name: Blue Marlin Fed Com 215H
Job Number: ID3014
Survey Company: Intrepid Directional Drilling Specialists
Rig Name: H&P 376

Target KBTVD: 12183.00
Target Inclination: 92.50°
Declination Correction: 5.80°
DF Elevation: 3089

Vertical Section Calculated Along Azimuth: 359.45°

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	173	0.79	1.49	173	172.99	1.19	1.19	0.03	0.46
MWD	2	240	0.97	0.97	67	239.99	2.22	2.22	0.05	0.27
MWD	3	332	1.14	345.76	92	331.97	3.89	3.89	-0.16	0.35
MWD	4	423	1.41	333.28	91	422.95	5.77	5.76	-0.89	0.42
MWD	5	515	1.49	328.09	92	514.92	7.81	7.79	-2.03	0.17
MWD	6	605	1.54	320.27	90	604.89	9.75	9.71	-3.42	0.24
MWD	7	697	1.49	301.55	92	696.86	11.34	11.29	-5.23	0.54
MWD	8	789	1.63	286.96	92	788.82	12.37	12.30	-7.50	0.46
MWD	9	881	2.11	271.05	92	880.77	12.81	12.71	-10.44	0.76
MWD	10	973	2.46	266.66	92	972.70	12.76	12.63	-14.11	0.43
MWD	11	1065	2.64	264.64	92	1064.61	12.49	12.31	-18.19	0.22
MWD	12	1156	1.10	287.31	91	1155.56	12.58	12.38	-21.11	1.85
MWD	13	1253	1.10	17.75	97	1252.55	13.75	13.54	-21.71	1.61
MWD	14	1353	1.27	8.00	100	1352.53	15.76	15.55	-21.27	0.26
MWD	15	1448	1.41	0.79	95	1447.50	17.97	17.76	-21.10	0.23
MWD	16	1542	1.32	311.31	94	1541.48	19.85	19.64	-21.90	1.22
MWD	17	1636	1.85	269.03	94	1635.44	20.56	20.32	-24.23	1.32
MWD	18	1732	2.86	248.91	96	1731.36	19.70	19.44	-28.02	1.34
MWD	19	1827	3.82	241.35	95	1826.20	17.38	17.07	-33.01	1.11
MWD	20	1922	4.26	239.85	95	1920.96	14.15	13.78	-38.83	0.48
MWD	21	2015	4.13	241.87	93	2013.72	10.89	10.46	-44.77	0.21
MWD	22	2110	5.41	236.60	95	2108.38	6.88	6.39	-51.53	1.42
MWD	23	2204	6.37	241.87	94	2201.89	2.06	1.49	-59.83	1.17
MWD	24	2298	6.64	246.80	94	2295.28	-2.45	-3.11	-69.42	0.66
MWD	25	2394	6.68	242.14	96	2390.64	-7.15	-7.91	-79.46	0.56
MWD	26	2488	6.86	238.01	94	2483.98	-12.58	-13.44	-89.05	0.55
MWD	27	2582	5.76	240.38	94	2577.41	-17.80	-18.74	-97.92	1.20
MWD	28	2677	5.45	238.62	95	2671.96	-22.43	-23.45	-105.91	0.37
MWD	29	2771	7.08	239.41	94	2765.39	-27.62	-28.72	-114.71	1.74
MWD	30	2866	7.30	244.86	95	2859.65	-33.06	-34.26	-125.21	0.75
MWD	31	2960	5.58	241.70	94	2953.05	-37.67	-38.97	-134.65	1.87
MWD	32	3055	4.79	239.15	95	3047.66	-41.83	-43.19	-142.12	0.87
MWD	33	3149	5.54	236.95	94	3141.28	-46.24	-47.68	-149.29	0.83
MWD	34	3243	7.16	237.48	94	3234.70	-51.78	-53.30	-158.03	1.72
MWD	35	3337	7.21	238.45	94	3327.96	-57.92	-59.54	-168.00	0.14
MWD	36	3433	6.42	239.50	96	3423.28	-63.71	-65.42	-177.76	0.83
MWD	37	3527	5.71	239.24	94	3516.75	-68.68	-70.47	-186.31	0.76
MWD	38	3621	6.42	240.47	94	3610.23	-73.58	-75.46	-194.90	0.77
MWD	39	3715	8.09	250.31	94	3703.48	-78.30	-80.28	-205.70	2.21
MWD	40	3808	7.60	251.72	93	3795.60	-82.32	-84.41	-217.70	0.57
MWD	41	3901	7.43	252.16	93	3887.81	-85.98	-88.18	-229.26	0.19
MWD	42	3997	7.60	250.66	96	3982.98	-89.87	-92.18	-241.16	0.27
MWD	43	4088	7.96	250.49	91	4073.14	-93.85	-96.28	-252.78	0.40
MWD	44	4183	8.04	251.28	95	4167.22	-98.06	-100.61	-265.27	0.14
MWD	45	4279	7.30	243.81	96	4262.36	-102.79	-105.46	-277.10	1.29
MWD	46	4372	7.12	236.60	93	4354.63	-108.48	-111.24	-287.22	0.99
MWD	47	4468	6.86	239.85	96	4449.92	-114.54	-117.39	-297.14	0.49
MWD	48	4562	6.99	239.41	94	4543.23	-120.17	-123.12	-306.92	0.15
MWD	49	4657	6.77	240.38	95	4637.55	-125.79	-128.83	-316.76	0.26
MWD	50	4752	6.95	239.33	95	4731.87	-131.39	-134.53	-326.57	0.23
MWD	51	4847	7.16	238.62	95	4826.15	-137.31	-140.55	-336.57	0.24
MWD	52	4941	7.03	239.68	94	4919.43	-143.17	-146.50	-346.54	0.20
MWD	53	5035	6.95	239.50	94	5012.73	-148.86	-152.29	-356.40	0.09
MWD	54	5130	6.90	241.17	95	5107.03	-154.44	-157.96	-366.36	0.22
MWD	55	5224	6.64	241.08	94	5200.38	-159.69	-163.31	-376.06	0.28
MWD	56	5318	6.33	242.40	94	5293.78	-164.63	-168.34	-385.41	0.37
MWD	57	5383	6.07	241.96	65	5358.40	-167.85	-171.62	-391.62	0.41
MWD	58	5478	6.15	241.26	95	5452.86	-172.57	-176.42	-400.51	0.12
MWD	59	5572	6.46	240.47	94	5546.29	-177.51	-181.45	-409.53	0.34
MWD	60	5667	6.73	242.58	95	5640.66	-182.62	-186.65	-419.12	0.38
MWD	61	5760	7.12	242.58	93	5732.98	-187.69	-191.81	-429.07	0.42
MWD	62	5855	7.16	241.87	95	5827.25	-193.09	-197.32	-439.52	0.10
MWD	63	5948	7.52	241.87	93	5919.48	-198.59	-202.92	-450.00	0.39
MWD	64	6043	8.00	241.26	95	6013.61	-204.59	-209.03	-461.28	0.51
MWD	65	6138	8.35	242.14	95	6107.65	-210.88	-215.43	-473.17	0.39
MWD	66	6233	7.52	244.77	95	6201.74	-216.64	-221.30	-484.89	0.95
MWD	67	6328	7.03	242.67	95	6295.97	-221.85	-226.62	-495.68	0.59
MWD	68	6421	5.98	239.33	93	6388.37	-226.85	-231.71	-504.90	1.20
MWD	69	6515	5.41	232.73	94	6481.91	-231.95	-236.89	-512.64	0.92
MWD	70	6608	4.00	232.21	93	6574.59	-236.54	-241.53	-518.70	1.52

MWD	71	6701	2.59	229.31	93	6667.44	-239.86	-244.89	-522.85	1.53
MWD	72	6795	1.93	224.47	94	6761.36	-242.34	-247.40	-525.57	0.73
MWD	73	6890	2.02	223.33	95	6856.31	-244.68	-249.76	-527.84	0.10
MWD	74	6985	1.14	259.28	95	6951.27	-246.06	-251.15	-529.92	1.35
MWD	75	7080	1.05	294.34	95	7046.26	-245.86	-250.97	-531.64	0.70
MWD	76	7175	1.01	307.26	95	7141.24	-244.98	-250.11	-533.10	0.25
MWD	77	7270	0.92	325.90	95	7236.23	-243.83	-248.97	-534.19	0.34
MWD	78	7364	0.92	323.79	94	7330.22	-242.59	-247.73	-535.06	0.04
MWD	79	7459	1.27	345.50	95	7425.20	-240.94	-246.10	-535.78	0.57
MWD	80	7553	1.27	345.94	94	7519.18	-238.92	-244.08	-536.29	0.01
MWD	81	7648	1.32	358.42	95	7614.15	-236.80	-241.96	-536.58	0.30
MWD	82	7743	1.49	8.09	95	7709.12	-234.49	-239.65	-536.43	0.31
MWD	83	7838	1.63	0.70	95	7804.09	-231.92	-237.07	-536.24	0.26
MWD	84	7933	1.41	4.22	95	7899.05	-229.40	-234.56	-536.14	0.25
MWD	85	8026	1.67	6.50	93	7992.02	-226.92	-232.07	-535.90	0.29
MWD	86	8121	0.75	18.10	95	8087.00	-224.95	-230.10	-535.55	1.00
MWD	87	8215	0.53	26.72	94	8180.99	-223.98	-229.13	-535.17	0.25
MWD	88	8310	0.40	344.00	95	8275.99	-223.27	-228.42	-535.06	0.38
MWD	89	8406	0.48	319.39	96	8371.99	-222.64	-227.79	-535.41	0.21
MWD	90	8501	0.66	311.75	95	8466.98	-221.97	-227.13	-536.08	0.21
MWD	91	8594	0.48	318.25	93	8559.98	-221.32	-226.48	-536.74	0.21
MWD	92	8688	0.79	302.78	94	8653.97	-220.66	-225.83	-537.55	0.37
MWD	93	8783	0.88	282.04	95	8748.96	-220.14	-225.33	-538.81	0.33
MWD	94	8877	1.01	289.34	94	8842.95	-219.71	-224.90	-540.30	0.19
MWD	95	8972	1.10	296.19	95	8937.93	-219.01	-224.22	-541.91	0.16
MWD	96	9066	1.71	287.14	94	9031.90	-218.18	-223.41	-544.06	0.69
MWD	97	9161	0.97	243.02	95	9126.88	-218.11	-223.36	-546.13	1.28
MWD	98	9256	1.05	226.93	95	9221.87	-219.05	-224.32	-547.48	0.31
MWD	99	9348	1.41	226.76	92	9313.84	-220.39	-225.67	-548.92	0.39
MWD	100	9442	0.48	52.82	94	9407.84	-220.94	-226.22	-549.45	2.01
MWD	101	9535	1.19	68.03	93	9500.83	-220.35	-225.63	-548.24	0.79
MWD	102	9629	1.05	60.47	94	9594.81	-219.58	-224.84	-546.59	0.22
MWD	103	9724	0.79	83.14	95	9689.80	-219.09	-224.33	-545.18	0.47
MWD	104	9819	0.79	73.74	95	9784.79	-218.84	-224.07	-543.90	0.14
MWD	105	9913	0.62	118.83	94	9878.78	-218.91	-224.13	-542.84	0.60
MWD	106	10008	0.75	133.33	95	9973.77	-219.59	-224.81	-541.93	0.23
MWD	107	10103	0.66	150.12	95	10068.77	-220.50	-225.71	-541.21	0.24
MWD	108	10197	0.48	193.62	94	10162.76	-221.35	-226.56	-541.03	0.48
MWD	109	10291	0.48	202.24	94	10256.76	-222.10	-227.31	-541.27	0.08
MWD	110	10384	0.57	222.36	93	10349.76	-222.80	-228.01	-541.73	0.22
MWD	111	10478	0.84	269.65	94	10443.75	-223.14	-228.36	-542.74	0.66
MWD	112	10571	1.14	292.50	93	10536.74	-222.77	-228.01	-544.27	0.53
MWD	113	10666	0.62	245.21	95	10631.73	-222.61	-227.86	-545.61	0.90
MWD	114	10761	1.98	188.70	95	10726.70	-224.44	-229.70	-546.33	1.81
MWD	115	10856	1.80	190.37	95	10821.65	-227.53	-232.79	-546.84	0.20
MWD	116	10950	0.97	128.50	94	10915.63	-229.48	-234.74	-546.49	1.69
MWD	117	11043	1.71	111.18	93	11008.60	-230.49	-235.73	-544.58	0.90
MWD	118	11139	1.45	171.47	96	11104.57	-232.22	-237.45	-543.06	1.67
MWD	119	11231	1.67	213.22	92	11196.54	-234.49	-239.72	-543.62	1.23
MWD	120	11317	1.76	221.48	86	11282.50	-236.51	-241.76	-545.18	0.31
MWD	121	11370	1.49	228.16	53	11335.48	-237.57	-242.83	-546.24	0.62
MWD	122	11463	13.41	22.15	93	11427.71	-228.37	-233.59	-543.05	15.87
MWD	123	11558	25.41	8.52	95	11517.19	-197.96	-203.11	-535.85	13.42
MWD	124	11653	31.25	3.51	95	11600.78	-153.20	-158.31	-531.32	6.63
MWD	125	11747	37.54	358.77	94	11678.32	-100.18	-105.28	-530.44	7.27
MWD	126	11842	48.97	352.88	95	11747.43	-35.40	-40.55	-535.52	12.75
MWD	127	11936	57.10	353.41	94	11803.90	39.19	33.96	-544.46	8.66
MWD	128	12031	68.13	357.63	95	11847.55	123.20	117.91	-550.88	12.26
MWD	129	12125	73.01	357.98	94	11878.81	211.78	206.47	-554.27	5.20
MWD	130	12219	76.00	357.63	94	11903.92	302.31	296.97	-557.74	3.20
MWD	131	12313	83.69	359.21	94	11920.48	394.75	389.39	-560.28	8.35
MWD	132	12408	85.32	359.56	95	11929.58	489.31	483.95	-561.29	1.75
MWD	133	12502	84.53	359.12	94	11937.89	582.94	577.57	-562.37	0.96
MWD	134	12597	86.90	358.77	95	11944.99	677.67	672.28	-564.11	2.52
MWD	135	12691	88.75	357.98	94	11948.56	771.58	766.17	-566.78	2.14
MWD	136	12785	90.68	359.21	94	11949.03	865.56	860.14	-569.08	2.43
MWD	137	12880	86.51	0.35	95	11951.35	960.51	955.09	-569.45	4.55
MWD	138	12975	85.93	0.26	95	11957.62	1055.29	1049.88	-568.94	0.62
MWD	139	13070	87.69	358.51	95	11962.90	1150.14	1144.72	-569.96	2.61
MWD	140	13164	89.71	1.23	94	11965.04	1244.10	1238.68	-570.17	3.60
MWD	141	13259	89.10	2.02	95	11966.02	1339.02	1333.64	-567.48	1.05
MWD	142	13353	83.91	2.81	94	11971.75	1432.69	1427.34	-563.53	5.58
MWD	143	13447	88.40	1.32	94	11978.05	1526.35	1521.05	-560.15	5.03
MWD	144	13541	89.98	1.67	94	11979.38	1620.28	1615.00	-557.70	1.72
MWD	145	13635	89.32	3.60	94	11979.96	1714.13	1708.90	-553.38	2.17
MWD	146	13752	82.46	2.20	117	11988.34	1830.54	1825.37	-547.48	5.98
MWD	147	13846	82.68	1.14	94	12000.49	1923.68	1918.54	-544.76	1.14
MWD	148	13940	84.66	0.18	94	12010.86	2017.08	2011.96	-543.68	2.34
MWD	149	14035	84.44	359.21	95	12019.88	2111.65	2106.52	-544.19	1.04
MWD	150	14128	85.76	359.47	93	12027.82	2204.31	2199.18	-545.25	1.45
MWD	151	14223	88.09	359.03	95	12032.92	2299.17	2294.02	-546.50	2.50
MWD	152	14317	88.44	358.07	94	12035.77	2393.11	2387.95	-548.87	1.09
MWD	153	14410	90.15	357.45	93	12036.91	2486.06	2480.87	-552.51	1.96
MWD	154	14505	92.22	358.94	95	12034.95	2581.01	2575.79	-555.50	2.68

MWD	155	14600	90.68	358.24	95	12032.54	2675.96	2670.73	-557.84	1.78
MWD	156	14695	90.37	357.89	95	12031.67	2770.93	2765.67	-561.05	0.49
MWD	157	14789	89.76	357.36	94	12031.56	2864.88	2859.59	-564.94	0.86
MWD	158	14883	90.11	357.45	94	12031.67	2958.82	2953.49	-569.20	0.38
MWD	159	14978	92.26	357.63	95	12029.71	3053.74	3048.38	-573.27	2.27
MWD	160	15073	90.99	357.63	95	12027.01	3148.65	3143.26	-577.20	1.34
MWD	161	15166	93.32	357.80	93	12023.52	3241.54	3236.11	-580.91	2.51
MWD	162	15261	91.69	356.84	95	12019.36	3336.38	3330.91	-585.34	1.99
MWD	163	15355	93.45	357.80	94	12015.15	3430.22	3424.71	-589.73	2.13
MWD	164	15450	94.73	358.86	95	12008.37	3524.95	3519.43	-592.50	1.75
MWD	165	15544	95.16	0.35	94	12000.27	3618.60	3613.07	-593.14	1.64
MWD	166	15639	92.22	1.32	95	11994.16	3713.36	3707.85	-591.76	3.26
MWD	167	15734	92.57	1.49	95	11990.19	3808.22	3802.74	-589.43	0.41
MWD	168	15828	92.13	0.88	94	11986.33	3902.10	3896.64	-587.49	0.80
MWD	169	15922	91.87	4.22	94	11983.05	3995.89	3990.48	-583.31	3.56
MWD	170	16017	89.49	3.69	95	11981.92	4090.59	4085.24	-576.76	2.57
MWD	171	16113	89.49	3.60	96	11982.78	4186.32	4181.04	-570.66	0.09
MWD	172	16207	90.46	2.20	94	11982.82	4280.15	4274.92	-565.90	1.81
MWD	173	16302	91.30	1.05	95	11981.36	4375.07	4369.86	-563.21	1.50
MWD	174	16397	91.16	0.79	95	11979.32	4470.02	4464.83	-561.68	0.31
MWD	175	16492	88.44	0.00	95	11979.65	4564.99	4559.82	-561.03	2.98
MWD	176	16587	90.24	359.30	95	11980.75	4659.98	4654.80	-561.61	2.03
MWD	177	16682	92.48	359.30	95	11978.49	4754.95	4749.76	-562.77	2.36
MWD	178	16777	92.92	358.86	95	11974.02	4849.84	4844.65	-564.29	0.65
MWD	179	16872	92.13	358.33	95	11969.83	4944.74	4939.52	-566.62	1.00
MWD	180	16966	92.79	358.51	94	11965.80	5038.63	5033.40	-569.21	0.73
MWD	181	17062	93.67	357.89	96	11960.39	5134.46	5129.20	-572.22	1.12
MWD	182	17155	93.89	357.54	93	11954.26	5227.21	5221.92	-575.92	0.44
MWD	183	17247	94.46	358.15	92	11947.56	5318.93	5313.61	-579.37	0.91
MWD	184	17342	90.90	359.03	95	11943.12	5413.80	5408.47	-581.70	3.86
MWD	185	17436	89.76	359.21	94	11942.58	5507.80	5502.45	-583.15	1.23
MWD	186	17530	93.23	0.44	94	11940.12	5601.75	5596.40	-583.43	3.92
MWD	187	17626	93.76	0.35	96	11934.27	5697.55	5692.22	-582.77	0.56
MWD	188	17720	93.76	0.35	94	11928.11	5791.34	5786.02	-582.20	0.00
MWD	189	17814	93.49	0.09	94	11922.16	5885.14	5879.83	-581.84	0.40
MWD	190	17908	92.97	0.97	94	11916.87	5978.98	5973.67	-580.97	1.09
MWD	191	18002	90.68	1.49	94	11913.87	6072.88	6067.60	-578.95	2.50
MWD	192	18097	91.03	1.76	95	11912.46	6167.80	6162.55	-576.26	0.47
MWD	193	18192	90.42	0.70	95	11911.25	6262.74	6257.52	-574.22	1.29
MWD	194	18287	91.52	359.38	95	11909.65	6357.72	6352.50	-574.16	1.81
MWD	195	18381	90.64	358.77	94	11907.87	6451.70	6446.47	-575.67	1.14
MWD	196	18476	92.40	358.07	95	11905.35	6546.65	6541.40	-578.29	1.99
MWD	197	18571	92.44	358.15	95	11901.34	6641.54	6636.26	-581.42	0.09
MWD	198	18663	93.10	357.27	92	11896.90	6733.38	6728.08	-585.09	1.19
MWD	199	18759	93.23	357.01	96	11891.60	6829.16	6823.81	-589.88	0.30
MWD	200	18853	93.14	356.31	94	11886.37	6922.90	6917.51	-595.34	0.75
MWD	201	18948	93.54	358.24	95	11880.84	7017.67	7012.23	-599.85	2.07
MWD	202	19043	93.45	357.98	95	11875.05	7112.47	7107.00	-602.98	0.29
MWD	203	19138	91.12	358.86	95	11871.26	7207.37	7201.89	-605.60	2.62
MWD	204	19231	91.96	359.21	93	11868.76	7300.33	7294.84	-607.16	0.98
MWD	205	19325	90.37	358.15	94	11866.85	7394.30	7388.79	-609.33	2.03
MWD	206	19419	91.25	357.36	94	11865.52	7488.25	7482.71	-613.01	1.26
MWD	207	19514	91.43	356.48	95	11863.30	7583.13	7577.54	-618.11	0.95
MWD	208	19606	96.04	358.42	92	11857.31	7674.85	7669.23	-622.20	5.43
MWD	209	19700	96.57	358.86	94	11846.98	7768.27	7762.63	-624.42	0.73
MWD	210	19795	95.91	0.88	95	11836.66	7862.70	7857.06	-624.63	2.22
MWD	211	19890	92.62	0.79	95	11829.59	7957.39	7951.78	-623.25	3.46
MWD	212	19983	91.60	0.09	93	11826.17	8050.31	8044.71	-622.54	1.33
MWD	213	20078	90.11	358.94	95	11824.75	8145.30	8139.69	-623.34	1.98
MWD	214	20172	90.81	358.51	94	11824.00	8239.29	8233.66	-625.43	0.87
MWD	215	20265	92.00	357.80	93	11821.72	8332.23	8326.58	-628.43	1.49
MWD	216	20360	94.37	359.38	95	11816.44	8427.07	8421.40	-630.76	3.00
MWD	217	20454	95.25	0.00	94	11808.56	8520.73	8515.07	-631.27	1.14
MWD	218	20549	95.56	1.23	95	11799.61	8615.29	8609.64	-630.25	1.33
MWD	219	20643	93.27	1.05	94	11792.37	8708.96	8703.33	-628.39	2.44
MWD	220	20738	90.81	1.76	95	11788.99	8803.84	8798.24	-626.06	2.70
MWD	221	20832	92.70	2.72	94	11786.11	8897.68	8892.11	-622.39	2.25
MWD	222	20926	89.93	1.93	94	11783.95	8991.53	8986.00	-618.58	3.06
MWD	223	21021	89.71	1.84	95	11784.25	9086.44	9080.95	-615.45	0.25
MWD	224	21116	90.68	2.11	95	11783.93	9181.35	9175.89	-612.18	1.06
MWD	225	21210	88.97	2.20	94	11784.22	9275.24	9269.82	-608.64	1.82
MWD	226	21304	91.12	0.61	94	11784.14	9369.17	9363.78	-606.34	2.84
MWD	227	21398	91.78	0.09	94	11781.76	9463.13	9457.75	-605.77	0.89
MWD	228	21493	93.85	358.86	95	11777.10	9558.01	9552.63	-606.63	2.53
MWD	229	21588	94.07	358.68	95	11770.54	9652.78	9647.38	-608.67	0.30
MWD	230	21683	94.37	358.68	95	11763.55	9747.51	9742.10	-610.85	0.32
MWD	231	21777	94.81	358.42	94	11756.02	9841.20	9835.76	-613.22	0.54
MWD	232	21872	95.12	358.07	95	11747.80	9935.82	9930.36	-616.12	0.49
MWD	233	21966	94.73	358.86	94	11739.73	10029.46	10023.98	-618.63	0.93
MWD	234	22058	94.90	358.42	92	11732.01	10121.12	10115.63	-620.80	0.51
MWD	235	22122	95.03	358.51	64	11726.47	10184.87	10179.37	-622.51	0.25
PTB	236	22188	95.03	358.51	66	11720.68	10250.61	10245.09	-624.22	0.00

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / SESW / 32.1094019 / -103.3057021	County or Parish/State: LEA / NM
Well Number: 215H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549121	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2651141

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/05/2022

Date Operation Actually Began: 11/10/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 09:55

Actual Procedure: 11/10/2021: Pressure test casing to 5025 psi for 30 minutes, good test. 11/10/2021 to 12/22/2021: Perforate from 11946 ft to 22050 ft, 1 SPF, .55 inch holes with 507 total shots. 39 stage frac with 27,979,700 lbs of 100 mesh sand. 1/1/2022 to 1/1/2022: Drill out plugs Plug Back Measured depth at 22120 ft MD, 11726 ft TVD. 1/3/2022: Ready to produce

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / SESW / 32.1094019 / -103.3057021	County or Parish/State: LEA / NM
Well Number: 215H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549121	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 05, 2022 09:55 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/19/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-49121										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BLUE MARLIN FED COM		
								6. Well Number: 215H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat JAL; WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	19	25-S	36-E	-	286'	SOUTH	2173'	WEST	LEA
BH:	C	18	25-S	36-E	-	32'	NORTH	1646'	WEST	LEA
13. Date Spudded 8/21/2021	14. Date T.D. Reached 9/25/2021		15. Date Rig Released 9/28/2021		16. Date Completed (Ready to Produce) 1/3/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3063 GR		
18. Total Measured Depth of Well 22188'			19. Plug Back Measured Depth 22120'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11946 ft to 22050 ft, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1308'		17.5"		1130 SKS		0
9.625"		40		5432'		12.25"		1574 SKS		0
7.625"		29.7		11275'		8.75"		596 SKS		0
5.5"		23		22168'		6.75"		1248 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
Perforate from 11946 ft to 22050 ft, 1 SPF, .55 inch holes with 507 total shots					11946 ft to 22050 ft		39 stage frac with 27,979,700 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production 1/9/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 2/2/2022	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period	Oil - Bbl 1783	Gas - MCF 2841	Water - Bbl. 2764	Gas - Oil Ratio 628			
Flow Tubing Press. 0	Casing Pressure 1500	Calculated 24-Hour Rate	Oil - Bbl. 1783	Gas - MCF 2841	Water - Bbl. 2764	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments DIRECTIONAL SURVEY, C-102 AS DRILLED										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name Jeff Trlica			Title Regulatory Analyst			Date 3/3/2022		
E-mail Address jtrlica@taprllc										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	1168		QUATERNARY				
1168	1308		RUSTLER				
1308	5008		TOP OF SALT				
5008	5108		BASE OF SALT				
5108	5153		DELAWARE				
5153	6112		BELL CANYON				
6112	7170		CHERRY CANYON				
7170	8423		BRUSHY CANYON				
8423	8785		BONE SPRING LIME				
8785	9743		AVALON				
9743	10333		1ST BONE SPRING SAND				
10333	11500		2ND BONE SPRING SAND				
11500	11690		3RD BONE SPRING SAND				
11690			WOLFCAMP A				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 137689

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137689
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 137689

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137689
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	1/11/2023