

Well Name: BURRO CANYON	Well Location: T24N / R4W / SEC 16 / SWSE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC363	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003921152	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2709365

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 01/04/2023	Time Sundry Submitted: 10:17
Date Operation Actually Began: 12/19/2022	

Actual Procedure: The subject well was Plugged & Abandoned on 12/19/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

00_EOWR_BLM_Submittal_20230104101630.pdf

Well Name: BURRO CANYON	Well Location: T24N / R4W / SEC 16 / SWSE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC363	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003921152	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD
Signed on: JAN 04, 2023 10:17 AM
Name: DJR OPERATING LLC
Title: Regulatory Technician
Street Address: 1 ROAD 3263
City: AZTEC State: NM
Phone: (505) 634-6722
Email address: MCOLLARD@DJRLLC.COM

Field

Representative Name:
Street Address:
City: State: Zip:
Phone:
Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK
BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742
BLM POC Email Address: krennick@blm.gov
Disposition: Accepted
Disposition Date: 01/04/2023
Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Burro Canyon 1
API # 30-039-21152
SW/SE Unit O. Sec 16, T24N, R4W
Rio Arriba County, NM
Spud Date: 12-1-1975
Plug Date: 12-19-2022

12-15-2022:

MIRU rig and equipment. SITP = 40, SICP = 0, BH = 0. NDWH, NU BOP. TOO H with 1 1/4" production tubing.
RIH, run gauge ring to 2800'. POOH. SDFN.

12-16-2022:

TIH with 2 3/8" workstring and retainer, set retainer at 2795'. Load and roll hole. PT casing, did not test.

P&A Plug 1: Pictured Cliffs perforations: Mix and pump plug of 10 sx through retainer. TOO H.

RIH and run CBL from 2795' to surface, TOC at 1850'.

TIH to 2795'.

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot balanced plug of 64 sx. (see note below). WOC. TOO H.

12-19-2022:

TIH, tagged Plug 2 at 1952'. (After review, it was determined that the cement operator had actually pumped 64 sx of cement instead of the planned 54 sx). TOO H.

RIH, perforate holes at 965'. POOH.

TIH, set retainer at 915'. PT casing, good test.

P&A Plug 3: Nacimiento formation top: Mix and pump plug of 40 sx, (24 sx outside casing, 4 sx under retainer and 12 sx above retainer). TOO H.

RIH, perforate holes at 188'. POOH.

Establish rate down casing and out BH.

P&A Plug 4: Surface casing shoe to surface: Mix and pump plug of 60 sx down casing and out BH. Good cement returns out BH.

Cut off WH. TOC in casing at 6' and at surface in annulus. Install P&A marker. Top off cellar with 14 sx.

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Dustin Porch, BLM, and Monica Kuehling NMOCD via phone.

GPS Coordinates: Lat; 36.3053260 N, Long; 107.2588902 W

DJR Operating, LLC
P&A Marker
Burro Canyon 1
API # 30-039-21152
SW/SE Unit O. Sec 16, T24N, R4W
Rio Arriba County, NM
Spud Date: 12-1-1975
Plug Date: 12-19-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report
DJR Operating, LLC
Burro Canyon 1
API # 30-039-21152
SW/SE, Unit O, Sec 16, T24N, R4W
Rio Arriba County, NM

GL 6873'
 KB 6884'
 Spud Date 12/1/1975

SURF CSG

Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: N/A
 ID: 8.097"
 Depth 138'
 cap cf/ft: 0.3575
 TOC: Circ.

FORMATION TOPS


San Jose	Surf
Nacimiento	915'
Ojo Alamo	2340'
Kirtland	2500'
Fruitland	2702'
Pictured Cliffs	2795'
Lewis	2920'

PROD CSG

Hole size 6.75"
 Csg Size: 4.5"
 Wt: 10.5#
 Grade: N/A
 ID: 4.052"
 Depth 2980'
 cap cf/ft: 0.0895
 Csg/Csg Ann, cf/ft: 0.2471
 Csg/OH Ann, cf/ft: 0.1381
 TOC: (Calc.) 2424'

Perfs 2828-66'

PBTD 2948'
 TD 2980'



12-19-2022: Cut off WH, TOC in casing at 6', at surface in annulus. Install P&A marker, top off with 14 sx.

12-19-2022: Plug 4: Surface casing shoe to surface: Perforate holes at 188'. Establish rate down casing and out BH. Mix and pump plug of 60 sx down casing and out BH. Good cement returns out BH.

12-19-2022: Plug 3: Nacimiento: Perforate holes at 965'. Set CR at 915'. PT casing, good test. Mix and pump plug of 40 sx, (24 sx outside casing, 4 sx below CR, 12 sx above CR).

12-16-2022: Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo. Mix and spot balanced plug of 64 sx from 2795'. 12-19-2022: Tagged Plug 2 at 1952'.

12-16-2022: Run CBL from 2795' to surface. TOC 1850'.

12-16-2022: Plug 1: Pictured Cliffs perforations: TIH, set CR at 2795'. Mix and pump 10 sx through CR into perforations.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
 Regulatory representative: Dustin Porch, BLM and Monica Kuehling, NMOCD via phone.
 GPS Coordinates: Lat; 36.3053260 N, Long; 107.2588902 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 173177

COMMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 173177
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	well plugged 12/19/22	1/10/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 173177

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 173177
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	None	1/12/2023