Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: LOCO HILLS SWD 35 Well Location: T17S / R30E / SEC 35 / County or Parish/State: EDDY /

SESW /

Well Number: 2 Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMNM0558580 Unit or CA Name: Unit or CA Number:

US Well Number: 3001537268 Well Status: Water Disposal Well Operator: SPUR ENERGY

PARTNERS LLC

Accepted for record – NMOCD gc 12/9/2022

Notice of Intent

Sundry ID: 2697010

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 10/07/2022 Time Sundry Submitted: 08:37

Date proposed operation will begin: 11/01/2022

Procedure Description: Spur respectfully requests to put this well in TA status while we await an approved injection order. Once we have an approved injection order, we plan to work the well over and bring it back online. Please find proposed TA procedure and WBDs attached for your use.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

 $Loco_Hills_35__2_SWD__TA_Procedure_20221007083658.pdf$

Loco_Hills_35__2_SWD_WBD_20221007083658.pdf

eceived by OCD: 12/5/2022 11:23:32 AM Well Name: LOCO HILLS SWD 35

Well Location: T17S / R30E / SEC 35 /

SESW /

County or Parish/State: EDD 2 20

NM

Well Number: 2

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM0558580

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001537268

Well Status: Water Disposal Well

Operator: SPUR ENERGY

PARTNERS LLC

Conditions of Approval

Specialist Review

TA_COA_20221202131829.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN Signed on: OCT 07, 2022 08:37 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 **BLM POC Email Address:** jshepard@blm.gov

Disposition: Approved **Disposition Date:** 12/02/2022

Signature: Jonathon Shepard

Page 2 of 2

Loco Hills 35 #2 SWD

30-015-37268

Proposed TA Procedure


Notify OCD and BLM 24hrs prior to rigging up

Notify OCD and BLM 48hrs prior to MIT test

- 1. Move in, rig up well service unit.
- 2. Nipple down wellhead, nipple up BOP.
- 3. Unset packer, kill well if needed.
- 4. POOH with injection tubing while inspecting. If condition is good, rack back. If condition is bad, LD and order 8rd L80 work string.
- 5. Pick up & run in hole w/ bit & casing scraper. Pull out of hole.
- 6. Run in hole w/ 7" CIBP & set at 8,699'.
- 7. Pressure test CIBP to 500 psi for 15 minutes.
- 8. Circulate packer fluid.
- 9. Spot 35' (1.35 bbls) Class H cmt on top of CIBP.
- 10. Pull out of hole laying down workstring.
- 11. Nipple down BOP, nipple up wellhead.
- 12. Rig down, move out well service unit.
- 13. Perform MIT test Notify OCD and BLM 48hrs prior to test pressure test casing to 500 psi for 30 minutes and record chart and fill out all pertinent information.

SPUD DATE: 10/12/2009 6 ELEV: 3588' GL Laconeills 250#2/52MD11:23:32 AM **CURRENT WBD** Eddy County, NM API# 30-015-37268 13-3/8" 48# H-40 @ 405' CMT W 170 SX C LEAD, 300 SX TAIL CIRC 100 SX TO SURFACE 9-5/8" 36/40# 8RD J-55 @ 4038' CMT W/ 1500 SX LITE @ 12.9 PPG, 1.88 YIELD + 300 SX PREMIUM PLUS @ 14.8 PPG, 1.33 YIELD CIRC 157 SX TO SURFACE **TUBING DETAIL (07/07/2017)** 18' KB 265 JTS 31/2" POLYLINED TBG, 9.3# L-80 Еот @ 8681' ON/OFF TOOL AS-1X PKR W 2.31 F NIPPLE @ 8690' DV Tool @ 7220' 7" 26# N-80 @ 9,685' <u>STAGE 1:</u> CMT W/ 500 SX 50-50 POZ @ 14.2 PPG, 1.34 YIELD (CIRC 42 SX) STAGE 2: CMT W/ 650 SX @ 12.4 PPG, 2.14 YIELD + 100 SX @ 15.6 PPG, 1.19 YIELD (CIRC 66 SX TO SURFACE) WOLFCAMP PERFS (8719 - 9092') <u>6/27/2017:</u> 8719 - 8754' ; 8755 - 8790' <u>6/27/2017:</u> 8812-8840' ; 8841-8869' ; 8870 - 8898' - 2 JSPF 270 HOLES, ACIDIZE W 4000 GAL 15% ACID; FRAC W 141,000 GALS GEL, 55,681# 20/40 OTTAWA SAND 11/13/2009: 9006 - 9092' 2 JSPF 164 HOLES, ACIDIZED W 4000 GAL 15% NEFE; FRAC W 141,000 GALS GEL, 55,681# 20/40 OTTAWA SAND TD @ 9,685 PBTD @ 9636'

CREATED ON 11/16/2021 USGLEASED to Imaging: 1/17/2023 2:35:36 PM



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 163783

CONDITIONS

| Operator: | OGRID: | |
|--------------------------|--|--|
| Spur Energy Partners LLC | 328947 | |
| 9655 Katy Freeway | Action Number: | |
| Houston, TX 77024 | 163783 | |
| | Action Type: | |
| | [C-103] NOI Temporary Abandonment (C-103I) | |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|-------------------|
| gcordero | None | 12/9/2022 |