

Well Name: LOCO HILLS SWD 34	Well Location: T17S / R30E / SEC 34 / NWSE /	County or Parish/State: EDDY / NM
Well Number: 3	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMNM0384574	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001537270	Well Status: Water Disposal Well	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc 12/14/2022

Notice of Intent

Sundry ID: 2697011

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 10/07/2022

Time Sundry Submitted: 08:42

Date proposed operation will begin: 11/01/2022

Procedure Description: Spur respectfully requests to put this well in TA status while we await an approved injection order. Once we have an approved injection order, we plan to work the well over and bring it back online. Please find proposed TA procedure and WBDs attached for your use.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Loco_Hills_SWD_34__3_WBD_20221007084144.pdf

Loco_Hills_34__3_SWD__TA_Procedure_20221007084144.pdf

Well Name: LOCO HILLS SWD 34

Well Location: T17S / R30E / SEC 34 / NWSE /

County or Parish/State: EDDY / NM

Well Number: 3

Type of Well: INJECTION - ENHANCED RECOVERY

Allottee or Tribe Name:

Lease Number: NMNM0384574

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001537270

Well Status: Water Disposal Well

Operator: SPUR ENERGY PARTNERS LLC

Conditions of Approval

Specialist Review

TA_COA_20221202132047.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN

Signed on: OCT 07, 2022 08:41 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 12/02/2022

Signature: Jonathon Shepard

Loco Hills SWD 34 #3 SWD

30-015-37270

Proposed TA Procedure

Notify OCD and BLM 24hrs prior to rigging up

Notify OCD and BLM 48hrs prior to MIT test

1. Move in, rig up well service unit.
2. Nipple down wellhead, nipple up BOP.
3. Unset packer, kill well if needed.
4. POOH with injection tubing while inspecting. If condition is good, rack back. If condition is bad, LD and order 8rd L80 work string.
5. Pick up & run in hole w/ bit & casing scraper. Pull out of hole.
6. Run in hole w/ 7" CIBP & set at 8,494'.
7. Pressure test CIBP to 500 psi for 15 minutes.
8. Circulate packer fluid.
9. Spot 35' (1.35 bbls) Class H cmt on top of CIBP.
10. Pull out of hole laying down workstring.
11. Nipple down BOP, nipple up wellhead.
12. Rig down, move out well service unit.
13. Perform MIT test – Notify OCD and BLM 48hrs prior to test - pressure test casing to 500 psi for 30 minutes and record chart and fill out all pertinent information.

Eddy County, NM
API# 30-015-37270

17-1/2" HOLE

13-3/8" 48#/54.5# H-40/K-55 @ 440'
CMT W/ 470 SX
CIRC TO SURFACE


12-1/4" HOLE

9-5/8" 40# J-55 @ 4,030'
CMT W/ 1700 SX
CIRC TO SURFACE

DV TOOL @ 7,580'

8-3/4" HOLE

7" 26# L-80 @ 9,700'
1ST STAGE: CMT W/ 400 SX
CIRC 150 SX
2ND STAGE: CMT W/ 880 SX
CIRC 114 SX TO SURFACE



TUBING DETAIL (09/27/2019)

15' KB
~257 JTS 3-1/2" POLYCORE TBG
PACKER @ 8,425'
2.31 BLANKING PLUG IN PACKER

WOLFCAMP REEF PERFS (8,509' - 9,191') 1/21/10
754 HOLES

TD @ 9,700'
PBTD @ 9,652'

CIBP @ 9,180'
W/ 35' CEMENT ON TOP

17-1/2" HOLE

13-3/8" 48#/54.5# H-40/K-55 @ 440'
CMT W/ 470 SX
CIRC TO SURFACE

12-1/4" HOLE

9-5/8" 40# J-55 @ 4.030'
CMT W/ 1700 SX
CIRC TO SURFACE


PROPOSED TA'D WBD

DV TOOL @ 7.580'

8-3/4" HOLE

7" 26# L-80 @ 9.700'
1ST STAGE: CMT W/ 400 SX
CIRC 150 SX
2ND STAGE: CMT W/ 880 SX
CIRC 114 SX TO SURFACE

PROPOSED
CIBP @ 8.494'
W/ 35' CEMENT ON TOP



WOLFCAMP REEF PERFS (8,509' - 9,191') 1/21/10
754 HOLES

TD @ 9,700'
PBD @ 9,652'

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163788

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 163788
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Notify OCD with results of MIT and provide chart.	12/14/2022