U.S. Department of the Interior BUREAU OF LAND MANAGEMENT



Well Name	Well Number	US Well Number	Lease Number	Case Number	Operator
ARKENSTONE 31	172H	3001547318	NMNM0546732A	NMNM0546732A	OXY USA
ARKENSTONE 31	174H	3001547332	NMNM0546732A	NMNM0546732A	OXY USA
ARKENSTONE 31	171H	3001546371	NMNM0546732A	NMNM0546732A	OXY USA

## **Notice of Intent**

**Sundry ID: 2692770** 

Type of Action: APD Change Type of Submission: Notice of Intent

Date Sundry Submitted: 09/15/2022 **Time Sundry Submitted: 12:21** 

Date proposed operation will begin: 09/14/2022

Procedure Description: OXY USA Inc. respectfully requests approval to amend the subject well AAPD. The drilling rig ran 29.7# HC-L80 7-5/8" casing on the 171H and 172H. See the attached email notification and explanation for reference.

## **NOI Attachments**

**Procedure Description** 

Arkenstone171H172H\_CasingweightSR\_20220915122111.pdf

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES Signed on: OCT 18, 2022 12:54 PM

Name: OXY USA INCORPORATED

Title: Advisor Regulatory

Street Address: 5 GREENWAY PLAZA, SUITE 110

City: HOUSTON State: TX

Phone: (713) 497-2492

Email address: LESLIE\_REEVES@OXY.COM

**Field** 

**Representative Name:** 

**Street Address:** 

City: State: Zip

Phone:

**Email address:** 

## **BLM Point of Contact**

BLM POC Name: KEITH P IMMATTY BLM POC Title: ENGINEER

BLM POC Phone: 5759884722 BLM POC Email Address: KIMMATTY@BLM.GOV

**Disposition:** Accepted **Disposition Date:** 01/12/2023

Signature: Keith Immatty

### Reeves, Leslie T

From: Immatty, Keith P <kimmatty@blm.gov>
Sent: Wednesday, September 14, 2022 11:18 AM

**To:** Collins, Calen R

**Cc:** Reeves, Leslie T; Threadgill, Kevin T; Granier, Garrett E

Subject: RE: [EXTERNAL] Arkenstone 172H and 171H - Sundry needed

Follow Up Flag: Follow up Flag Status: Flagged

# WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

That'll work. I'll keep an eye out for the sundries coming in. Thanks.

**From:** Collins, Calen R < Calen\_Collins@oxy.com> **Sent:** Wednesday, September 14, 2022 9:46 AM **To:** Immatty, Keith P < kimmatty@blm.gov>

Cc: Reeves, Leslie T <Leslie Reeves@oxy.com>; Threadgill, Kevin T <Kevin Threadgill@oxy.com>; Granier, Garrett E

<Garrett Granier@oxy.com>

Subject: [EXTERNAL] Arkenstone 172H and 171H - Sundry needed

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

#### Good morning,

As discussed, we will need to submit a sundry for the 7-5/8" casing ran on the Arkenstone 31 Federal 171H and 172H.

The rig ran 7-5/8 29.7# HCL-80 instead of the 26.4# that was originally planned. Due to the smaller ID of the 7-5/8" 29.7# casing, we will have an annular clearance failure (<0.422") with the 5.5" Wedge 461 production casing for the 500' of planned cement overlap.

7-5/8" Wedge 425 29.7# ID: 6.875" 5-1/2" Wedge 461 coupling OD: 6.05"

So, (6.875"-6.05")/2 = 0.4125"

Arkenstone 31 Federal 172H

API: 30-015-47318

Actual string(s)

Casing String	Hole Size (in)	From (ft)	To (ft)	OD (in)	ID (in)	Coupling OD (in)	Wt. (#/ ft)	Grade
Surface	17.5	0	430	13.375	12.615	14.375	54.5	J-55
Salt Intermediate	12.25	0	4,198	9.625	8.835	10.625	40	L-80 HC
	<mark>8.75</mark>	0	<mark>10,819</mark>	<mark>7.625</mark>	<mark>6.875</mark>	<mark>7.835</mark>	<mark>29.7</mark>	L-80 HC
<mark>Deep Int</mark>	<mark>8.75</mark>	10,819	<mark>10,907</mark>	<mark>7.625</mark>	<mark>6.969</mark>	<mark>7.63</mark>	<mark>26.4</mark>	L-80 HC
Production (not ran yet)	6.75	0	22,225	5.5	4.778	6.05	20.0	P-110ICY

#### **Arkenstone 31 Federal 171H**

API: 30-015-46371

Actual string(s)

7100001 3011118(3)								
Casing String	Hole Size (in)	From (ft)	To (ft)	OD (in)	ID (in)	Cpl OD (in)	Wt. (#/ ft)	Grade
Surface	17.5	0	430	13.375	12.615	14.375	54.5	J-55
Salt Intermediate	12.25	0	4,204	9.625	8.835	10.625	40	L-80 HC
	<mark>8.75</mark>	0	<mark>10,726</mark>	<mark>7.625</mark>	<mark>6.875</mark>	<mark>7.835</mark>	<mark>29.7</mark>	L-80 HC
Deep Int	<mark>8.75</mark>	<mark>10,726</mark>	<mark>10,814</mark>	<mark>7.625</mark>	<mark>6.969</mark>	<mark>7.63</mark>	<mark>26.4</mark>	L-80 HC
Production (not ran yet)	6.75	0	22,133	5.5	4.778	6.05	20.0	P-110ICY

## Original casing design for both wells:

Casing String	Hole Size (in)	OD (in)	ID (in)	Cpl OD (in)	Wt. (#/ ft)	Grade	Conn
Surface	17.5	13.375	12.615	14.375	54.5	J-55	втс
Salt Intermediate	12.25	9.625	8.835	10.625	40	L-80 HC	втс
Deep Int	<mark>8.75</mark>	<mark>7.625</mark>	<mark>6.875</mark>	<mark>7.835</mark>	<mark>26.4</mark>	L-80 HC	Wedge 425
Production (not ran yet)	6.75	5.5	4.778	6.05	20.0	P-110ICY	W 461

Regards,

## **Calen Collins**

Drilling Engineer - Delaware Basin Occidental Oil and Gas Corporation

Office: 713.985.6902

## Reeves, Leslie T

From: Al Adawi, Samaa Saif Salim

Sent:Wednesday, September 14, 2022 11:02 AMTo:Reeves, Leslie T; McDonald, Rosstin JSubject:Arkenstone 174H Casing Sundry

Follow Up Flag: Follow up Flag Status: Flagged

Hi Leslie,

We need to submit a sundry to change the deep intermediate casing string on the Arkenstone 31 Federal 174H (API #: 30-015-47332).

Here is the new casing design:

		N	ID	T	/D				
	Hole	From	То	From	То	Csg.	Csg Wt.		
Section	Size (in)	(ft)	(ft)	(ft)	(ft)	OD (in)	(ppf)	Grade	Conn.
Surface	17.5	0	430	0	430	13.375	54.5	J-55	BTC
Salt	12.25	0	4159	0	4159	9.625	40	L-80 HC	BTC
Intermediate	8.75	0	11062	0	10976	7.625	26.4	L-80 HC	Wedge 425
Production	6.75	0	22371	0	11687	5.5	20	P-110	Wedge 461

The permitted/approved design had 26.4 ppf and 29.7 ppf mixed string for deep intermediate. New design is only 26.4 ppf.

Please let me know if you need any more info.

Thanks!

#### Samaa Al Adawi

Drilling Engineer – PR Delaware Occidental Oil and Gas Corporation Email: <u>Samaa AlAdawi@oxy.com</u>

Cell: 909-201-6298

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 175524

#### **CONDITIONS**

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	175524
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

#### CONDITIONS

Created By		Condition Date
kpickford	Adhere to previous NMOCD Conditions of Approval	1/17/2023