

District I
1625 N. French Dr., Hobbs, NM 88240State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 07/15/2022
⁴ API Number 30 - 015-47208	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8273	⁶ Pool Code 98220
⁷ Property Code: 328295	⁸ Property Name: CORRAL GORGE 12-13 FEDERAL COM	⁹ Well Number: 38H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	12	25S	29E		360	NORTH	190	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 436' FNL 734' FEL LTP- 194' FSL 801' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	13	25S	29E		46	SOUTH	797	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 7/17/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 12/16/21	²² Ready Date 07/15/2022	²³ TD 20713'M 10549'V	²⁴ PBTD 20666'M 10550'V	²⁵ Perforations 10535-20565'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		807'	790
9-7/8"		7-5/8"		9520'	2218
6-3/4"		5-1/2"		20693'	854
		2-3/8" tbg		10243'	na

V. Well Test Data

³¹ Date New Oil 7/17/22	³² Gas Delivery Date 7/17/22	³³ Test Date 7/31/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 710
³⁷ Choke Size 128/128	³⁸ Oil 1716	³⁹ Water 8202	⁴⁰ Gas 4827		⁴¹ Test Method F
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.			OIL CONSERVATION DIVISION		
Signature: 			Approved by: PATRICIA MARTINEZ		
Printed name: JANA MENDIOLA			Title: PETROLEUM SPECIALIST		
Title: SR. REGULATORY ANALYST			Approval Date: 1/17/2023		
E-mail Address: Janalyn_mendiola@oxy.com					
Date: 10/13/2022		Phone: 432-685-5036			

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47208	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 328295	Property Name CORRAL GORGE 12-13 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC	⁶ Well Number 38H
		⁹ Elevation 3164'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	12	25S	29E		360	NORTH	190	EAST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	13	25S	29E		46	SOUTH	797	EAST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8273						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 666333.67' / Y: 419282.08' B - X: 666348.46' / Y: 416635.65' C - X: 666357.85' / Y: 413973.33' D - X: 666373.41' / Y: 411312.89' E - X: 666388.97' / Y: 408652.45' F - X: 663731.29' / Y: 408628.87' G - X: 663717.53' / Y: 411285.49' H - X: 663703.76' / Y: 413945.11' I - X: 663689.71' / Y: 416604.14' J - X: 663675.71' / Y: 419255.50'		CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 625149.00' / Y: 419223.69' B - X: 625163.71' / Y: 416577.31' C - X: 625173.02' / Y: 413915.06' D - X: 625188.51' / Y: 411254.67' E - X: 625204.00' / Y: 408594.28' F - X: 622546.34' / Y: 408570.70' G - X: 622532.65' / Y: 411227.28' H - X: 622518.95' / Y: 413886.82' I - X: 622504.98' / Y: 416545.80' J - X: 622491.05' / Y: 419197.10'		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>[Signature]</i> Date: 07/15/22 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com	
SURFACE HOLE LOCATION 360' FNL 190' FEL, SECTION 12 NAD 83, SPCS NM EAST X: 666145.30' / Y: 418920.00' LAT: 32.15104698N / LON: 103.93005095W NAD 27, SPCS NM EAST X: 624960.61' / Y: 418861.62' LAT: 32.15092325N / LON: 103.92956637W		KICK OFF POINT 184' FNL 653' FEL, SECTION 12 10024' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665681.48' / Y: 419092.02' LAT: 32.15152461N / LON: 103.93154755W NAD 27, SPCS NM EAST X: 624496.80' / Y: 419033.63' LAT: 32.15140089N / LON: 103.9310629W		18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. Date of Survey: JULY 15, 2022 Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number: LOYD P. SHORT 21653	
FIRST TAKE POINT 436' FNL 734' FEL, SECTION 12 10535' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665602.31' / Y: 418839.21' LAT: 32.15083048N / LON: 103.93180641W NAD 27, SPCS NM EAST X: 624417.63' / Y: 418780.83' LAT: 32.15070675N / LON: 103.93132178W		LAST TAKE POINT 194' FSL 801' FEL, SECTION 13 20565' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665586.39' / Y: 408839.58' LAT: 32.12334289N / LON: 103.93197825W NAD 27, SPCS NM EAST X: 624401.42' / Y: 408781.41' LAT: 32.12321886N / LON: 103.93149467W		BOTTOM HOLE LOCATION 46' FSL 797' FEL, SECTION 13 20713' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665591.25' / Y: 408691.71' LAT: 32.12293636N / LON: 103.93196433W NAD 27, SPCS NM EAST X: 624406.28' / Y: 408633.54' LAT: 32.12281232N / LON: 103.93148077W	

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978172 Convergence Angle: 00°12'14.64000"

 Horizontal Spacing Unit




Slot: Corral Gorge 12-13 Federal Com 38H
Well: Corral Gorge 12-13 Federal Com 38H
Wellbore: Corral Gorge 12-13 Federal Com 38H AWB




Location Information							
Facility Name				Grid East (US ft)	Grid North (US ft)	Latitude	Longitude
Corral Gorge 12-13 Federal Com Pad				666110.300	418919.700	37°09'3.7675"N	103°55'48.5905"W
Slot	Local N (ft)	Local E (ft)	Grid East (US ft)	Grid North (US ft)	Latitude	Longitude	
Corral Gorge 12-13 Federal Com 38H	0.30	35.00	666145.300	418920.000	37°09'3.7691"N	103°55'48.1834"W	
Citadel3 (KCB) to Ground level (At Slot: Corral Gorge 12-13 Federal Com 38H)						24ft	
Mean Sea Level to Ground level (At Slot: Corral Gorge 12-13 Federal Com 38H)						-3164ft	
Citadel3 (KCB) to Mean Sea Level						3188ft	

Well Profile Data								
Design Comment	MD (ft)	Inc (°)	Az (°)	TVD (ft)	Local N (ft)	Local E (ft)	DLS ("100ft)	VS (ft)
Tie On	9469.00	6.880	231.540	9430.38	215.21	-413.06	2.89	-192.48
Start Build/Turn	10024.30	6.880	231.540	9981.68	173.83	-465.15	0.00	-148.34
End Build/Cont. Turn - Landing	10415.40	45.000	202.320	10327.63	25.55	-538.89	10.00	3.73
End Turn	10904.00	89.580	179.703	10513.58	-404.96	-607.43	10.00	437.32
PBHL (20' FSL & 800' FEL)	20755.01	89.580	179.703	10585.79	-10255.57	-556.44	0.00	10270.65

Bottom Hole Location									
MD (ft)	Inc (°)	Az (°)	TVD (ft)	Local N (ft)	Local E (ft)	Grid East (US ft)	Grid North (US ft)	Latitude	Longitude
20713.00	91.650	178.250	10549.27	-10229.06	-554.09	665591.25	408691.71	32°07'22.5709"N	103°55'55.0715"W



User specified Dip: 59.79° Field: 47632.5 nT
Magnetic North is 6.64 degrees East of True North (at 5/8/2022)
Grid North is 0.21 degrees East of True North
To correct azimuth from True to Grid subtract 0.21 degrees
To correct azimuth from Magnetic to Grid add 6.43 degrees





Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 1 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

REPORT SETUP INFORMATION

Projection System	NAD83 / TM New Mexico SP, Eastern Zone (3001), US feet	Software System	WellArchitect® 6.0
North Reference	Grid	User	Moyagusa
Scale	0.999927	Report Generated	5/23/2022 at 7:41:30 AM
Convergence at slot	0.21° East	Database	WA_HOU_Midland_Defn

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	0.30	35.00	666145.30	418920.00	32°09'3.7691"N	103°55'48.1834"W
Facility Reference Pt			666110.30	418919.70	32°09'3.7675"N	103°55'48.5905"W
Field Reference Pt			533303.25	1273342.63	34°30'0.0000"N	104°21'36.0000"W

WELLPATH DATUM

Calculation method	Minimum curvature	Citadel 3 (KB) to Facility Vertical Datum	3188.00ft
Horizontal Reference Pt	Slot	Citadel 3 (KB) to Mean Sea Level	3188.00ft
Vertical Reference Pt	Citadel 3 (KB)	Citadel 3 (KB) to Ground Level at Slot (Corral Gorge 12-13 Federal Com 38H)	24.00ft
MD Reference Pt	Citadel 3 (KB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	183.11°



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 2 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
0.00†	0.000	231.020	0.00	0.00	0.00	0.00	666145.30	418920.00	32°09'3.7691"N	103°55'48.1834"W	0.00	0.00	0.00	
24.00	0.000	231.020	24.00	0.00	0.00	0.00	666145.30	418920.00	32°09'3.7691"N	103°55'48.1834"W	0.00	0.00	0.00	
124.00	0.230	231.020	124.00	0.13	-0.13	-0.16	666145.14	418919.87	32°09'3.7679"N	103°55'48.1852"W	0.23	0.23	0.00	Adjusted Gyro Surveys 124'-740' (Imported)
224.00	0.100	181.940	224.00	0.36	-0.34	-0.32	666144.99	418919.66	32°09'3.7658"N	103°55'48.1871"W	0.18	-0.13	-49.08	
324.00	0.320	72.620	324.00	0.35	-0.34	-0.05	666145.25	418919.66	32°09'3.7657"N	103°55'48.1840"W	0.37	0.22	-109.32	
424.00	0.270	129.780	424.00	0.39	-0.41	0.40	666145.70	418919.59	32°09'3.7651"N	103°55'48.1788"W	0.29	-0.05	57.16	
524.00	0.560	71.810	524.00	0.35	-0.41	1.04	666146.34	418919.59	32°09'3.7651"N	103°55'48.1713"W	0.48	0.29	-57.97	
624.00	0.670	36.160	623.99	-0.32	0.22	1.85	666147.15	418920.22	32°09'3.7712"N	103°55'48.1619"W	0.39	0.11	-35.65	
724.00	0.610	41.280	723.98	-1.22	1.09	2.55	666147.85	418921.09	32°09'3.7798"N	103°55'48.1537"W	0.08	-0.06	5.12	
740.00	0.680	46.980	739.98	-1.36	1.22	2.67	666147.97	418921.22	32°09'3.7811"N	103°55'48.1523"W	0.59	0.44	35.63	
903.00	0.770	65.640	902.97	-2.56	2.33	4.38	666149.68	418922.33	32°09'3.7920"N	103°55'48.1324"W	0.15	0.06	11.45	PHX MWD Surveys 903'-9469' (Imported)
997.00	0.660	91.180	996.96	-2.87	2.58	5.49	666150.79	418922.58	32°09'3.7944"N	103°55'48.1194"W	0.36	-0.12	27.17	
1089.00	0.500	115.790	1088.96	-2.73	2.39	6.39	666151.68	418922.39	32°09'3.7926"N	103°55'48.1090"W	0.32	-0.17	26.75	
1182.00	0.480	120.770	1181.95	-2.40	2.02	7.09	666152.38	418922.02	32°09'3.7888"N	103°55'48.1009"W	0.05	-0.02	5.35	
1275.00	0.590	139.830	1274.95	-1.87	1.45	7.73	666153.03	418921.45	32°09'3.7832"N	103°55'48.0934"W	0.22	0.12	20.49	
1369.00	0.690	169.030	1368.95	-0.97	0.53	8.15	666153.45	418920.53	32°09'3.7740"N	103°55'48.0886"W	0.36	0.11	31.06	
1463.00	0.690	128.050	1462.94	-0.09	-0.38	8.70	666154.00	418919.62	32°09'3.7651"N	103°55'48.0822"W	0.51	0.00	-43.60	
1558.00	1.000	191.790	1557.93	1.05	-1.54	8.98	666154.28	418918.46	32°09'3.7535"N	103°55'48.0790"W	0.98	0.33	67.09	
1652.00	1.080	179.930	1651.91	2.75	-3.23	8.82	666154.12	418916.77	32°09'3.7368"N	103°55'48.0810"W	0.24	0.09	-12.62	
1747.00	1.310	170.650	1746.89	4.70	-5.20	8.99	666154.29	418914.80	32°09'3.7174"N	103°55'48.0790"W	0.32	0.24	-9.77	
1842.00	1.280	193.740	1841.87	6.81	-7.30	8.92	666154.22	418912.70	32°09'3.6966"N	103°55'48.0800"W	0.55	-0.03	24.31	
1937.00	1.480	203.920	1936.84	9.00	-9.45	8.17	666153.47	418910.55	32°09'3.6753"N	103°55'48.0888"W	0.33	0.21	10.72	
2032.00	1.670	145.410	2031.81	11.24	-11.71	8.46	666153.76	418908.29	32°09'3.6529"N	103°55'48.0855"W	1.63	0.20	-61.59	
2127.00	1.840	125.180	2126.77	13.14	-13.73	10.49	666155.79	418906.27	32°09'3.6329"N	103°55'48.0620"W	0.67	0.18	-21.29	
2221.00	0.470	149.090	2220.75	14.26	-14.93	11.92	666157.22	418905.07	32°09'3.6209"N	103°55'48.0454"W	1.51	-1.46	25.44	
2316.00	1.150	110.090	2315.74	14.87	-15.59	13.02	666158.32	418904.41	32°09'3.6143"N	103°55'48.0327"W	0.88	0.72	-41.05	
2411.00	1.640	88.480	2410.71	15.03	-15.89	15.27	666160.57	418904.11	32°09'3.6114"N	103°55'48.0065"W	0.75	0.52	-22.75	
2506.00	1.010	71.470	2505.69	14.62	-15.58	17.42	666162.72	418904.42	32°09'3.6143"N	103°55'47.9814"W	0.77	-0.66	-17.91	
2600.00	0.420	276.850	2599.68	14.29	-15.28	17.87	666163.17	418904.72	32°09'3.6173"N	103°55'47.9762"W	1.49	-0.63	-164.49	
2695.00	0.490	156.290	2694.68	14.63	-15.61	17.69	666162.98	418904.39	32°09'3.6140"N	103°55'47.9784"W	0.83	0.07	-126.91	



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 3 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
2790.00	2.280	109.060	2789.65	15.51	-16.60	19.64	666164.93	418903.40	32°09'3.6042"N	103°55'47.9558"W	2.08	1.88	-49.72	
2885.00	1.470	132.050	2884.60	16.79	-18.03	22.33	666167.62	418901.97	32°09'3.5899"N	103°55'47.9245"W	1.15	-0.85	24.20	
2979.00	0.180	100.590	2978.59	17.57	-18.87	23.37	666168.66	418901.13	32°09'3.5816"N	103°55'47.9124"W	1.40	-1.37	-33.47	
3074.00	0.390	47.920	3073.59	17.36	-18.68	23.75	666169.05	418901.32	32°09'3.5834"N	103°55'47.9079"W	0.33	0.22	-55.44	
3168.00	1.790	139.180	3167.57	18.19	-19.57	24.95	666170.25	418900.43	32°09'3.5745"N	103°55'47.8941"W	1.96	1.49	97.09	
3263.00	1.730	235.350	3262.54	20.14	-21.51	24.74	666170.04	418898.49	32°09'3.5553"N	103°55'47.8966"W	2.76	-0.06	101.23	
3358.00	2.380	251.270	3357.48	21.75	-22.96	21.69	666166.99	418897.04	32°09'3.5411"N	103°55'47.9321"W	0.90	0.68	16.76	
3453.00	1.870	231.380	3452.42	23.52	-24.56	18.61	666163.91	418895.44	32°09'3.5254"N	103°55'47.9680"W	0.94	-0.54	-20.94	
3547.00	1.200	191.440	3546.39	25.51	-26.48	17.22	666162.52	418893.52	32°09'3.5064"N	103°55'47.9843"W	1.30	-0.71	-42.49	
3642.00	0.180	239.640	3641.38	26.58	-27.54	16.89	666162.19	418892.47	32°09'3.4960"N	103°55'47.9881"W	1.15	-1.07	50.74	
3736.00	0.820	16.630	3735.38	26.01	-26.97	16.96	666162.26	418893.04	32°09'3.5017"N	103°55'47.9873"W	1.02	0.68	145.73	
3831.00	0.520	14.990	3830.37	24.92	-25.90	17.27	666162.56	418894.10	32°09'3.5122"N	103°55'47.9837"W	0.32	-0.32	-1.73	
3925.00	0.480	359.560	3924.37	24.11	-25.09	17.37	666162.67	418894.91	32°09'3.5202"N	103°55'47.9824"W	0.15	-0.04	-16.41	
4020.00	0.560	358.980	4019.36	23.25	-24.23	17.36	666162.66	418895.77	32°09'3.5287"N	103°55'47.9825"W	0.08	0.08	-0.61	
4114.00	0.600	346.790	4113.36	22.32	-23.29	17.24	666162.54	418896.71	32°09'3.5380"N	103°55'47.9839"W	0.14	0.04	-12.97	
4209.00	0.590	342.830	4208.35	21.39	-22.34	16.98	666162.28	418897.66	32°09'3.5475"N	103°55'47.9869"W	0.04	-0.01	-4.17	
4303.00	0.510	330.730	4302.35	20.58	-21.51	16.64	666161.93	418898.49	32°09'3.5557"N	103°55'47.9909"W	0.15	-0.09	-12.87	
4398.00	0.500	316.790	4397.34	19.94	-20.84	16.14	666161.44	418899.16	32°09'3.5623"N	103°55'47.9965"W	0.13	-0.01	-14.67	
4493.00	0.520	309.960	4492.34	19.39	-20.26	15.53	666160.83	418899.74	32°09'3.5681"N	103°55'48.0037"W	0.07	0.02	-7.19	
4587.00	0.600	309.340	4586.34	18.84	-19.68	14.82	666160.12	418900.32	32°09'3.5739"N	103°55'48.0119"W	0.09	0.09	-0.66	
4682.00	0.530	300.990	4681.33	18.34	-19.14	14.06	666159.36	418900.87	32°09'3.5793"N	103°55'48.0207"W	0.11	-0.07	-8.79	
4776.00	0.530	301.580	4775.33	17.93	-18.68	13.32	666158.62	418901.32	32°09'3.5838"N	103°55'48.0293"W	0.01	0.00	0.63	
4871.00	0.570	299.400	4870.32	17.51	-18.22	12.53	666157.83	418901.78	32°09'3.5884"N	103°55'48.0384"W	0.05	0.04	-2.29	
4966.00	0.580	291.360	4965.32	17.15	-17.81	11.67	666156.97	418902.19	32°09'3.5924"N	103°55'48.0484"W	0.09	0.01	-8.46	
5061.00	0.640	276.350	5060.31	16.97	-17.58	10.70	666156.00	418902.42	32°09'3.5948"N	103°55'48.0597"W	0.18	0.06	-15.80	
5155.00	0.810	270.410	5154.30	16.98	-17.52	9.51	666154.81	418902.48	32°09'3.5954"N	103°55'48.0735"W	0.20	0.18	-6.32	
5250.00	0.850	269.280	5249.29	17.05	-17.52	8.14	666153.43	418902.48	32°09'3.5955"N	103°55'48.0895"W	0.05	0.04	-1.19	
5345.00	0.830	275.860	5344.28	17.07	-17.46	6.75	666152.05	418902.54	32°09'3.5961"N	103°55'48.1057"W	0.10	-0.02	6.93	
5439.00	0.930	258.370	5438.27	17.23	-17.54	5.32	666150.62	418902.46	32°09'3.5953"N	103°55'48.1223"W	0.30	0.11	-18.61	
5534.00	0.810	244.660	5533.26	17.75	-17.99	3.96	666149.26	418902.01	32°09'3.5910"N	103°55'48.1381"W	0.25	-0.13	-14.43	



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 4 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
5629.00	1.280	250.330	5628.25	18.48	-18.63	2.35	666147.65	418901.37	32°09'3.5847"N	103°55'48.1568"W	0.51	0.49	5.97	
5724.00	1.270	234.410	5723.22	19.55	-19.60	0.50	666145.80	418900.40	32°09'3.5752"N	103°55'48.1785"W	0.37	-0.01	-16.76	
5819.00	1.380	234.850	5818.20	20.91	-20.87	-1.29	666144.01	418899.13	32°09'3.5626"N	103°55'48.1994"W	0.12	0.12	0.46	
5914.00	1.510	236.950	5913.17	22.36	-22.21	-3.28	666142.02	418897.79	32°09'3.5494"N	103°55'48.2225"W	0.15	0.14	2.21	
6008.00	1.470	257.990	6007.14	23.40	-23.14	-5.49	666139.81	418896.86	32°09'3.5404"N	103°55'48.2483"W	0.58	-0.04	22.38	
6103.00	2.070	271.450	6102.09	23.77	-23.35	-8.40	666136.90	418896.65	32°09'3.5384"N	103°55'48.2822"W	0.76	0.63	14.17	
6197.00	4.500	288.990	6195.93	22.81	-22.11	-13.59	666131.71	418897.89	32°09'3.5509"N	103°55'48.3424"W	2.77	2.59	18.66	
6292.00	5.560	296.950	6290.57	19.93	-18.81	-21.21	666124.09	418901.19	32°09'3.5838"N	103°55'48.4310"W	1.33	1.12	8.38	
6387.00	7.350	295.210	6384.96	15.79	-14.13	-30.81	666114.49	418905.87	32°09'3.6304"N	103°55'48.5424"W	1.90	1.88	-1.83	
6482.00	9.740	300.860	6478.90	9.76	-7.42	-43.21	666102.09	418912.58	32°09'3.6973"N	103°55'48.6864"W	2.66	2.52	5.95	
6576.00	10.870	311.300	6571.39	0.57	2.51	-56.70	666088.61	418922.51	32°09'3.7960"N	103°55'48.8428"W	2.32	1.20	11.11	
6671.00	10.770	312.840	6664.70	-10.64	14.45	-69.94	666075.37	418934.45	32°09'3.9148"N	103°55'48.9962"W	0.32	-0.11	1.62	
6765.00	10.100	312.080	6757.15	-21.44	25.95	-82.49	666062.81	418945.95	32°09'4.0290"N	103°55'49.1418"W	0.73	-0.71	-0.81	
6860.00	10.590	310.700	6850.60	-32.00	37.22	-95.30	666050.01	418957.22	32°09'4.1410"N	103°55'49.2902"W	0.58	0.52	-1.45	
6955.00	11.840	308.480	6943.79	-42.97	48.98	-109.54	666035.76	418968.98	32°09'4.2579"N	103°55'49.4554"W	1.39	1.32	-2.34	
7050.00	11.310	307.350	7036.85	-53.85	60.70	-124.58	666020.73	418980.69	32°09'4.3744"N	103°55'49.6298"W	0.61	-0.56	-1.19	
7144.00	10.370	305.570	7129.18	-63.58	71.21	-138.79	666006.52	418991.21	32°09'4.4789"N	103°55'49.7946"W	1.06	-1.00	-1.89	
7239.00	10.990	304.140	7222.53	-72.83	81.27	-153.24	665992.07	419001.26	32°09'4.5790"N	103°55'49.9622"W	0.71	0.65	-1.51	
7334.00	11.330	302.620	7315.73	-82.10	91.38	-168.59	665976.72	419011.37	32°09'4.6796"N	103°55'50.1404"W	0.47	0.36	-1.60	
7429.00	9.790	302.570	7409.12	-90.67	100.76	-183.26	665962.05	419020.75	32°09'4.7730"N	103°55'50.3106"W	1.62	-1.62	-0.05	
7524.00	10.750	301.410	7502.60	-98.84	109.72	-197.63	665947.69	419029.72	32°09'4.8622"N	103°55'50.4773"W	1.03	1.01	-1.22	
7619.00	9.830	302.290	7596.07	-107.00	118.67	-212.05	665933.27	419038.67	32°09'4.9513"N	103°55'50.6446"W	0.98	-0.97	0.93	
7713.00	8.080	297.490	7688.92	-113.63	126.01	-224.69	665920.63	419046.00	32°09'5.0244"N	103°55'50.7914"W	2.02	-1.86	-5.11	
7808.00	9.220	313.220	7782.85	-121.30	134.31	-236.16	665909.16	419054.30	32°09'5.1069"N	103°55'50.9244"W	2.75	1.20	16.56	
7903.00	8.020	314.830	7876.78	-130.61	144.19	-246.41	665898.91	419064.18	32°09'5.2051"N	103°55'51.0432"W	1.29	-1.26	1.69	
7998.00	9.770	311.150	7970.63	-139.99	154.17	-257.18	665888.14	419074.16	32°09'5.3042"N	103°55'51.1680"W	1.94	1.84	-3.87	
8092.00	9.350	312.240	8063.33	-149.72	164.55	-268.84	665876.48	419084.54	32°09'5.4073"N	103°55'51.3032"W	0.49	-0.45	1.16	
8187.00	7.230	308.030	8157.33	-158.01	173.42	-279.26	665866.06	419093.41	32°09'5.4955"N	103°55'51.4240"W	2.32	-2.23	-4.43	
8282.00	8.290	292.290	8251.47	-163.69	179.70	-290.31	665855.02	419099.69	32°09'5.5581"N	103°55'51.5522"W	2.49	1.12	-16.57	
8377.00	10.020	292.980	8345.26	-168.75	185.53	-304.25	665841.07	419105.51	32°09'5.6162"N	103°55'51.7142"W	1.82	1.82	0.73	



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_ awp 124'-20692' Proj: 20713'

Page 5 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
8472.00	9.370	289.680	8438.90	-173.76	191.36	-319.14	665826.18	419111.34	32°09'5.6745"N	103°55'51.8872"W	0.90	-0.68	-3.47	
8567.00	8.280	290.900	8532.77	-178.06	196.40	-332.82	665812.51	419116.39	32°09'5.7249"N	103°55'52.0460"W	1.16	-1.15	1.28	
8661.00	7.570	293.340	8625.88	-182.27	201.27	-344.83	665800.50	419121.25	32°09'5.7735"N	103°55'52.1854"W	0.84	-0.76	2.60	
8757.00	6.260	296.290	8721.18	-186.51	206.09	-355.32	665790.00	419126.08	32°09'5.8216"N	103°55'52.3073"W	1.41	-1.36	3.07	
8851.00	5.730	296.470	8814.66	-190.39	210.45	-364.12	665781.21	419130.44	32°09'5.8651"N	103°55'52.4095"W	0.56	-0.56	0.19	
8946.00	5.310	295.910	8909.22	-193.97	214.49	-372.32	665773.01	419134.47	32°09'5.9053"N	103°55'52.5046"W	0.45	-0.44	-0.59	
9041.00	5.330	287.500	9003.81	-196.77	217.74	-380.48	665764.85	419137.72	32°09'5.9378"N	103°55'52.5994"W	0.82	0.02	-8.85	
9136.00	4.780	281.790	9098.44	-198.47	219.87	-388.56	665756.77	419139.86	32°09'5.9592"N	103°55'52.6934"W	0.78	-0.58	-6.01	
9231.00	4.020	278.150	9193.16	-199.36	221.15	-395.74	665749.59	419141.14	32°09'5.9721"N	103°55'52.7767"W	0.85	-0.80	-3.83	
9326.00	3.670	264.540	9287.95	-199.20	221.34	-402.06	665743.27	419141.32	32°09'5.9742"N	103°55'52.8503"W	1.03	-0.37	-14.33	
9421.00	5.550	235.140	9382.65	-195.92	218.42	-408.86	665736.47	419138.40	32°09'5.9456"N	103°55'52.9295"W	3.12	1.98	-30.95	
9469.00	6.880	231.600	9430.37	-192.58	215.31	-413.01	665732.32	419135.29	32°09'5.9149"N	103°55'52.9780"W	2.88	2.77	-7.37	
9544.00	6.590	230.070	9504.85	-186.67	209.76	-419.83	665725.50	419129.74	32°09'5.8603"N	103°55'53.0575"W	0.45	-0.39	-2.04	6-3/4" BH Lucida MWD Surveys 9544'-206'
9593.00	6.890	229.980	9553.51	-182.74	206.06	-424.24	665721.09	419126.05	32°09'5.8239"N	103°55'53.1089"W	0.61	0.61	-0.18	
9782.00	6.870	230.870	9741.15	-167.39	191.64	-441.69	665703.64	419111.62	32°09'5.6818"N	103°55'53.3125"W	0.06	-0.01	0.47	
9877.00	6.880	230.590	9835.47	-159.73	184.44	-450.50	665694.84	419104.43	32°09'5.6109"N	103°55'53.4153"W	0.04	0.01	-0.29	
9972.00	6.510	233.460	9929.82	-152.44	177.62	-459.22	665686.12	419097.61	32°09'5.5437"N	103°55'53.5170"W	0.52	-0.39	3.02	
10067.00	13.190	201.410	10023.43	-138.69	164.30	-467.52	665677.82	419084.29	32°09'5.4122"N	103°55'53.6141"W	8.84	7.03	-33.74	
10161.00	20.030	195.500	10113.46	-112.76	138.77	-475.74	665669.59	419058.76	32°09'5.1599"N	103°55'53.7109"W	7.49	7.28	-6.29	
10256.00	29.050	196.820	10199.79	-74.38	100.94	-486.79	665658.55	419020.93	32°09'4.7859"N	103°55'53.8410"W	9.51	9.49	1.39	
10351.00	39.380	197.220	10278.24	-22.60	49.93	-502.43	665642.91	418969.93	32°09'4.2818"N	103°55'54.0251"W	10.88	10.87	0.42	
10446.00	49.340	197.340	10346.08	41.71	-13.41	-522.14	665623.20	418906.59	32°09'3.6558"N	103°55'54.2571"W	10.48	10.48	0.13	
10540.00	55.970	197.100	10403.07	114.15	-84.75	-544.24	665601.10	418835.26	32°09'2.9507"N	103°55'54.5173"W	7.06	7.05	-0.26	
10635.00	63.450	192.060	10450.97	194.47	-164.08	-564.73	665580.61	418755.93	32°09'2.1664"N	103°55'54.7591"W	9.11	7.87	-5.31	
10730.00	74.400	184.810	10485.12	282.55	-251.59	-577.50	665567.84	418668.43	32°09'1.3010"N	103°55'54.9114"W	13.54	11.53	-7.63	
10824.00	83.270	180.990	10503.31	374.66	-343.58	-582.12	665563.23	418576.44	32°09'0.3908"N	103°55'54.9691"W	10.24	9.44	-4.06	
10919.00	90.080	182.170	10508.82	469.41	-438.33	-584.73	665560.61	418481.70	32°08'59.4534"N	103°55'55.0036"W	7.27	7.17	1.24	
11014.00	90.200	182.160	10508.59	564.39	-533.26	-588.32	665557.02	418386.78	32°08'58.5142"N	103°55'55.0495"W	0.13	0.13	-0.01	
11198.00	91.030	182.560	10506.61	748.37	-717.09	-595.90	665549.45	418202.96	32°08'56.6954"N	103°55'55.1456"W	0.50	0.45	0.22	
11291.00	88.750	181.920	10506.79	841.35	-810.01	-599.53	665545.81	418110.05	32°08'55.7761"N	103°55'55.1919"W	2.55	-2.45	-0.69	



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 6 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
11384.00	90.660	182.390	10507.27	934.33	-902.94	-603.03	665542.32	418017.12	32°08'54.8566"N	103°55'55.2366"W	2.12	2.05	0.51	
11478.00	87.920	181.100	10508.43	1028.28	-996.88	-605.89	665539.45	417923.19	32°08'53.9272"N	103°55'55.2739"W	3.22	-2.91	-1.37	
11572.00	90.290	179.100	10509.90	1122.13	-1090.86	-606.05	665539.29	417829.22	32°08'52.9973"N	103°55'55.2799"W	3.30	2.52	-2.13	
11667.00	89.460	179.130	10510.11	1216.90	-1185.85	-604.59	665540.76	417734.24	32°08'52.0573"N	103°55'55.2670"W	0.87	-0.87	0.03	
11761.00	90.570	179.850	10510.08	1310.71	-1279.84	-603.75	665541.60	417640.26	32°08'51.1272"N	103°55'55.2613"W	1.41	1.18	0.77	
11856.00	91.560	180.010	10508.32	1405.55	-1374.82	-603.63	665541.71	417545.28	32°08'50.1873"N	103°55'55.2641"W	1.06	1.04	0.17	
11951.00	89.800	178.440	10507.19	1500.32	-1469.80	-602.35	665543.00	417450.31	32°08'49.2475"N	103°55'55.2532"W	2.48	-1.85	-1.65	
12046.00	90.940	177.990	10506.58	1594.96	-1564.75	-599.39	665545.95	417355.37	32°08'48.3078"N	103°55'55.2229"W	1.29	1.20	-0.47	
12140.00	89.000	178.040	10506.63	1688.59	-1658.69	-596.13	665549.21	417261.43	32°08'47.3781"N	103°55'55.1891"W	2.06	-2.06	0.05	
12235.00	89.210	179.420	10508.11	1783.30	-1753.65	-594.03	665551.32	417166.48	32°08'46.4384"N	103°55'55.1688"W	1.47	0.22	1.45	
12330.00	91.190	179.640	10507.78	1878.11	-1848.64	-593.25	665552.09	417071.49	32°08'45.4984"N	103°55'55.1638"W	2.10	2.08	0.23	
12425.00	91.710	179.480	10505.38	1972.89	-1943.61	-592.52	665552.82	416976.54	32°08'44.5586"N	103°55'55.1595"W	0.57	0.55	-0.17	
12520.00	93.290	179.320	10501.23	2067.60	-2038.51	-591.53	665553.82	416881.64	32°08'43.6195"N	103°55'55.1520"W	1.67	1.66	-0.17	
12614.00	93.530	179.420	10495.64	2161.24	-2132.34	-590.50	665554.85	416787.82	32°08'42.6911"N	103°55'55.1441"W	0.28	0.26	0.11	
12709.00	91.310	179.980	10491.63	2255.98	-2227.25	-590.00	665555.35	416692.92	32°08'41.7519"N	103°55'55.1424"W	2.41	-2.34	0.59	
12804.00	89.860	180.160	10490.66	2350.83	-2322.24	-590.11	665555.23	416597.93	32°08'40.8119"N	103°55'55.1479"W	1.54	-1.53	0.19	
12898.00	89.920	180.240	10490.84	2444.71	-2416.24	-590.44	665554.90	416503.94	32°08'39.8818"N	103°55'55.1558"W	0.11	0.06	0.09	
12993.00	89.270	180.350	10491.51	2539.60	-2511.23	-590.93	665554.41	416408.95	32°08'38.9418"N	103°55'55.1656"W	0.69	-0.68	0.12	
13088.00	89.710	180.160	10492.36	2634.47	-2606.23	-591.35	665553.99	416313.97	32°08'38.0019"N	103°55'55.1746"W	0.50	0.46	-0.20	
13183.00	89.400	180.160	10493.09	2729.35	-2701.23	-591.62	665553.72	416218.98	32°08'37.0618"N	103°55'55.1818"W	0.33	-0.33	0.00	
13278.00	88.810	180.120	10494.58	2824.21	-2796.21	-591.85	665553.49	416124.00	32°08'36.1219"N	103°55'55.1886"W	0.62	-0.62	-0.04	
13373.00	89.430	180.090	10496.04	2919.06	-2891.20	-592.03	665553.32	416029.01	32°08'35.1820"N	103°55'55.1948"W	0.65	0.65	-0.03	
13468.00	89.610	180.190	10496.83	3013.93	-2986.20	-592.26	665553.09	415934.03	32°08'34.2420"N	103°55'55.2016"W	0.22	0.19	0.11	
13658.00	89.430	180.040	10498.43	3203.67	-3176.19	-592.64	665552.71	415744.05	32°08'32.3620"N	103°55'55.2143"W	0.12	-0.09	-0.08	
13752.00	89.210	180.100	10499.54	3297.53	-3270.18	-592.75	665552.59	415650.06	32°08'31.4319"N	103°55'55.2197"W	0.24	-0.23	0.06	
13847.00	89.860	180.170	10500.31	3392.40	-3365.18	-592.98	665552.37	415555.07	32°08'30.4919"N	103°55'55.2264"W	0.69	0.68	0.07	
13942.00	89.520	180.120	10500.83	3487.27	-3460.18	-593.22	665552.13	415460.08	32°08'29.5519"N	103°55'55.2333"W	0.36	-0.36	-0.05	
14037.00	89.030	180.220	10502.03	3582.13	-3555.17	-593.50	665551.84	415365.10	32°08'28.6120"N	103°55'55.2407"W	0.53	-0.52	0.11	
14131.00	89.000	180.170	10503.64	3676.00	-3649.16	-593.82	665551.52	415271.12	32°08'27.6820"N	103°55'55.2485"W	0.06	-0.03	-0.05	
14226.00	87.080	180.120	10506.89	3770.81	-3744.10	-594.06	665551.28	415176.19	32°08'26.7425"N	103°55'55.2554"W	2.02	-2.02	-0.05	



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 7 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
14416.00	88.190	180.250	10514.73	3960.40	-3933.93	-594.67	665550.67	414986.37	32°08'24.8641"N	103°55'55.2708"W	0.59	0.58	0.07	
14510.00	89.180	180.070	10516.89	4054.25	-4027.90	-594.94	665550.41	414892.40	32°08'23.9342"N	103°55'55.2779"W	1.07	1.05	-0.19	
14605.00	87.890	180.240	10519.32	4149.09	-4122.87	-595.19	665550.15	414797.44	32°08'22.9945"N	103°55'55.2850"W	1.37	-1.36	0.18	
14700.00	87.950	180.200	10522.77	4243.91	-4217.81	-595.56	665549.79	414702.51	32°08'22.0551"N	103°55'55.2933"W	0.08	0.06	-0.04	
14794.00	89.740	180.060	10524.66	4337.76	-4311.78	-595.77	665549.57	414608.54	32°08'21.1252"N	103°55'55.2999"W	1.91	1.90	-0.15	
14889.00	92.140	180.160	10523.10	4432.61	-4406.76	-595.95	665549.39	414513.57	32°08'20.1854"N	103°55'55.3061"W	2.53	2.53	0.11	
14983.00	91.460	180.100	10520.15	4526.43	-4500.72	-596.17	665549.18	414419.62	32°08'19.2557"N	103°55'55.3127"W	0.73	-0.72	-0.06	
15078.00	89.800	179.080	10519.11	4621.24	-4595.70	-595.49	665549.86	414324.64	32°08'18.3157"N	103°55'55.3089"W	2.05	-1.75	-1.07	
15173.00	89.270	179.090	10519.88	4716.00	-4690.69	-593.97	665551.38	414229.66	32°08'17.3758"N	103°55'55.2954"W	0.56	-0.56	0.01	
15268.00	89.610	179.150	10520.81	4810.77	-4785.67	-592.51	665552.83	414134.69	32°08'16.4359"N	103°55'55.2825"W	0.36	0.36	0.06	
15362.00	88.900	179.220	10522.03	4904.54	-4879.65	-591.17	665554.17	414040.71	32°08'15.5058"N	103°55'55.2710"W	0.76	-0.76	0.07	
15457.00	90.380	179.250	10522.62	4999.32	-4974.64	-589.90	665555.44	413945.73	32°08'14.5659"N	103°55'55.2604"W	1.56	1.56	0.03	
15552.00	89.520	179.110	10522.71	5094.09	-5069.63	-588.55	665556.80	413850.75	32°08'13.6259"N	103°55'55.2487"W	0.92	-0.91	-0.15	
15646.00	89.270	179.270	10523.70	5187.87	-5163.62	-587.22	665558.13	413756.77	32°08'12.6958"N	103°55'55.2373"W	0.32	-0.27	0.17	
15741.00	88.100	179.290	10525.88	5282.63	-5258.58	-586.02	665559.32	413661.81	32°08'11.7561"N	103°55'55.2276"W	1.23	-1.23	0.02	
15836.00	89.580	179.170	10527.80	5377.39	-5353.55	-584.75	665560.60	413566.85	32°08'10.8163"N	103°55'55.2168"W	1.56	1.56	-0.13	
15931.00	89.460	179.200	10528.60	5472.16	-5448.54	-583.40	665561.95	413471.87	32°08'9.8763"N	103°55'55.2052"W	0.13	-0.13	0.03	
16025.00	90.720	179.280	10528.45	5565.95	-5542.53	-582.15	665563.19	413377.89	32°08'8.9462"N	103°55'55.1948"W	1.34	1.34	0.09	
16120.00	91.890	179.150	10526.29	5660.70	-5637.49	-580.85	665564.50	413282.93	32°08'8.0065"N	103°55'55.1838"W	1.24	1.23	-0.14	
16215.00	90.820	179.200	10524.04	5755.45	-5732.45	-579.48	665565.86	413187.98	32°08'7.0668"N	103°55'55.1720"W	1.13	-1.13	0.05	
16310.00	89.580	179.130	10523.71	5850.22	-5827.44	-578.10	665567.25	413093.00	32°08'6.1268"N	103°55'55.1600"W	1.31	-1.31	-0.07	
16404.00	89.520	178.890	10524.45	5943.98	-5921.43	-576.47	665568.87	412999.02	32°08'5.1967"N	103°55'55.1452"W	0.26	-0.06	-0.26	
16499.00	89.550	179.180	10525.22	6038.74	-6016.41	-574.87	665570.47	412904.04	32°08'4.2568"N	103°55'55.1307"W	0.31	0.03	0.31	
16594.00	91.060	179.320	10524.71	6133.52	-6111.40	-573.63	665571.71	412809.06	32°08'3.3168"N	103°55'55.1204"W	1.60	1.59	0.15	
16689.00	89.180	179.240	10524.51	6228.30	-6206.38	-572.43	665572.91	412714.08	32°08'2.3769"N	103°55'55.1106"W	1.98	-1.98	-0.08	
16783.00	88.810	179.220	10526.16	6322.07	-6300.36	-571.17	665574.17	412620.11	32°08'1.4469"N	103°55'55.1000"W	0.39	-0.39	-0.02	
16878.00	89.550	179.150	10527.52	6416.84	-6395.34	-569.82	665575.52	412525.14	32°08'0.5070"N	103°55'55.0884"W	0.78	0.78	-0.07	
16973.00	87.950	179.170	10529.60	6511.59	-6490.31	-568.43	665576.91	412430.18	32°07'59.5673"N	103°55'55.0763"W	1.68	-1.68	0.02	
17067.00	88.960	179.290	10532.13	6605.33	-6584.26	-567.17	665578.18	412336.23	32°07'58.6375"N	103°55'55.0657"W	1.08	1.07	0.13	
17162.00	89.550	178.970	10533.37	6700.10	-6679.24	-565.72	665579.62	412241.26	32°07'57.6976"N	103°55'55.0530"W	0.71	0.62	-0.34	



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 8 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
17257.00	88.600	179.200	10534.90	6794.85	-6774.22	-564.21	665581.14	412146.29	32°07'56.7577"N	103°55'55.0395"W	1.03	-1.00	0.24	
17351.00	88.720	179.260	10537.10	6888.61	-6868.18	-562.94	665582.40	412052.33	32°07'55.8279"N	103°55'55.0289"W	0.14	0.13	0.06	
17446.00	88.660	179.090	10539.27	6983.36	-6963.15	-561.58	665583.77	411957.38	32°07'54.8881"N	103°55'55.0171"W	0.19	-0.06	-0.18	
17541.00	88.470	179.060	10541.65	7078.09	-7058.11	-560.04	665585.30	411862.42	32°07'53.9484"N	103°55'55.0034"W	0.20	-0.20	-0.03	
17636.00	88.900	179.200	10543.83	7172.84	-7153.07	-558.60	665586.74	411767.47	32°07'53.0087"N	103°55'54.9908"W	0.48	0.45	0.15	
17825.00	89.060	179.020	10547.19	7361.35	-7342.02	-555.67	665589.68	411578.54	32°07'51.1389"N	103°55'54.9648"W	0.13	0.08	-0.10	
17920.00	91.370	179.780	10546.84	7456.14	-7437.00	-554.67	665590.67	411483.56	32°07'50.1990"N	103°55'54.9574"W	2.56	2.43	0.80	
18014.00	89.240	178.320	10546.34	7549.90	-7530.98	-553.11	665592.23	411389.58	32°07'49.2690"N	103°55'54.9433"W	2.75	-2.27	-1.55	
18109.00	87.950	178.800	10548.66	7644.57	-7625.92	-550.73	665594.62	411294.65	32°07'48.3294"N	103°55'54.9197"W	1.45	-1.36	0.51	
18298.00	91.060	179.300	10550.30	7833.06	-7814.86	-547.59	665597.75	411105.72	32°07'46.4597"N	103°55'54.8914"W	1.67	1.65	0.26	
18488.00	88.840	181.080	10550.46	8022.80	-8004.84	-548.22	665597.12	410915.76	32°07'44.5798"N	103°55'54.9070"W	1.50	-1.17	0.94	
18582.00	88.470	180.760	10552.67	8116.70	-8098.80	-549.73	665595.61	410821.80	32°07'43.6501"N	103°55'54.9286"W	0.52	-0.39	-0.34	
18677.00	88.600	180.850	10555.10	8211.59	-8193.76	-551.07	665594.28	410726.85	32°07'42.7105"N	103°55'54.9482"W	0.17	0.14	0.09	
18772.00	89.920	180.880	10556.33	8306.51	-8288.74	-552.50	665592.84	410631.88	32°07'41.7707"N	103°55'54.9690"W	1.39	1.39	0.03	
18867.00	89.520	181.030	10556.79	8401.44	-8383.73	-554.08	665591.26	410536.90	32°07'40.8309"N	103°55'54.9915"W	0.45	-0.42	0.16	
18961.00	90.450	181.000	10556.81	8495.38	-8477.71	-555.75	665589.59	410442.92	32°07'39.9009"N	103°55'55.0150"W	0.99	0.99	-0.03	
19056.00	91.620	181.170	10555.10	8590.30	-8572.68	-557.55	665587.80	410347.97	32°07'38.9613"N	103°55'55.0400"W	1.24	1.23	0.18	
19151.00	89.860	180.970	10553.87	8685.23	-8667.65	-559.32	665586.02	410253.00	32°07'38.0216"N	103°55'55.0647"W	1.86	-1.85	-0.21	
19245.00	89.340	180.770	10554.53	8779.15	-8761.64	-560.75	665584.59	410159.02	32°07'37.0916"N	103°55'55.0854"W	0.59	-0.55	-0.21	
19340.00	90.380	180.870	10554.76	8874.08	-8856.63	-562.11	665583.24	410064.04	32°07'36.1517"N	103°55'55.1053"W	1.10	1.09	0.11	
19435.00	89.240	180.670	10555.07	8969.00	-8951.61	-563.38	665581.96	409969.06	32°07'35.2119"N	103°55'55.1243"W	1.22	-1.20	-0.21	
19530.00	91.340	181.090	10554.59	9063.92	-9046.60	-564.84	665580.50	409874.08	32°07'34.2720"N	103°55'55.1454"W	2.25	2.21	0.44	
19625.00	89.460	180.850	10553.93	9158.84	-9141.58	-566.45	665578.89	409779.11	32°07'33.3323"N	103°55'55.1682"W	2.00	-1.98	-0.25	
19720.00	92.540	180.570	10552.27	9253.74	-9236.54	-567.63	665577.71	409684.15	32°07'32.3926"N	103°55'55.1860"W	3.26	3.24	-0.29	
19815.00	89.640	180.540	10550.47	9348.61	-9331.51	-568.55	665576.79	409589.19	32°07'31.4529"N	103°55'55.2008"W	3.05	-3.05	-0.03	
19910.00	91.000	180.880	10549.94	9443.53	-9426.50	-569.72	665575.62	409494.21	32°07'30.5130"N	103°55'55.2186"W	1.48	1.43	0.36	
20005.00	88.070	179.210	10550.71	9538.37	-9521.48	-569.80	665575.54	409399.23	32°07'29.5731"N	103°55'55.2236"W	3.55	-3.08	-1.76	
20099.00	89.800	179.460	10552.45	9632.15	-9615.46	-568.71	665576.63	409305.26	32°07'28.6432"N	103°55'55.2150"W	1.86	1.84	0.27	
20194.00	93.010	180.250	10550.12	9726.95	-9710.41	-568.47	665576.87	409210.31	32°07'27.7035"N	103°55'55.2163"W	3.48	3.38	0.83	
20289.00	89.610	178.940	10547.95	9821.74	-9805.37	-567.80	665577.55	409115.36	32°07'26.7639"N	103°55'55.2126"W	3.84	-3.58	-1.38	



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 9 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWP
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH DATA (216 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
20384.00	88.070	178.260	10549.88	9916.42	-9900.32	-565.48	665579.87	409020.42	32°07'25.8243"N	103°55'55.1897"W	1.77	-1.62	-0.72	
20479.00	89.270	177.760	10552.08	10011.01	-9995.24	-562.18	665583.16	408925.51	32°07'24.8849"N	103°55'55.1555"W	1.37	1.26	-0.53	
20574.00	90.600	177.960	10552.19	10105.61	-10090.17	-558.63	665586.71	408830.59	32°07'23.9454"N	103°55'55.1183"W	1.42	1.40	0.21	
20659.00†	91.356	178.169	10550.74	10190.27	-10175.11	-555.76	665589.58	408745.66	32°07'23.1048"N	103°55'55.0886"W	0.92	0.89	0.25	LTP/100'FSL Crossing: 20659.00ft MD
20692.00	91.650	178.250	10549.87	10223.14	-10208.08	-554.73	665590.61	408712.69	32°07'22.7785"N	103°55'55.0781"W	0.92	0.89	0.25	Final BH MWD Survey: 20692.00ft MD
20713.00‡	91.650	178.250	10549.27	10244.06	-10229.06	-554.09	665591.25	408691.71	32°07'22.5709"N	103°55'55.0715"W	0.00	0.00	0.00	Projection to TD: 20713.00ft MD

TARGETS

Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Corral Gorge 12-13 Federal Com 38H - KOP	10508.52	303.92	-611.15	665534.20	419223.90	32°09'6.7991"N	103°55'55.2787"W	point
Corral Gorge 12-13 Federal Com 38H - FTP	10508.88	253.92	-610.85	665534.50	419173.90	32°09'6.3043"N	103°55'55.2773"W	point
Corral Gorge 12-13 Federal Com 38H - LTP	10585.06	-10175.56	-556.94	665588.40	408745.20	32°07'23.1004"N	103°55'55.1024"W	point
Corral Gorge 12-13 Federal Com 38H - PBHL	10585.79	-10255.57	-556.44	665588.90	408665.20	32°07'22.3087"N	103°55'55.1001"W	point



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_awp 124'-20692' Proj: 20713'

Page 10 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH COMPOSITION - Ref Wellbore: Corral Gorge 12-13 Federal Com 38H AWB Ref Wellpath: Corral Gorge 12-13 Federal Com 38H_awp 124'-20692'

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
24.00	740.00	BH Generic gyro - northseeking (Standard)	Adjusted Gyro Surveys124'-740' (Imported)	Corral Gorge 12-13 Federal Com 38H AWB
740.00	9469.00	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	PHX MWD Surveys 903'-9469' (Imported)	Corral Gorge 12-13 Federal Com 38H AWB
9469.00	20713.00	Custom OWSG MWD+IFR1+SAG+FDIR (Approximation)	6-3/4" BH Lucida MWD Surveys 9544'-20692'	Corral Gorge 12-13 Federal Com 38H AWB



Actual Wellpath Report

Corral Gorge 12-13 Federal Com 38H_ awp 124'-20692' Proj: 20713'

Page 11 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	OXY USA INC.	Well	Corral Gorge 12-13 Federal Com 38H
Field	Purple Sage; Wolfcamp (Gas) - Eddy County, NM (NAD-83)	API	30-015-47208-00
Facility	Corral Gorge 12-13 Federal Com Pad	Wellbore	Corral Gorge 12-13 Federal Com 38H AWB
Slot	Corral Gorge 12-13 Federal Com 38H		

WELLPATH COMMENTS

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Comment
124.00	0.230	231.020	124.00	Adjusted Gyro Surveys 124'-740' (Imported)
903.00	0.770	65.640	902.97	PHX MWD Surveys 903'-9469' (Imported)
9544.00	6.590	230.070	9504.85	6-3/4" BH Lucida MWD Surveys 9544'-20692'
20659.00	91.356	178.169	10550.74	LTP/100'FSL Crossing: 20659.00ft MD
20692.00	91.650	178.250	10549.87	Final BH MWD Survey: 20692.00ft MD
20713.00	91.650	178.250	10549.27	Projection to TD: 20713.00ft MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: CORRAL GORGE 12-13 FEDERAL COM	Well Location: T25S / R29E / SEC 12 / NENE / 32.151047 / -103.930051	County or Parish/State: EDDY / NM
Well Number: 38H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547208	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2698077	
Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 10/13/2022	Time Sundry Submitted: 01:20
Date Operation Actually Began: 06/16/2022	

Actual Procedure: RUPU 06/16/22, RIH & clean out to PBTD @ 20666', pressure test casing to 6041# for 30 min, good test. RIH & perf @ 10535-20565' Total 1700 holes. Frac in 50 stages w/ 448567BBL Produced Water + 95240BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 30208402# sand, RD NexTier 07/07/22. Well ready to produce 07/15/22. 09/9/22 RIH with 2-3/8" L80 tbg & gas lift set @ 10243', RD 09/9/22. Formation Tops for this completion are as follows: RUSTLER 265'M 265'V SALADO 888'M 888'V CASTILE 1921'M 1921'V DELAWARE 3398'M 3398'V BELL CANYON 3448'M 3448'V CHERRY CANYON 4337'M 4337'V BRUSHY CANYON 5600'M 5599'V BONE SPRING 7191'M 7171'V 1ST BONE SPRING 8177'M 8148'V 2ND BONE SPRING 8990'M 8953'V 3RD BONE SPRING 10074'M 10030'V WOLFCAMP 10495'M 10375'V

Received by OCD: 12/8/2022 3:35:43 PM

Page 17 of 22

Well Name: CORRAL GORGE 12-13 FEDERAL COM	Well Location: T25S / R29E / SEC 12 / NENE / 32.151047 / -103.930051	County or Parish/State: EDDY / NM
Well Number: 38H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547208	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: OCT 13, 2022 01:19 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 11/09/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-47208			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name CORRAL GORGE 12-13 FEDERAL COM			
8. Name of Operator: OXY USA INC.							6. Well Number: 38H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat PURPLE SAGE WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	12	25S	29E		360	NORTH	190	EAST	EDDY
BH:	P	13	25S	29E		46	SOUTH	797	EAST	EDDY
13. Date Spudded 12/16/21	14. Date T.D. Reached 05/22/2022		15. Date Rig Released 05/25/2022		16. Date Completed (Ready to Produce) 07/15/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3164' GL			
18. Total Measured Depth of Well 20713'M 10549'V			19. Plug Back Measured Depth 20666'M 10550'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 10535-20565' Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		807'		14.75"		790sx-surf circ		
7.625" HCL80		26.4		9520'		9.875"		2218sx-surf		
5.5" P110CY		20		20693'		6.75"		854sx-TOC@8301'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT		SCREEN		25. TUBING RECORD		
								SIZE		
								2.375"		
								DEPTH SET		
								10243'		
26. Perforation record (interval, size, and number) 10535-20565' Total 1700 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10535-20565'		448567BBL Produced Water + 95240BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 30208402# sand		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
07/17/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
07/31/2022	24 hrs.	128/128	Test Period	1716	4827	8202	2813			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	710		1716	4827	8202					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>10/13/2022</u>		
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 265'	T. Bell Canyon 3448'	T. Ojo Alamo	T. Penn A"
T. Salado 888'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1921'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3398'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4337'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5600'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7191'	T. Todilto	
T. Abo	T. 1 st Bone Springs 8177'	T. Entrada	
T. Wolfcamp 10495'	T. 2 nd Bone Springs 8990'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 10074'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Corral Gorge 12-13 Federal Com 38H
API No. 30-015-47208



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 165595

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 165595
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 165595

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 165595
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	1/17/2023