

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-01271
1. Type of Well: Oil Well Gas Well Other SWD		5. Indicate Type of Lease STATE X FEE
2. Name of Operator TLT SWD, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 1906, Hobbs, NM 88241		7. Lease Name or Unit Agreement Name Phillips State
4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>East</u> line Section <u>25</u> Township <u>16S</u> Range <u>33E</u> NMPM Lea County		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 287481
		10. Pool name or Wildcat Kemnitz; Lower Wolfcamp

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> XX <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE M. J. Merchant TITLE Agent DATE 1/08/2023
 Type or print name M. J. Merchant E-mail address: mymerc@pannocal.com PHONE: (575) 492-1236
For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 1/18/23
 Conditions of Approval

**Plugging Report
Phillips State #2
API 30-025-01271**

11/10/2022 Cleared around the wellhead and set the matting board. Rigged up and started working to un-flange the wellhead.

11/11/2022 Installed the BOP. Worked to release the on/off tool. Tool would not release. Called M&S kill truck with 130 bbl fresh water (Lobo not available). Loaded the tubing with 35 bbls. Tubing remained full. Did not go on a vacuum. Worked the tubing and got the packer to release. Start out with the tubing. Hung up at 4748'. Worked free and continued out of the hole with the packer dragging. 331 joints and the packer. SION

11/14/2022 Set 5 ½" CIBP on wireline. Picked up perforated sub with bull plug. RIH with 100 stands and shut down for high winds.

11/15/2022 Finish RIH with tubing and tagged CIBP at 10672'. Circulated MLF and tested casing to 500#. Casing good. Spot 25 sx Class H cement on top of CIBP. TOC at 10454'. POOH to 9600' and spot 25 sx Class H cement. POOH and SION.

11/16/2022 Finish POOH with tubing. Perforated casing at 7197'. Set packer and pressured up on perms to 500# and held. Increased to 1000# and held. POOH with packer and RIH with tubing to 7269' and spot 25 sx cement with CaCl. WOC and tagged at 7058'. Start OOH with tubing. SION

11/17/2022 Finish pulling the tubing. Both sides of the intermediate head had bull plugs. No valve. Attempted to remove one of the bull plugs. Pressure behind the plug. Perforated 5 ½" casing at 40' and relieved the pressure. Blew to the pit for 30 min. Killed with 30 bbl brine. Installed connections and a valve and plumbed to the pit. Removed the top spool and exposed the 5 ½" casing. Welded on a pull stub and SION.

11/18/2022 Removed the casing slips and cut the 5 ½" casing at 4595'. Laid down 113 full joints of casing plus the top and bottom cut offs. Reinstalled the wellhead and the BOP. Shut down.

11/21/2022 RIH with tubing to 4652'. Caught circulation with 70 bbl brine. Circulated wellbore until balanced. Spot 50 sx cement with CaCl. WOC and tagged cement at 4398'. POOH to 2751' and spot 35 sx cement. POOH to 1518' and SION.

11/22/2022 Spot 35 sx cement at 1518'. POOH to 420' and circulate cement to surface with 110 sx. Rigged down and dug out around the concrete cellar. Could not break up the cellar with the backhoe. Brought out an excavator with a jackhammer attachment and broke up the concrete cellar from around the wellhead. Cut off wellhead. Good cement to surface. Installed a standard marker and removed the anchors. Moved out equipment.

Received by OCD: 6/8/2022 9:24:49 AM

Page 4 of 10

Phillips State #1
APT # 30.025-01271
I. Sec 25-T1LS. R 33E

Proposed
Atty Plugging

6/6/2022

Lea County, NM

nm

13³/₈ 48" .354

Dir. Cement Clinic to 414'

40 5X8.21 Clinic @ 1516' Top of salt

40 5X8 Clinic @ 2750' Base of salt

8⁵/₈ 2443' .4953'

9¹/₂ cut @ 4593' - 75 5X8 Clinic

E Perf 4 @ 7197' w/ 40 5X8 H

TRC @ 9650'

25 5X8. Clinic @ 9600'

CLAP @ 10672' - 25 5X8 Clinic H on top.
WC Perf: 10772-10829'

5¹/₂ 1170' 11030'
OA TO 11,640'

{ }

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 174425

COMMENTS

Operator: TLT SWD, LLC P.O. Box 1906 Hobbs, NM 88241	OGRID: 287481
	Action Number: 174425
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	1/18/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174425

CONDITIONS

Operator: TLT SWD, LLC P.O. Box 1906 Hobbs, NM 88241	OGRID: 287481
	Action Number: 174425
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103 Q and marker photo to release	1/18/2023