Office	AM State of New M	exico	Form C-103 of
<u>District I</u> – (575) 393-6161	Energy, Minerals and Nat	ural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			WELL API NO. 30-015-36644
811 S. First St., Artesia, NM 88210	OIL CONSERVATION		5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fra		STATE FEE
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 8	37505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505			
		LUG BACK TO A	7. Lease Name or Unit Agreement Name MYOX 28 State Com
PROPOSALS.)  1. Type of Well: Oil Well	8. Well Number # <b>6H</b>		
2. Name of Operator COG Operating, LLC			9. OGRID Number <b>229137</b>
3. Address of Operator			10. Pool name or Wildcat
2208 W. Main Street Artesia, NM	I 88210		Red Bluff; Bone Spring
4. Well Location			
Unit Letter N:	feet from the S		
Section 28	Township 25S Range		NMPM County <b>Eddy</b>
	11. Elevation (Show whether DE	R, <i>RKB, RT, GR, etc</i> 8 <b>' GR</b>	c.)
	2908	) GR	
12. Check A	Appropriate Box to Indicate N	Nature of Notice	, Report or Other Data
NOTICE OF IN	TENTION TO:		BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON	REMEDIAL WO	
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DE	RILLING OPNS. P AND A
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	NT JOB
DOWNHOLE COMMINGLE			
CLOSED-LOOP SYSTEM  OTHER:		OTHER:	
	leted operations. (Clearly state all		nd give pertinent dates, including estimated date
of starting any proposed wo	ork). SEE RULE 19.15.7.14 NMA		ompletions: Attach wellbore diagram of
proposed completion or rec	ompletion.		
BOP. POH w/ 96 stands of csg, held 500 PSI. Spotted cmt @ 3204-2954'. 12/21/2 2460-2007'. WOC. Tagged Alvarado w/ OCD's reque Sqz'd 60 sx class C cmt @ held 500 PSI. Tagged plug Cut off well head & ancho	f tbg & bull plug. 12/20/22 Set 5 25 sx class C cmt w/ 2% CACL 22 Perf'd @ 2407'. Pressured up d plug @ 2137'. Perf'd @ 538'. Pest. Established an injection rate 200' to surface w/ circulation in g @ 60'. ND BOP. Spotted 10 sx cors. David Alvarado w/ OCD version and cors.	1/2 CIBP @ 6127'. @ 6127-5877'. We on perfs to 500 PS Pressured up on pe & circulation in 9 a 9 5/8". Pushed cn class C cmt @ 60' ified cmt @ surfac	w/ rods & pump. Dug out cellar. 12/19/22 NU Circ hole w/ MLF & salt gel. Pressure test OC & Tagged 5883'. Spotted 25 sx class C SI. Spotted 40 sx class C cmt w/ 2% CACL @ erfs to 500 PSI. Perf'd @ 200' per David 5/8". Spotted 40 sx class C cmt @ 615-200'. mt to 35'. WOC. 12/22/22 Pressure tested csg, to surface. Rigged down, moved off. 12/28/22 ce via picture text message. Welded on Backfilled cellar, cut off deadman, cleaned
Spud Date:	Rig Release D	Date:	bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
			www.emnrd.state.nm.us
I hereby certify that the information	above is true and complete to the b	pest of my knowled	ge and belief.
SIGNATURE Ruth Shoci	kency TITLE Regi	ulatory Coordinate	orDATE_ 1/10/2023
Type or print name Ruth Shock For State Use Only	CENCY E-mail address	ss: ruth.shockency@	conocophillips.com PHONE: 575-703-8321
APPROVED BY:  Conditions of Approval (if any):	TITLE_	Staff Ma	nager DATE 1/19/2023

## MYOX 28 STATE COM #006H

## **PLUGGED WBD**



 Hole Size:
 17.5"

 Surface Casing:
 13-3/8" 48#/Ft J-55 STC

 Set @
 362 ft.

 TOC:
 Surface (circ. 79 sx.)

4. Perf'd @ 538'. Pressured up on perfs to 500 PSI. Perf'd @ 200' per David Alvarado w/ OCD's request. Established an injection rate & circulation in 9 5/8". Spotted 40 sx class C cmt @ 615-200'. Sqz'd 60 sx class C cmt @ 200' to surface w/ circulation in 9 5/8". Pushed cmt to 35'. WOC & . Tagged plug @ 60'. ND BOP. Spotted 10 sx class C cmt @ 60' to surface.

2,357 ft.

Location:					
Footage: 430 FSL 1650 FWL					
Surface Location:	N-28-25S-28E 430 FSL 1650 FWL				
State:	New Mexico				
County:	EDDY				
Lat:	32.0945129				
Long:	-104.0953369				

Formation Tops				
T/Salt	488			
B/Salt	2212			
Del Sand	2402			
Bone Springs	6131			

TOC: Surface (circ 70 sx.)

3. Perf'd @ 2407'. Pressured up on perfs to 500 PSI. Spotted 40 sx class C cmt w/ 2% CACL @ 2460-2007'. WOC. Tagged plug @ 2137'.

2. Spotted 25 sx class C cmt @ 3204-2954'.

Hole Size: Intermediate Casing:

1. Set 5 ½ CIBP @ 6127'. . Circ hole w/ MLF & salt gel. Pressure test csg, held 500 PSI. Spotted 25 sx class C cmt w/ 2% CACL @ 6127-5877'. WOC & Tagged 5883'.

BONE SPRING - AVALON SHALE 6,179 6.777 1st BONE SPRING 7,206 7,106 BONE SPRING LIME 7,754 7,775 2nd BONE SPRING 7,947 8,016 BONE SPRING - HARKEY SAND 8,625 -- 10,125 **Hole Size:** 7.875" Prod. Csg: 5-1/2" 17# P110 10,183 ft TOC @ 4,390 ' By Temp Survey. Set @:

ft.

TD 10190 ft.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 174421

## **CONDITIONS**

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	174421
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By		Condition Date
gcordero	None	1/19/2023