

Well Name: PRINCE FEDERAL 19B	Well Location: T17S / R28E / SEC 24 / SENE / 32.8221284 / -104.1256693	County or Parish/State: EDDY / NM
Well Number: 002H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14847	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154830800X1	Well Status: Drilling Well	Operator: LONGFELLOW ENERGY LP

Subsequent Report

Sundry ID: 2708619

Type of Submission: Subsequent Report

Date Sundry Submitted: 12/22/2022

Date Operation Actually Began: 11/17/2022

Type of Action: Drilling Operations

Time Sundry Submitted: 09:21

Actual Procedure: Spud Well @ 3:30AM 11-17-2022. Drill 17 ½" hole to 365'. Ran 9 jts of 13 3/8" 54.5# J55 BTC to 360'. Pumped 30 bbl FW spacer followed by 500 sks (118 bbl) 14.8 ppg Class C cement. 126 sks (30 bbl) to surface. WOC 10 hours. Install well head and BOP, test 250 low and 3000 high for 10 min. Test casing to 1500psi for 30 min. Good tests. Drill 12 ¼" hole to 1470'. Run 36 jts 9 5/8" 36# J-55 to 1469'. Pump 30 bbls FW spacer. Pump 540 sks (165 bbls) 13.2 ppg 1.72 yield lead cement. Pump 210 sks (50 bbls) 14.8 ppg 1.33 yield class C tail cement. 130 sks (40 bbls) to surface. WOC for 4 hours, test casing to 1500psi, good test. Drill 8 ¾" hole to 9855'. Run 109 jts 5 ½" 20# HCL-80 casing with 5 ½" to 7" crossover and 124 jts of 7" 32# HCL-80 casing to 9850'. Crossover at 4920'. Pump 30 bbls fw spacer. Pump 385 sks (148 bbls) 12.2 ppg 2.16 yield 25/75 Poz/Class C lead cement. Pump 1025 sks (243 bbls) 14.8 ppg 1.33 yield class c cement. Bumped plug. 1 bbl of cement to surface.

Well Name: PRINCE FEDERAL T9B	Well Location: T17S / R28E / SEC 24 / SENE / 32.8221284 / -104.1256693	County or Parish/State: EDDY / NM
Well Number: 002H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14847	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154830800X1	Well Status: Drilling Well	Operator: LONGFELLOW ENERGY LP

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DAVID CAIN	Signed on: DEC 22, 2022 09:20 AM
Name: LONGFELLOW ENERGY LP	
Title: Engineering Technologist & Regulatory Specialist	
Street Address: 16803 DALLAS PARKWAY	
City: ADDISON	State: TX
Phone: (214) 265-4715	
Email address: DAVID.CAIN@LONGFELLOWENERGY.COM	

Field

Representative Name: James Follis		
Street Address: 8115 Preston Road		
City: Dallas	State: TX	Zip: 75225
Phone: (405)306-6169		
Email address: james.follis@longfellowenergy.com		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/04/2023
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 177465

CONDITIONS

Operator: LONGFELLOW ENERGY, LP 8115 Preston Road Dallas, TX 75225	OGRID: 372210
	Action Number: 177465
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	Future submittals need to include the dates for each casing string and also include the Rig Release date.	1/19/2023