

Well Name: GEORGE WASHINGTON	Well Location: T26N / R12W / SEC 35 / SWNW /	County or Parish/State: SAN JUAN / NM
Well Number: 91	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM61	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453375100S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2711277

Type of Submission: Subsequent Report      Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/17/2023      Time Sundry Submitted: 01:24

Date Operation Actually Began: 12/20/2022

**Actual Procedure:** Dugan Production plugged to abandon the well as per the following procedure on 12/20/2022-12/21/2022: MI&RU Aztec Rig #481. 1) Tag CIBP originally set for TA @ 1094'. Casing stayed full w/fresh water from previous MIT's & TA periods. 2) Pressure test casing to 800 psi for 30 mins. Casing held good. 3) Spot Plug I w/38 sks Class G neat cement (43.7 cu ft) from 1094' to 767' to cover the Fruitland top. Plug I, inside 5½", 38 sks, 43.7 cu ft, Fruitland, 767'-1094'. LD tubing to 374'. Spot plug from 374' to surface w/50 sks (57.5 cu ft) Class G neat cement. WOC 4 hrs. Cement stayed full inside 5½" casing. Cut wellhead off. TOC 15' in annulus and at surface inside 5½". Fill up cellar and annulus w/20 sks Class G cement (23 cu ft). Install dry hole marker. Plug II, inside 5½" casing, 50 sks, 57.5 cu ft, Surface-Ojo Alamo-Kirtland, 0-374'. 4) Clean location. RD Aztec 481. Well P&A'd 12/21/2022. Bill Diers w/BLM FFO witnessed job.

SR Attachments

Actual Procedure

George\_Washington\_91\_Post\_PA\_schematic\_20230117131004.pdf

Received by OCD: 1/17/2023 3:14:06 PMPage 2 of 5

Well Name: GEORGE WASHINGTON	Well Location: T26N / R12W / SEC 35 / SWNW /	County or Parish/State: SAN JUAN / NM
Well Number: 91	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM61	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453375100S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: JAN 17, 2023 01:09 PM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO Box 420	
City: Farmington	State: NM
Phone: (505) 325-1821	
Email address: tyrafeil@duganproduction.com	

Field

Representative Name: ALIPH REENA		
Street Address: PO BOX 420		
City: FARMINGTON	State: NM	Zip: 87499-0420
Phone: (505)325-1821		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 01/17/2023
Signature: Kenneth Rennick	

**Completed P & A Wellbore Schematic**

George Washington 91

30-045-33751


Basin Fruitland

2300' FNL & 660' FWL

S35 T26N R12W

San Juan County, NM

Lat: 36.44562, Long: -108.80768



8-5/8" 24# J-55 casing @ 129'. Cemented with 50 sks Type 5 cement w/2% CaCl<sub>2</sub> . Circulated 4 bbls cement to surface. Hole size 12 1/4".

Spot inside plug II from 374' w/ 50 sks Class G Cement (57.5 cu.ft)  
Plug II, Inside 5 1/2", Surface-Ojo Alamo-Kirtland, 0'-374'

**5 1/2" 15.5# casing @ 1430'. Hole size: 7"**

Cement production casing w/ 135 sks, 241 cu.ft Type 5 Cement blend.  
Circulated 10 bbls cement to surface.

Tag 5 1/2" CIBP @ 1094'. Spot Inside Plug I with 38 sks (43.7 cu.ft)  
@ 767'-1094' Class G cement.  
Plug I, Inside 5 1/2", Fruitland, 767'-1094'

Fruitland Coal Perforated @ 1146' – 1246'

PBTD @ 1386', TD 1440'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS

Action 176822

COMMENTS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 176822
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	well plugged 12/21/22	1/25/2023
mkuehling	did not record all string pressures daily	1/25/2023

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 176822

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 176822
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	None	1/25/2023