

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-34091
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V0-5789-0001
7. Lease Name or Unit Agreement Name SUNDANCE 16 STATE
8. Well Number 1
9. OGRID Number 24010
10. Pool name or Wildcat POKER LAKE, DEL., N. (50389)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator V-F PETROLEUM	
3. Address of Operator P O BOX 1889, MIDLAND TX 79702	
4. Well Location Unit Letter <u>A</u> : <u>660</u> feet from the <u>NORTH</u> line and <u>660</u> feet from the <u>EAST</u> line Section <u>16</u> Township <u>24S</u> Range <u>31E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3488' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached updated wellbore and P&A summary of the subject well that was plugged 11/30/2022.

Spud Date 10/25/2005

Rig Release Date: 11/21/2005

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kristina Lee TITLE Regulatory Consultant – V-F Petroleum DATE: 1/31/2023

Type or print name Kristina Lee E-mail address: krislee@skybeam.com PHONE: 303.884.4229
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 2/3/2023
Conditions of Approval (if any):

Sundance 16 State #1 – P&A – 30-015-34091

11/21/22 – Start P&A, spot plugging equipment on location

11/22/22 - RU Sendero Rig #20. Kill well and nipple up. BOP. Pull out of hole w/162 jts tbg. Run in hole w/cmt retainer and 158 jts. Set at 5,200'. Pmp squeeze 300 sx Class C cmt and displace w/31 bbls. Pull out of retainer. Stand back 24 jts. SDFN.

11/23/22 - POOH w/stinger. Run in hole w/AD-1 tension pkr. Set at 4,120'. Perf csg at 4,700'. Pmp 100 sx Class C cmt. WOC 4 hrs. Tag cmt 4,520'. POOH. Perf csg at 4,350'. Pmp 200 sx Class C cmt

11/24/22 - Tag cmt at 3,592'. POOH at 2,000'. Perf csg pmp 100 sx Class C cmt

11/28/22 - Finish pmpg surf plug. RD plugging equipment.


WP: Run in hole. Tag cmt top at 1,528'. Perf csg at 700'. 4 shots. Set pkr at 60'. Pmp 100 sx Class C cmt. WOC. Tag at 266'. Perf csg at 100'. 4 shots, pmp broke dwn. SD for repairs

11/29/22 - Tag cmt 1,538'. Perf csg at 700'. Pmp 100 sxs Class C cmt and WOC. Tag at 266'. Perf csg at 100', 4 shots. RU to pmp. Top plug and pony motor broke dwn. WO repairs.

11/30/22 - Work Complete, Repairs complete on equipment. Mix 45 sx Class C cmt to surf. Press test 13 5/8". RD cmt equipment, WSU and released. Will run crew to Cut off WH and install marker.

Well: Sundance 16 State #1 **Final WBD**
 Location: 660' FNL & 660' FEL
 Section 16-T24S-R31E
 Eddy County, New Mexico
 API# 30-015-34091

Operator: **V - F Petroleum Inc.**
 Field: Poker Lake Delaware
 Elevation: GL= 3488
 KB-GL= 13
 KB= 3501



REMARKS:

AFTER PLUGGING SCHEMATIC

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 181274

CONDITIONS

Operator: V-F PETROLEUM INC P.O. Box 1889 Midland, TX 79702	OGRID: 24010
	Action Number: 181274
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/3/2023