

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30-043-21403	⁵ Pool Name Lybrook Gallup		⁶ Pool Code 42289
⁷ Property Code 325271	⁸ Property Name Venado Canyon Unit		⁹ Well Number 302H

II. ¹⁰ Surface Location

UL or lot no. H	Section 14	Township 22N	Range 06W	Lot Idn	Feet from the 2209'	North/South Line North	Feet from the 745'	East/West line East	County Sandoval
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. H	Section 24	Township 22N	Range 06W	Lot Idn	Feet from the 1950'	North/South line North	Feet from the 377'	East/West line East	County Sandoval
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 11/16/22		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP 6500 Townbridge Drive, El Paso, TX 79905	O
151618	Enterprise Field Services, LLC Post Office Box 4503, Houston, TX 77001	G

IV. Well Completion Data

²¹ Spud Date 04/25/22	²² Ready Date 10/29/22	²³ TD 13,254' MD 5,362' TVD	²⁴ PBTD 13,236' MD 5,362' TVD	²⁵ Perforations 5,845'-13,177' MD 5,363'- 5,421' TVD Frac Sleeve @ 13,206'	²⁶ DHC, MC NSL-8159	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
12.25		9.625" 36# J55		380'		109
8.75		7" 26# J55		5,755'		587
6.125		4.5" 11.6# P110		TOL: 5,474' BOL: 13,249'		679
		2.875" 6.5# L80 Tubing		5,704'		

V. Well Test Data

³¹ Date New Oil 11/03/22	³² Gas Delivery Date 11/16/22	³³ Test Date 11/04/22	³⁴ Test Length 24	³⁵ Tbg. Pressure 524	³⁶ Csg. Pressure 990
³⁷ Choke Size 42/64	³⁸ Oil 861	³⁹ Water 655	⁴⁰ Gas 980		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>		OIL CONSERVATION DIVISION Approved by: <i>PATRICIA MARTINEZ</i>	
Printed name: Shaw-Marie Ford		Title: <i>PETROLEUM SPECIALIST</i>	
Title: Regulatory Specialist		Approval Date: <i>2/3/2023</i>	
E-mail Address: sford@djrlc.com			
Date: 01/10/23	Phone: 505-716-3297		

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-043-21403	² Pool Code 42289	³ Pool Name LYBROOK GALLUP
⁴ Property Code 325271	⁵ Property Name VENADO CANYON UNIT	⁶ Well Number 302H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 7122

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	14	22-N	6-W		2209	NORTH	745	EAST	SANDOVAL


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	24	22-N	6-W		1950	NORTH	377	EAST	SANDOVAL

¹² Dedicated Acres SEE DETAIL BELOW	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14067 R-14067A NSL- 8159
---	-------------------------------	----------------------------------	---

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or a working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 10/27/22

Signature Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address


¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JULY 8, 2022

Date of Survey

Signature and Seal of Professional Surveyor



GLEN W. RUSSELL

Certificate Number

15703

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

☒ AS-DRILLED

DJR OPERATING, LLC
VENADO CANYON UNIT #302H
VCU H14-2206

SURFACE HOLE NMNM 117562
2209' FNL, 745' FEL
LOCATED IN THE SE/NE OF SEC. 14, T-22-N, R-6-W, N.M.P.M.
SANDOVAL COUNTY, NEW MEXICO
LAT: 36.138752° N LONG: 107.432066° W NAD83

PPP-1 (FIRST TAKE POINT) NMNM 117562
2088' FNL, 437' FEL
LOCATED IN THE SE/NE OF SEC. 14, T-22-N, R-6-W, N.M.P.M.
SANDOVAL COUNTY, NEW MEXICO
LAT: 36.139064° N LONG: 107.431015° W NAD83

PPP-2 NMNM 117562
2466' FNL, 1' FWL
LOCATED IN THE SW/NW OF SEC. 13, T-22-N, R-6-W, N.M.P.M.
SANDOVAL COUNTY, NEW MEXICO
LAT: 36.137894° N LONG: 107.429556° W NAD83

PPP-3 NMNM 117562
1' FSL, 2358' FEL
LOCATED IN THE SW/SE OF SEC. 13, T-22-N, R-6-W, N.M.P.M.
SANDOVAL COUNTY, NEW MEXICO
LAT: 36.130014° N LONG: 107.419963° W NAD83

PPP-4 (LAST TAKE POINT) NMNM 109390
1917' FNL, 415' FEL
LOCATED IN THE SE/NE OF SEC. 24, T-22-N, R-6-W, N.M.P.M.
SANDOVAL COUNTY, NEW MEXICO
LAT: 36.124750° N LONG: 107.413485° W NAD83

BOTTOM HOLE NMNM 117562
1950' FNL, 377' FEL
LOCATED IN THE SE/NE OF SEC. 24, T-22-N, R-6-W, N.M.P.M.
SANDOVAL COUNTY, NEW MEXICO
LAT: 36.124658° N LONG: 107.413359° W NAD83



DJR

Venado Canyon

H14 2206

302H

End of Well Report



www.scientificdrilling.com





Company Name: DJR Operating
 Project: Venado Canyon Unit
 Site: H14 2206 Pad
 Well: # 302H
 Wellbore: Original Drilling



WELL DETAILS: # 302H

GL 7122' & RKB 26' @ 7148ft (H&P 443) 7122

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	
0	0	1870046.75	2841573.61	36.13875198	-107.43206567	5



Design: Original Drilling (# 302H/Original Drilling)

Created By: Janie Collins Date: 10:46, June 24 2022

PROJECT DETAILS: Venado Canyon Unit

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: New Mexico Western Zone

System Datum: Mean Sea Level
 Local North: True



DJR Operating

Venado Canyon Unit

H14 2206 Pad

302H - Slot 5

Original Drilling

Design: Original Drilling

Standard Survey Report

24 June, 2022



www.scientificdrilling.com





Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 302H - Slot 5
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 302H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Venado Canyon Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	H14 2206 Pad		
Site Position:		Northing:	1,870,046.75 usft
From:	Lat/Long	Easting:	2,841,573.62 usft
Position Uncertainty:	0 ft	Slot Radius:	13.20 in
		Latitude:	36.13875198
		Longitude:	-107.43206567
		Grid Convergence:	0.24 °

Well	# 302H - Slot 5		
Well Position	+N/-S	0 ft	Northing:
	+E/-W	0 ft	Easting:
Position Uncertainty	0 ft	Wellhead Elevation:	ft
		Latitude:	36.13875198
		Longitude:	-107.43206567
		Ground Level:	7122 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	5/20/2022	8.53	62.68	48,965.90000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0	132.77	

Survey Program	Date	6/24/2022			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
450	4751	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4831	5716	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5856	13,254	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
450	0.55	314.77	450	2	-2	-2	0.12	0.12	0.00	
542	2.96	354.74	542	4	-2	-4	2.79	2.62	43.45	
633	4.11	352.46	633	10	-3	-9	1.27	1.26	-2.51	
725	6.19	344.08	724	18	-5	-15	2.40	2.26	-9.11	
817	7.96	340.86	816	29	-8	-25	1.97	1.92	-3.50	
908	8.79	339.90	906	41	-12	-37	0.92	0.91	-1.05	
1001	9.41	337.95	998	55	-18	-50	0.74	0.67	-2.10	
1092	9.76	338.38	1087	69	-23	-64	0.39	0.38	0.47	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 302H - Slot 5
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 302H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1181	10.03	338.25	1175	83	-29	-78	0.30	0.30	-0.15	
1271	10.44	338.39	1264	98	-35	-92	0.46	0.46	0.16	
1362	11.34	339.17	1353	114	-41	-108	1.00	0.99	0.86	
1452	11.20	338.38	1441	130	-47	-123	0.23	-0.16	-0.88	
1543	11.38	337.62	1530	147	-54	-139	0.26	0.20	-0.84	
1634	10.63	339.86	1620	163	-60	-155	0.95	-0.82	2.46	
1725	8.37	347.08	1709	177	-65	-168	2.80	-2.48	7.93	
1815	6.95	346.39	1799	189	-68	-178	1.58	-1.58	-0.77	
1905	7.02	344.07	1888	200	-70	-187	0.32	0.08	-2.58	
2000	7.78	341.49	1982	211	-74	-198	0.87	0.80	-2.72	
2095	6.87	340.48	2076	223	-78	-209	0.97	-0.96	-1.06	
2189	7.18	342.93	2170	234	-82	-219	0.46	0.33	2.61	
2284	5.76	341.49	2264	244	-85	-228	1.50	-1.49	-1.52	
2379	6.84	352.50	2359	254	-87	-236	1.70	1.14	11.59	
2474	8.52	347.65	2453	267	-89	-247	1.89	1.77	-5.11	
2569	7.86	347.72	2547	280	-92	-258	0.69	-0.69	0.07	
2664	8.07	344.70	2641	293	-95	-269	0.49	0.22	-3.18	
2758	8.74	347.52	2734	306	-99	-280	0.84	0.71	3.00	
2853	9.07	351.04	2828	320	-101	-292	0.67	0.35	3.71	
2948	7.42	348.97	2922	334	-104	-303	1.76	-1.74	-2.18	
3043	7.80	349.21	3016	346	-106	-313	0.40	0.40	0.25	
3138	7.98	342.79	3110	359	-109	-324	0.95	0.19	-6.76	
3233	10.00	342.81	3204	373	-114	-337	2.13	2.13	0.02	
3328	9.84	341.30	3297	388	-119	-351	0.32	-0.17	-1.59	
3422	10.70	341.63	3390	404	-124	-366	0.92	0.91	0.35	
3517	8.93	339.53	3483	420	-129	-380	1.90	-1.86	-2.21	
3612	10.12	338.83	3577	434	-135	-394	1.26	1.25	-0.74	
3707	10.28	338.51	3671	450	-141	-409	0.18	0.17	-0.34	
3802	9.29	337.73	3764	465	-147	-424	1.05	-1.04	-0.82	
3897	9.07	337.03	3858	479	-153	-437	0.26	-0.23	-0.74	
3992	8.74	332.45	3952	492	-159	-451	0.82	-0.35	-4.82	
4087	7.65	328.13	4046	504	-166	-464	1.32	-1.15	-4.55	
4182	7.40	338.04	4140	515	-171	-476	1.39	-0.26	10.43	
4277	7.20	337.14	4234	526	-176	-487	0.24	-0.21	-0.95	
4371	7.82	345.77	4328	538	-180	-497	1.37	0.66	9.18	
4466	5.63	347.38	4422	549	-183	-507	2.31	-2.31	1.69	
4561	7.08	341.57	4516	559	-185	-516	1.67	1.53	-6.12	
4656	6.89	338.77	4611	570	-189	-526	0.41	-0.20	-2.95	
4751	4.34	336.48	4705	578	-193	-534	2.69	-2.68	-2.41	
4831	5.66	36.38	4785	584	-192	-537	6.40	1.65	74.88	
4926	15.98	87.43	4878	589	-176	-529	13.85	10.86	53.74	
5020	21.55	127.95	4968	578	-149	-502	14.71	5.93	43.11	
5115	30.72	132.82	5053	551	-117	-461	9.91	9.65	5.13	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 302H - Slot 5
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 302H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5210	36.35	130.28	5132	516	-78	-408	6.11	5.93	-2.67
5305	43.37	135.87	5205	475	-34	-347	8.29	7.39	5.88
5400	55.77	138.17	5266	422	15	-275	13.18	13.05	2.42
5495	61.41	136.68	5316	362	70	-195	6.09	5.94	-1.57
5590	69.10	136.97	5356	299	129	-109	8.10	8.10	0.31
5685	75.27	136.80	5385	233	191	-18	6.50	6.49	-0.18
5716	79.64	135.27	5391	212	212	12	14.90	14.10	-4.94
5856	85.33	134.46	5410	114	310	150	4.10	4.06	-0.58
5950	88.39	134.12	5415	48	377	244	3.28	3.26	-0.36
6044	88.42	134.25	5417	-17	445	338	0.14	0.03	0.14
6138	87.58	133.43	5421	-82	512	432	1.25	-0.89	-0.87
6232	90.30	136.21	5422	-149	579	526	4.14	2.89	2.96
6326	90.94	135.84	5421	-216	644	620	0.79	0.68	-0.39
6421	90.17	133.44	5420	-283	712	715	2.65	-0.81	-2.53
6516	90.94	135.85	5420	-350	780	810	2.66	0.81	2.54
6610	91.61	137.44	5417	-418	844	904	1.84	0.71	1.69
6704	91.41	137.66	5415	-487	908	997	0.32	-0.21	0.23
6799	90.17	136.35	5414	-557	972	1092	1.90	-1.31	-1.38
6892	91.55	136.75	5412	-624	1036	1185	1.54	1.48	0.43
6987	90.27	135.84	5411	-693	1102	1279	1.65	-1.35	-0.96
7081	90.97	136.43	5410	-761	1167	1373	0.97	0.74	0.63
7175	91.01	136.61	5408	-829	1232	1467	0.20	0.04	0.19
7269	90.44	136.23	5407	-897	1296	1561	0.73	-0.61	-0.40
7364	89.97	136.01	5407	-966	1362	1656	0.55	-0.49	-0.23
7458	89.80	135.90	5407	-1033	1428	1750	0.22	-0.18	-0.12
7552	90.97	134.79	5406	-1100	1494	1843	1.72	1.24	-1.18
7646	91.14	134.34	5404	-1166	1561	1937	0.51	0.18	-0.48
7740	90.84	133.53	5403	-1231	1628	2031	0.92	-0.32	-0.86
7835	90.47	132.76	5402	-1296	1698	2126	0.90	-0.39	-0.81
7929	89.63	134.73	5402	-1361	1766	2220	2.28	-0.89	2.10
8023	90.84	135.79	5401	-1428	1832	2314	1.71	1.29	1.13
8117	90.80	135.54	5400	-1495	1897	2408	0.27	-0.04	-0.27
8211	90.47	134.38	5399	-1562	1964	2502	1.28	-0.35	-1.23
8304	89.87	133.15	5399	-1626	2031	2595	1.47	-0.65	-1.32
8395	90.77	134.83	5398	-1689	2097	2686	2.09	0.99	1.85
8485	90.40	133.46	5397	-1752	2161	2776	1.58	-0.41	-1.52
8576	91.31	135.16	5396	-1815	2226	2867	2.12	1.00	1.87
8667	91.85	135.08	5393	-1880	2290	2958	0.60	0.59	-0.09
8757	91.78	134.98	5390	-1943	2354	3048	0.14	-0.08	-0.11
8846	91.75	134.55	5388	-2006	2417	3137	0.48	-0.03	-0.48
8937	91.78	134.25	5385	-2070	2482	3228	0.33	0.03	-0.33
9027	91.24	133.46	5383	-2132	2547	3317	1.06	-0.60	-0.88
9118	91.01	137.04	5381	-2197	2611	3408	3.94	-0.25	3.93



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 302H - Slot 5
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 302H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9208	89.70	136.69	5380	-2262	2673	3498	1.51	-1.46	-0.39
9300	89.70	136.84	5381	-2329	2736	3590	0.16	0.00	0.16
9391	88.89	135.89	5382	-2395	2798	3681	1.37	-0.89	-1.04
9482	89.87	136.28	5383	-2461	2862	3772	1.16	1.08	0.43
9573	89.83	135.65	5383	-2526	2925	3862	0.69	-0.04	-0.69
9663	89.70	134.97	5383	-2590	2988	3952	0.77	-0.14	-0.76
9754	90.03	135.29	5384	-2655	3052	4043	0.51	0.36	0.35
9845	90.03	135.00	5384	-2719	3116	4134	0.32	0.00	-0.32
9937	90.44	134.61	5383	-2784	3182	4226	0.62	0.45	-0.42
10,027	91.01	134.42	5382	-2847	3246	4316	0.67	0.63	-0.21
10,117	90.77	133.67	5381	-2910	3311	4406	0.87	-0.27	-0.83
10,207	91.01	135.40	5379	-2973	3375	4496	1.94	0.27	1.92
10,299	89.16	135.13	5379	-3038	3439	4588	2.03	-2.01	-0.29
10,389	91.08	136.03	5379	-3102	3502	4678	2.36	2.13	1.00
10,479	91.04	136.09	5377	-3167	3565	4768	0.08	-0.04	0.07
10,569	91.18	135.28	5375	-3231	3628	4857	0.91	0.16	-0.90
10,660	91.51	137.15	5373	-3297	3691	4948	2.09	0.36	2.05
10,751	89.19	137.52	5373	-3364	3752	5039	2.58	-2.55	0.41
10,841	89.09	137.42	5374	-3430	3813	5129	0.16	-0.11	-0.11
10,931	89.03	136.86	5376	-3496	3874	5218	0.63	-0.07	-0.62
11,023	91.11	136.27	5375	-3563	3938	5310	2.35	2.26	-0.64
11,114	91.01	135.47	5374	-3628	4001	5401	0.89	-0.11	-0.88
11,204	91.31	135.28	5372	-3693	4064	5491	0.39	0.33	-0.21
11,293	90.20	133.99	5371	-3755	4128	5580	1.91	-1.25	-1.45
11,384	90.17	133.52	5371	-3818	4193	5671	0.52	-0.03	-0.52
11,476	90.23	133.14	5370	-3881	4260	5763	0.42	0.07	-0.41
11,567	90.44	135.77	5370	-3945	4325	5854	2.90	0.23	2.89
11,658	90.47	135.76	5369	-4010	4389	5945	0.03	0.03	-0.01
11,750	90.20	135.60	5368	-4076	4453	6037	0.34	-0.29	-0.17
11,840	89.53	134.59	5369	-4140	4516	6126	1.35	-0.74	-1.12
11,931	89.53	133.86	5369	-4203	4582	6217	0.80	0.00	-0.80
12,022	90.17	136.14	5370	-4267	4646	6308	2.60	0.70	2.51
12,112	90.74	136.34	5369	-4332	4708	6398	0.67	0.63	0.22
12,203	90.94	135.78	5368	-4398	4771	6489	0.65	0.22	-0.62
12,292	90.97	135.13	5366	-4461	4834	6578	0.73	0.03	-0.73
12,383	90.64	133.85	5365	-4525	4899	6669	1.45	-0.36	-1.41
12,473	90.00	132.28	5364	-4587	4964	6759	1.88	-0.71	-1.74
12,563	90.30	135.97	5364	-4649	5029	6849	4.11	0.33	4.10
12,654	89.73	135.12	5364	-4714	5093	6940	1.12	-0.63	-0.93
12,745	90.40	134.85	5364	-4778	5157	7031	0.79	0.74	-0.30
12,837	90.67	134.51	5363	-4843	5223	7123	0.47	0.29	-0.37
12,926	89.93	134.05	5363	-4905	5286	7212	0.98	-0.83	-0.52
13,020	89.46	132.29	5363	-4970	5355	7306	1.94	-0.50	-1.87
13,115	90.23	132.60	5363	-5034	5425	7401	0.87	0.81	0.33



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 302H - Slot 5
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 302H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,204	90.34	132.10	5363	-5094	5491	7490	0.58	0.12	-0.56
13,254	90.34	132.10	5363	-5127	5528	7540	0.00	0.00	0.00

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
302H Toe Rev 1	0.00	0.00	5356	-5121	5537	1,864,948.59	2,847,131.57	36.12468250	-107.41331740
- actual wellpath misses target center by 13ft at 13254ft MD (5363 TVD, -5127 N, 5528 E)									
- Circle (radius 100)									
302H 85° Casing	0.00	0.00	5389	258	175	1,870,305.23	2,841,747.29	36.13946007	-107.43147389
- actual wellpath misses target center by 13ft at 5659ft MD (5378 TVD, 252 N, 174 E)									
- Point									
302H Heel Rev 1	0.00	0.00	5404	96	341	1,870,143.90	2,841,913.96	36.13901500	-107.43091170
- actual wellpath misses target center by 12ft at 5890ft MD (5412 TVD, 90 N, 334 E)									
- Circle (radius 50)									

Design Annotations				
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
450	450	2	-2	First Surface MWD Survey
4751	4705	578	-193	Last Surface MWD Survey
4831	4785	584	-192	First Curve MWD Survey
5716	5391	212	212	Last Curve MWD Survey
5856	5410	114	310	First Lateral MWD Survey
13,204	5363	-5094	5491	Last Lateral MWD Survey
13,254	5363	-5127	5528	Projection to TD

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Operating
Well Name & No.	Venado Canyon H14 2206 302H
County & State	San Juan, NM
SDI Job No.	OP.034245
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 450 feet to a measured depth of 13,254 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

24-Jun-22

Date

Janie Collins

Colorado District Well Planner
Scientific Drilling International

Well Name: VENADO CANYON UNIT	Well Location: T22N / R6W / SEC 14 / SENE / 36.138752 / -107.432066	County or Parish/State: SANDOVAL / NM
Well Number: 302H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM117562	Unit or CA Name: VENADO CANYON UNIT	Unit or CA Number: NMNM135367X
US Well Number: 3004321403	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2701640

Type of Submission: Subsequent Report Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 11/07/2022 Time Sundry Submitted: 10:52

Date Operation Actually Began: 10/05/2022

Actual Procedure: Completion Sundry -10/5/22: PT 4.5" x 7" casing 2k (30min). Full function PT void & seals L750 H5000 (15min). All tests good & recorded on chart. Well swap. -10/10/22: Open well, increase pressure, Alpha Sleeve opened at 8785 psi. -10/11/22 to 10/23/22: Perf Plug & Frac 25 stages: 3 spf, .35" diameter from 5845' to 13177' MD (5363' to 5421' TVD). Total of 875 open holes. As pumped: 47,822 bbls fluid. 7,709,730 lbs of proppant. 59,929,749 scf of N2. Well swap. -10/26/22: MIRU AWS 812. Full function PT L400 H5000 (30min). All test good & recorded on chart. -10/27/22 to 10/28/22: TIH Drill out plugs. TOH. Change over to tubing tools. PT 2k (5min) test good & recorded on chart. -10/29/22: RIH with production string. Land 173 jts of 2.875" 6.5# L80 STC tubing. EOT: 5704'. Five GLVs set at 2125' – 2784' – 3476' – 4167' – 4859'. TOH. ND BOPE. NU production tree & PT L400 H5000 (30min). Test good & recorded on chart. Turn well over to production. Rig AWS 812 released on 10/29/22.

Well Name: VENADO CANYON UNIT	Well Location: T22N / R6W / SEC 14 / SENE / 36.138752 / -107.432066	County or Parish/State: SANDOVAL / NM
Well Number: 302H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM117562	Unit or CA Name: VENADO CANYON UNIT	Unit or CA Number: NMNM135367X
US Well Number: 3004321403	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: NOV 07, 2022 10:52 AM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 11/08/2022

Signature: Kenneth Rennick



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

12/05/2022

Operator Name DJR OPERATING LLC	Well Name VENADO CANYON UNIT	Well Number 302H	US Well Number 3004321403
SHL SENE Sec 14 22N 6W	County SANDOVAL	State NM	Lease Number(s) NMNM117562
Well Type OIL WELL	Well Status Drilling Well	Agreement Name VENADO CANYON UNIT	Agreement Number(s) NMNM135367X, NMNM135367A
Allottee/Tribe Name	Well Pad Name VENADO CANYON UNIT	Well Pad Number 301H, 302H, 303H, 503H	ID 10400065146

Section 1 - General

Well Completion Report Id:	Submission Date: 11-30-2022	
BLM Office: Farmington Field Office	User: SHAW-MARIE FORD	Title: Regulatory Specialist
Federal/Indian: FEDERAL	Lease Number: NMNM117562	Lease Acres:
Agreement in place?: YES	Federal or Indian Agreement:	
Agreement Number:	Agreement Name: VENADO	
Keep this Well Completion Report confidential?:		
APD Operator: DJR OPERATING LLC		

Section 2 - Well

Field/Pool or Exploratory:	Pool Name: LYBROOK GALLUP	Field Name: BASIN MANCOS
Well Type: OIL WELL		
Spud Date: 04-25-2022		
Date Total Measured Depth Reached: 06-14-2022		
Drill & Abandon or Ready To Produce: READY TO		
Well Class: HORIZONTAL		

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		0	1319	1325	USEABLE WATER	
KIRTLAND	SHALE		-1468	1468	1475	NONE	

Operator Name DJR OPERATING LLC	Well Name VENADO CANYON UNIT	Well Number 302H	US Well Number 3004321403
SHL SENE Sec 14 22N 6W	County SANDOVAL	State NM	Lease Number(s) NMNM117562
Well Type OIL WELL	Well Status Drilling Well	Agreement Name VENADO CANYON UNIT	Agreement Number(s) NMNM135367X, NMNM135367A ID 10400065146
Allottee/Tribe Name	Well Pad Name VENADO CANYON UNIT	Well Pad Number 301H, 302H, 303H, 503H	

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
FRUITLAND	COAL		-1689	1689	1698	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1884	1884	1894	NONE	
LEWIS	SHALE		-1977	1977	1988	NONE	
CHACRA	SANDSTONE		-2690	2690	2707	NONE	
MENEFEE	COAL, SANDSTONE		-3367	3367	3390	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-4138	4138	4167	NONE	
MANCOS	SHALE		-4282	4282	4313	NONE	
MANCOS	SILTSTONE		-4642	4642	4676	NATURAL GAS, OIL	
GALLUP	SILTSTONE		-5157	5157	5224	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5199	5199	5279	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5287	5287	5416	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5397	5397	5800	NATURAL GAS, OIL	

Completion and Completed

Operator Name DJR OPERATING LLC	Well Name VENADO CANYON UNIT	Well Number 302H	US Well Number 3004321403
SHL SENE Sec 14 22N 6W	County SANDOVAL	State NM	Lease Number(s) NMNM117562
Well Type OIL WELL	Well Status Drilling Well	Agreement Name VENADO CANYON UNIT	Agreement Number(s) NMNM135367X, NMNM135367A
Allottee/Tribe Name	Well Pad Name VENADO CANYON UNIT	Well Pad Number 301H, 302H, 303H, 503H	ID 10400065146

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM135367A	NMNM117562	NEW		POW	10-29-2022	11-03-2022	GALLUP	5845	13177	Y	.35	875	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	47822	7709730	Chemical Disclosure uploaded to FracFocus on 11/02/22

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Operator Name DJR OPERATING LLC	Well Name VENADO CANYON UNIT	Well Number 302H	US Well Number 3004321403
SHL SENE Sec 14 22N 6W	County SANDOVAL	State NM	Lease Number(s) NMNM117562
Well Type OIL WELL	Well Status Drilling Well	Agreement Name VENADO CANYON UNIT	Agreement Number(s) NMNM135367X, NMNM135367A
Allottee/Tribe Name	Well Pad Name VENADO CANYON UNIT	Well Pad Number 301H, 302H, 303H, 503H	ID 10400065146

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	11/04/2022	24	861	980	655	1138	42/64	524		990

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.138752	-107.432066	7122	FEDERAL	NMNM117562				2209	FNL	745	FEL	22N	6W	14	SENE
KOP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.138752	-107.432066	6742	FEDERAL	NMNM117562				2209	FNL	745	FEL	22N	6W	14	SENE
PPP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.137894	-107.429556	1760	FEDERAL	NMNM117562				2466	FNL	1	FWL	22N	6W	13	SWNW
PPP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.139064	-107.431015	1760	FEDERAL	NMNM117562				2088	FNL	437	FEL	22N	6W	14	SENE
EXIT Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.12475	-107.413485	1760	FEDERAL	NMNM109390				1917	FNL	415	FEL	22N	6W	24	SENE

Operator Name DJR OPERATING LLC	Well Name VENADO CANYON UNIT	Well Number 302H	US Well Number 3004321403
SHL SENE Sec 14 22N 6W	County SANDOVAL	State NM	Lease Number(s) NMNM117562
Well Type OIL WELL	Well Status Drilling Well	Agreement Name VENADO CANYON UNIT	Agreement Number(s) NMNM135367X, NMNM135367A
Allottee/Tribe Name	Well Pad Name VENADO CANYON UNIT	Well Pad Number 301H, 302H, 303H, 503H	ID 10400065146

Aliquot/Lot/Tract	Section	Range	Township	EW-Indicator	EW-Foot	NS-Indicator	NS-Foot	Plug Type	Plug MD (ft)	Plug TVD (ft)	Lease Number	Lease Type	Elevation (MSL)	Longitude	Latitude	County	Meridian	State	
SENE	24	6W	22N	FEL	377	FNL	1950		13236	5362	NMNM109390	FEDERAL	1760	107.413359	36.124658	SANDOVAL	NEW MEXICO PRINCIPAL	NEW MEXICO	BHL Wellbore 00

Casing, Liner and Tubing

Casing and Liner

Amount Pulled (ft)	Other Joint	Joint	Describe Other Casing Grade	Casing Grade	Wt(lbs/ft)	Casing Size	Bottom Setting Depth (MD)	Top Setting Depth (MD)	Hole Size	Casing String Type	Wellbore Code
		ST&C		J-55	36	9.625	380	0	12.25	SURFACE	00
		LT&C		J-55	26	7.0	5755	0	8.75	INTERMEDIATE	00
		BUTT		P-110	11.6	4.5	13249	5474	6.125	LINER	00

Operator Name DJR OPERATING LLC	Well Name VENADO CANYON UNIT	Well Number 302H	US Well Number 3004321403
SHL SENE Sec 14 22N 6W	County SANDOVAL	State NM	Lease Number(s) NMNM117562
Well Type OIL WELL	Well Status Drilling Well	Agreement Name VENADO CANYON UNIT	Agreement Number(s) NMNM135367X, NMNM135367A
Allottee/Tribe Name	Well Pad Name VENADO CANYON UNIT	Well Pad Number 301H, 302H, 303H, 503H	ID 10400065146

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield (cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		I-II	109	1.61	0					31.3
00	INTERMEDIATE		G	449	2.5	0	G	138	1.5	4328	236.8
00	LINER		G	679	1.52	5474					183.8

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5704	5496	6	L-80		ST&C	

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator Name DJR OPERATING LLC	Well Name VENADO CANYON UNIT	Well Number 302H	US Well Number 3004321403
SHL SENE Sec 14 22N 6W	County SANDOVAL	State NM	Lease Number(s) NMNM117562
Well Type OIL WELL	Well Status Drilling Well	Agreement Name VENADO CANYON UNIT	Agreement Number(s) NMNM135367X, NMNM135367A
Allottee/Tribe Name	Well Pad Name VENADO CANYON UNIT	Well Pad Number 301H, 302H, 303H, 503H	ID 10400065146

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC

Signed By: SHAW-MARIE FORD

Title: Regulatory Specialist

Signed on: 12/01/2022

Street Address: 1 Road 3263

City: Aztec

State: NM

Zip: 87410

Phone: (505)632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Extension:

Email address:

Attachments

EOW_Certified_DD_Survey_20221130100331.pdf


As_Drilled_Plat_WBD_20221130100350.pdf

VENADO CANYON UNIT 302H

API: 30-043-21403
 SHL: SENE H-14-22N-06W
 2209' FNL x 745' FEL

Page 22 of 24
 Elevation: 7122' GL
 Spud Date: 04/25/2022
 Completed Date: 10/29/2022

FORMATION	MD	TVD
Ojo Alamo	1325'	1319'
Kirtland	1475'	1468'
Fruitland	1698'	1689'
Pictured Cliffs	1894'	1884'
Lewis	1988'	1977'
Chacra	2707'	2690'
Menefee	3390'	3367'
Point Lookout	4167'	4138'
Mancos	4313'	4282'
KOP~	4807'	4760'
Gallup	5224'	5157'
Target	5800'	5397'



Perf:	25 Stages	Frac:	25 Stages
Depth:	5845' - 13177' MD	47,822	bbls of fluid
	5363' - 5421' TVD	7,709,730	lbs of proppant
		59,929,749	scf of N2
Total of 875 Open Holes			

(NAD83)	LAT.	LONG.
SHL:	36.138752	-107.432066
FTP:	36.139064	-107.431015
LTP:	36.124750	-107.413485
BHL:	36.124658	-107.413359

BHL: SENE H-24-22N-06W
 1950' FNL x 377' FEL

13,254'	TD
5,362'	TVD
13,236'	PBTD
13,206'	FracSleeve

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 174664

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 174664
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174664

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 174664
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	2/3/2023