

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: RIDDLE E Well Location: T30N / R9W / SEC 4 / County or Parish/State: SAN

SENE / 36.843277 / -107.779633 JUAN / NM

Well Number: 1A Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

ĖLL

Lease Number: NMSF081098 Unit or CA Name: RIDDLE Unit or CA Number:

NMNM73164

US Well Number: 3004522419 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2713600

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 02/01/2023 Time Sundry Submitted: 11:31

Date proposed operation will begin: 03/01/2023

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and downhole commingle with the existing Mesaverde. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 1/24/2023 with Roger Herrera/BLM. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

30045224190000_Riddle_E_Com_1A_RC_NOI_20230201113135.pdf

Page 1 of 2

Well Location: T30N / R9W / SEC 4 / County or Parish/State: SAN County or Parish/State

SENE / 36.843277 / -107.779633

Well Number: 1A Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

ELL

Lease Number: NMSF081098 Unit or CA Name: RIDDLE Unit or CA Number:

NMNM73164

JUAN / NM

US Well Number: 3004522419 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER Signed on: FEB 01, 2023 11:31 AM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 02/02/2023

Signature: Kenneth Rennick

Page 2 of 2



HILCORP ENERGY COMPANY RIDDLE E COM 1A FRUITLAND COAL RECOMPLETION SUNDRY

Prepared by:	Scott Anderson
Preparation Date:	January 17, 2023

WELL INFORMATION									
Well Name:	RIDDLE E COM 1A	State:	NM						
API #:	3004522419	County:	SAN JUAN						
Area:	4	Location:	1510' FNL & 890' FEL - Unit H - Section 4 - T 030N - R 009W						
Route:	0408	Latitude:	36.8432878 N						
Spud Date:	6/25/1977	Longitude:	-107.7796049 W						

PROJECT DESCRIPTION

Isolate the Mesaverde, perforate and stimulate the OPE Fruitland Coal in 1-2 stages via frac string. Commingle the Fruitland Coal production with the existing Mesa Verde production. Strip facilities if necessary; repair production eqmt as needed

CONTACTS									
Title	Name	Office Phone #	Cell Phone #						
Engineer	Scott Anderson		248-761-3965						
Area Foreman	Colter Faverino		326-9758						
Lead	Ramon Florez		486-9680						
Artificial Lift Tech	Chris Huff		599-3479						
Operator	Dennis Jacquez		787-1639						



NMOCD

HILCORP ENERGY COMPANY RIDDLE E COM 1A FRUITLAND COAL RECOMPLETION SUNDRY

Contact OCD 24 hrs prior to MIRU. Record and document all casing pressures daily, including BH, IC (if present) and

JOB PROCEDURES


- 1. MIRU service rig and associated equipment; NU and test BOP per HEC, State, and Federal guidelines.
- 2. TOOH with 2-3/8" tubing
- 3. PU a 4-1/2" cast iron bridge plug and RIH with work string; set CIBP at +/- 4,610' to isolate the Mesa Verde formation.

PC. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.

- 4. Load wellbore with fluid. RU wireline and run a CBL from the CIBP at 4,610' to surface
- 5. RU pressure test truck. Perform a Mechanical Integrity Test on wellbore. Chart record the MIT test (Notify NMOCD +24hr before actual test).
- 6. If necessary, PU and RIH with a Base of frac plug inside the 4-1/2" liner and set at +/- 100' below the bottom proposed perf
- 7. RU E-line crew. Perforate the Fruitland Coal. (Top perforation @ 2,550', Bottom perforation @ 2,879'). NOTE: perforation interval subject to change based on the results of the CBL run above
- 8. RIH with 2-7/8" or larger frac string and packer, land packer ~50' above the top perf.
- 9. N/D BOP, N/U 10K frac stack and test frac stack to frac pressure. PT frac string to 8000-9000 psi, PT backside to 1500 psi
- 10. RU stimulation crew. Frac the Fruitland Coal in one or two stages.
- 11. Flowback well thru flowback separator and sand trap until pressures diminish.
- 12. MIRU service rig. Nipple down frac stack, nipple up BOP and test.
- 13. POOH w/ frac string and packer.
- 14. Drill out the Base of frac plug and Mesaverde isolation plug. Clean out to PBTD at 5,509'
- 15. TIH and land 2-3/8" production tubing. Get a commingled Fruitland Coal / Mesa Verde flow rate.




HILCORP ENERGY COMPANY RIDDLE E COM 1A FRUITLAND COAL RECOMPLETION SUNDRY





HILCORP ENERGY COMPANY RIDDLE E COM 1A FRUITLAND COAL RECOMPLETION SUNDRY



District I

Released to Amaging: 2,2,492023 My 3,82740M

Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-045-22419	2. Pool Code 71629	3. Pool Name BASIN FRUITLAND COAL (GAS)
4. Property Code 319332	5. Property Name RIDDLE E COM	6. Well No. 001A
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6116


10. Surface Location

Ī	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
	Н	4	30N	09W		1510	N	890	E	SAN JUAN	ı	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A		1	13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

Form C-102

August 1, 2011

Permit 332767

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: A Watter

Title: Operations Regulatory Tech Sr.

Date: 1/18/2023

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Kilven

Date of Survey:

3/14/1977

Certificate Number:

1760

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp E	0	GRID: 37	72171 D	ate: <u>2/1/2023</u>						
II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.										
If Other, please describe:										
	III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.									
Well Name	API	ULSTR	Foo	tages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D			
Riddle E Com 1A	30-045-22419	H-04-30N-09W	1510 FNL 890 FEL		0	500	1			
V. Anticipated Schedu proposed to be recomple Well Name		well pad or connec		cal delivery p		Initial Flow Back Date	sed to be drilled or First Production Date			
Riddle E Com 1A	30-045-22419						2023			
Riddle E Com 1A 30-045-22419 2023 VI. Separation Equipment: □ Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: □ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: □ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.										

Section 2 – Enhanced Plan <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🖾 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF		

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
_	-		Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system	\square will \square will not have	e capacity to gather 100)% of the anticipated na	ıtural gas
production volume from the well prior to the date of first	st production.			

XIII.	Line Pressure.	Operator [□ does □	does not a	inticipate th	nat its exis	ting well(s) connecte	ed to the s	same segment	, or portion,	, of the
natura	al gas gathering	system(s)	described a	above will	continue to	meet ant	icipated in	creases in	line press	sure caused by	the new w	ell(s).

_		_	_						
1 1	Attach (Operator's	e nlan to	manage	production	in recnon	ca to tha	increased li	na pracciira

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information providentiality.	ded in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific infor	mation
for which confidentiality is asserted and the basis for such assertion.	

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) liquids removal on lease; (d) (e) reinjection for underground storage; reinjection for temporary storage; **(f)** reinjection for enhanced oil recovery; (g) (h) fuel cell production; and

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: AWakker
Printed Name: Amanda Walker
Title: Operations Regulatory Tech Sr.
E-mail Address: mwalker@hilcorp.com
Date: 2/1/2023
Phone: 346-237-2177
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy
Interim Reclamation Plan
Riddle E COM 1A
API: 30-045-22419
Unit H – Sec 04-T30N-R9W
Lat:36.843287, Long: -107.779604
Footage: 1510' FNL & 890' FEL

San Juan County, NM

1. PRE- INTERIM RECLAMATION SITE INSPECTION

- 1.1) A pre-interim reclamation onsite inspection was conducted on January 24, 2023 with BLM Environmental Protection Specialist Roger Herrera and Bobby Spearman Construction Foreman for Hilcorp Energy.
- 1.2) Location surface will be brush hogged or mulched and bladed as required within original disturbance to acquire additional working surface for well recompletion activities.

2. LOCATION INTERIM RECLAMATION PROCEDURE

- 2.1) Interim reclamation work will be completed after well recompletion.
- 2.2) Location tear drop will be re-defined as applicable during interim reclamation.
- 2.3) All disturbed areas will be seeded, any disturbed areas that are compacted will be ripped before seeding.
- 2.4) All trash and debris will be removed within 50' buffer outside of the location disturbance during reclamation.

3. ACCESS ROAD RECLAMATION PROCEDURE:

3.1) No lease access road issues were identified at the time of onsite.

4. SEEDING PROCDURE

- 4.1) A Pinion/Juniper seed mix will be used for all reclaimed and disturbed areas of the location.
- 4.2) Drill seeding will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed, broadcast seeding will be applied at a double the rate of seed.
- 4.3) Timing of the seeding will take place when the ground is not frozen or saturated.

5. WEED MANAGEMENT

5.1) No action is required at this time for weed management, no noxious weeds were identified during the onsite.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 182106

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	182106
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By		Condition Date	
kpickford	DHC required		
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	2/6/2023	