Form C-101 August 1, 2011

Permit 331600

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

APPLICATION FOR PERMIT TO DRILL	DE ENTED DEEDEN	

Operator Name and Address		2. OGRID Number						
KAISER-FRANCIS OIL CO	KAISER-FRANCIS OIL CO							
PO Box 21468	3. API Number							
Tulsa, OK 74121146		30-015-53368						
4. Property Code	5. Property Name	6. Well No.						
333758	BRANTLEY FEE 2419 1BSS	002H						

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	24	23S	28E		1716	S	284	W	Eddy

8. Proposed Bottom Hole Location

III. Lot Section Township Page Lot Idn Feet From N/S Line Feet From F/W Line County									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	19	23S	29E	1	660	S	100	E	Eddy

#### 9. Pool Information

CULEBRA BLUFF;BONE SPRING, SOUTH	15011

#### Additional Well Information

11. Work Type 12. Well Type		13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well OIL			Private	2997
16. Multiple 17. Proposed Depth		18. Formation	19. Contractor	20. Spud Date
N 17350		1st Bone Spring Sand		3/21/2023
Depth to Ground water		Distance from nearest fresh water well	Distance to nearest surface water	

#### ☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC					
Surf	urf 17.5 13.375 5		54.5	550	317	0					
Int1	12.25	9.625	40	2784	610	0					
Prod	8.75	5.5	23	17350	2296	1784					

#### Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Manufacturer		
Annular	5000	3500	Hydril	
Double Ram	10000	5000	Cameron	
Pipe	10000	5000	Cameron	

knowledge and b	pelief.	s true and complete to the best of my NMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSERVATION	ON DIVISION		
Printed Name:	Electronically filed by Kristin L G	ray	Approved By:	Katherine Pickford			
Title:			Title:	Geoscientist			
Email Address:	kristing@kfoc.net		Approved Date:	2/7/2023 Expiration Date: 2/7/2025			
Date:	2/2/2023	Phone: 918-491-4209	Conditions of Approval Attached				

<u>District 1</u>
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
<u>District II</u>
811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

District IV

State of New Mexico

### Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number		<sup>2</sup> Pool Code	<sup>2</sup> Pool Code <sup>3</sup> Pool Name				
30-015-5336	58	15011	Culebra Bluff; Bone Sprin	g, South			
<sup>4</sup> Property Code		<sup>6</sup> Well Number					
333758		BRANTLEY FEE 2419 1BSS					
<sup>7</sup> OGRID No.		8 O <sub>I</sub>	perator Name	<sup>9</sup> Elevation			
12361		KAISER-FRAN	NCIS OIL COMPANY	2997.3			


<sup>10</sup> Surface Location

	UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
	L	24   23 S   28 E   1716   SOUTH   284					284	WEST	EDDY			
	" Bottom Hole Location If Different From Surface											
UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line										County		
١	D	10	22.5	20 E		((0	COUTH	100	EACT	EDDV		

P 19 23 S 29 E 660 SOUTH 100 EAST EDDY


12 Dedicated Acres 318.55 14 Consolidation Code 318.55

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Intent	X	As Dril	led												
API#															
-	rator Nar SER-FF	ne: RANCIS (	OIL COM	MPAN	ΙΥ	Property Name: BRANTLEY FEE 2419 1BSS								Well Number 2H	
Kick C	off Point	(KOP)													
UL	Section	Township	Range	Lot	Feet		From N	I/S	Feet		From	n E/W	County		
Latitu	de				Longitu	ıde							NAD		
First T	ake Poin	.+ (FTD)													
UL	Section	Township	Range	Lot	Feet		From N		Feet			ı E/W	County		
M Latitu	24 de	23S	28E		660 Longitu		SOUT	TH	100		WEST EDDY NAD				
	285602	9			_	-						83			
Last T  UL  P  Latitu	Section 19	t (LTP)  Township 23S	Range 29E	Lot	Feet 660 Longitu	SO	n N/S UTH	Feet 100		From WES		Count			
	284977	7			104.0		530					NAD <b>83</b>			
		defining v infill well?	vell for th	e Hori	zontal Տր	pacing	g Unit?			]					
Spacir	l is yes pl ng Unit.	ease provi	ide API if	availak	ole, Opei	rator I	Name	and v	vell n	umber	for I	Definir	ng well fo	or Horizontal	
API#															
Ope	rator Nar	ne:				Prop	erty N	ame:						Well Number	
						<u> </u>								V7.06 /20 /201	

KZ 06/29/2018



District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u>

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

12 Dedicated Acres

<sup>1</sup> API Number

<sup>13</sup> Joint or Infill

<sup>14</sup> Consolidation Code

#### State of New Mexico

### Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>2</sup> Pool Code

<sup>4</sup> Property (	Code				<sup>5</sup> Property	Name			<sup>6</sup> Well Number	
				BF	RANTLEY FE	EE 2419 1BSS			2H	
7 OGRID	No.				<sup>8</sup> Operator	Name			<sup>9</sup> Elevation	
12361	12361 KAISER-FRANCIS OIL COMPANY							2997.3		
					<sup>10</sup> Surfac	e Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/We	est line	County
L	24	23 S	28 E		1716	SOUTH	284	WEST		EDDY
			11 <b>I</b>	Bottom H	ole Location	If Different Fr	om Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/We	est line	County
P	19	23 S	29 E		660	SOUTH	100	EAS	ST	EDDY


No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

15 Order No.


	1
	<sup>17</sup> OPERATOR CERTIFICATION
	I hereby certify that the information contained herein is true and complete
	to the best of my knowledge and belief, and that this organization either
	owns a working interest or unleased mineral interest in the land including
NW CORNER SEC. 24 N/4 CORNER SEC. 24 SECTION CORNER N/4 CORNER SEC. 19 NE CORNER SEC. 19	the proposed bottom hole location or has a right to drill this well at this
LAI. = 32.2981499'N LAI. = 32.2981153'N LAT. = 32.2980805'N LAT. = 32.2979010'N LAT. = 32.297155'N LAT. = 32.297155'N	location pursuant to a contract with an owner of such a mineral or working
NMSP EAST (FT)	interest, or to a voluntary pooling agreement or a compulsory pooling order
E = 587802.40 E = 590510.87 E = 593219.44 E = 595754.74 E = 598349.15	heretofore entered by the division.
\$89'53'21"E 2709.10 FT \$89'53'30"E 2709.21 FT \$88'41'19"E 2536.56 FT \$88'40'42"E 2595.72 FT	
VALUES ARE NAD 27	
STATE PLANE VALUES ARE 1919 191 191 191 191 191 191 191 191 1	Signature Date
23 29 29 29 29 29 29 29 29 29 29 29 29 29	
SEC 24 SEC 19 N	Printed Name
W/4 CORNER SEC. 24   OUARTER CORNER	Timed Name
5 LUNG. = 104.0491464*W ELEV. = 29.97.3' LONG. = 104.0317009*W LAT. = 32.2903788*N. 2' LONG. = 104.0317009*W	
N = 46977.11   NMSP EAST (FT)   NMSP EAST (FT)   N = 469528.14   NMSP EAST (FT)   N = 469528.14   N = 469528.1	E-mail Address
NMS [A3] (1) E = 59326.51	
SURFACE E = 588121.64  BOTTOM OF HOLE	18SURVEYOR CERTIFICATION
FIRST LARGE POINT   > LAT. = 32.2848558'N	I hereby certify that the well location shown on this plat
1	
M = 467493.45   BOTTOM   S   E = 598264.02   OF HOLE   M = 467493.45   BOTTOM   S   C   E = 598264.02   OF HOLE   M   M   M   M   M   M   M   M   M	was plotted from field notes of actual surveys made by
GRID BNG. = S88'53'46"F	me or under my supervision, and that the same is true
GRID BNG. = \$88*53'46"E & LTP   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'   100'	and correct to the best of my belief.
98	SEPTEMBER 14, 2022
569 42 36 W 2613.13 FT N86 38 16 W 2712.97 FT N88*16*48*W 2559.70 FT N88*23*39*W 2610.85 FT	Date of Survey
LAT. = 32.2836671'N LAT. = 32.2836840'N LAT. = 32.2834860'N S/4 CORNER SEC. 19 SE CORNER SEC. 19	Date of Starvey
NMSP EAST (FT)	
N = 467/031.86	
E = 595757.26 E = 598366.47	
	Signature and Seal of Professional Surveyor:
	Certificate Number: A. MARAMILLO, LS 12797
	PROSESS VALUE OF 9492
	-/ LEWIE V 10 - 140. 7492

Inten	t	As Dril	led											
API#			]											
-	Operator Name: KAISER-FRANCIS OIL COMPANY						erty N			2419	1BS	S		Well Number 2H
	Off Daint	(KOD)				I								L
UL	Off Point Section	Township	Range	Lot	Feet		From N	1/S	Feet		From	n E/W	County	
Latitu	ıde				Longitu	ıde							NAD	
First	Гake Poir	nt (FTP)												
UL M	Section 24	Township 23S	Range 28E	Lot	Feet 660		From N	•	Feet 100		From	n E/W ST	County EDDY	
Latitu 32.2	ude 285481	5		<u> </u>	Longitu 104.0								NAD 27	
Last T	aka Dain	+ (I TD)												
UL	Section	Township	Range	Lot	Feet		m N/S	Feet		From		Count		
P Latitu		23S	29E		660 Longitu	ıde	UTH	100		WES	<u>T </u>	EDD <sup>*</sup>	Y	
32.2	284855	8			104.0	.0153609 27								
Is this	s well the	defining v	vell for th	ie Horiz	ontal Sp	pacing	g Unit?			]				
Is this	well an	infill well?			]									
	ll is yes p ng Unit.	lease prov	ide API if	availab	le, Opei	rator I	Name	and v	vell n	umbe	r for I	Definir	ng well fo	r Horizontal
API#														
Ope	rator Nai	me:	•			Prop	perty N	lame						Well Number

KZ 06/29/2018



# SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP




KAISER-FRANCIS OIL COMPANY
BRANTLEY FEE 2419 1BSS 2H
LOCATED 1716 FT. FROM THE SOUTH LINE
AND 284 FT. FROM THE WEST LINE OF
SECTION 24, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

SEPTEMBER 14, 2022

SURVEY NO. 9492

# SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO VICINITY MAP



DISTANCES IN MILES

NOT TO SCALE

#### DIRECTIONS TO LOCATION


EAST OF LOVING, FROM THE INTERSECTION OF CR. 736 (G.R. HOWARD) & CR. 735 (WINDMILL), GO EAST ON CR. 736 APPROX. 100', TURN RIGHT (SOUTH) ON DIRT ROAD, CROSS CATTLE GUARD AND GO APPROX. 700' TO THE NORTHEAST PAD CORNER FOR THIS LOCATION.

KAISER-FRANCIS OIL COMPANY
BRANTLEY FEE 2419 1BSS 2H
LOCATED 1716 FT. FROM THE SOUTH LINE
AND 284 FT. FROM THE WEST LINE OF
SECTION 24, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

SEPTEMBER 14, 2022

SURVEY NO. 9492

# SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO AERIAL PHOTO




NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH DEC. 2019

KAISER-FRANCIS OIL COMPANY
BRANTLEY FEE 2419 1BSS 2H
LOCATED 1716 FT. FROM THE SOUTH LINE
AND 284 FT. FROM THE WEST LINE OF
SECTION 24, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

SEPTEMBER 14, 2022

SURVEY NO. 9492

# SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO AERIAL ACCESS ROUTE MAP



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH DEC. 2019

KAISER-FRANCIS OIL COMPANY
BRANTLEY FEE 2419 1BSS 2H
LOCATED 1716 FT. FROM THE SOUTH LINE
AND 284 FT. FROM THE WEST LINE OF
SECTION 24, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

SEPTEMBER 14, 2022

SURVEY NO. 9492

## WELLS 25<sub>29</sub> 38 40 (37) 27 80 (3) (19) (26) 88 82 11 44 (59) M 79 (89) 20 74 927 93) 36 WELL DATA FROM NMOCD GIS - 8/31/22

SH SURFACE LOCATION

BH BOTTOM OF HOLE

(XX) WELLS WITHIN 1 MILE

 KAISER-FRANCIS OIL COMPANY
BRANTLEY FEE 2419 1BSS 2H
LOCATED 1716 FT. FROM THE SOUTH LINE
AND 284 FT. FROM THE WEST LINE OF
SECTION 24, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

SEPTEMBER 14, 2022

SURVEY NO. 9492

Permit 331600

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

#### PERMIT CONDITIONS OF APPROVAL

Operator N	ame and Address:	API Number:
	KAISER-FRANCIS OIL CO [12361]	30-015-53368
	PO Box 21468	Well:
	Tulsa, OK 74121146	BRANTLEY FEE 2419 1BSS #002H
-		
OCD	Condition	
Reviewer		
kpickford	Notify OCD 24 hours prior to casing & cement	
kpickford	Will require a File As Drilled C-102 and a Directional Survey with the C-104	
kpickford	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud	

kpickford Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh

kpickford Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud,

water zone or zones and shall immediately set in cement the water protection string kpickford Cement is required to circulate on both surface and intermediate1 strings of casing

drilling fluids and solids must be contained in a steel closed loop system

#### State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

#### NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

#### Section 1 – Plan Description Effective May 25, 2021

			O CDVD 4.6		<b>.</b>	0.4 / 0.4 / 0.000
I. Operator: Kaiser-Fr	ancis Oil C	ompany	OGRID: _ <u>12</u>	2361	Date:	_01/_04_/2023
II. Type: ☒ Original ☐	Amendmen	t due to □ 19.15.27.	9.D(6)(a) NMAC	C □ 19.15.27.9.D(	(6)(b) NMAC 🗆 (	Other.
If Other, please describe:						
III. Well(s): Provide the be recompleted from a sin					wells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Brantley Fee 2419 1BSS 1H		L- Sec 24- T23S- R28E	1776 FSL 284 FW	L 1800	3000	2000
Brantley Fee 2419 1BSS 2H		L- Sec 24- T23S- R28E	1716 FSL 284 FW		3000	2000
v. Anticipated Schedule proposed to be recomplet  Well Name						s proposed to be drilled or Flow First Production
			Date	Commencement	Date Back I	Date Date
Brantley Fee 2419 1BSS 1H		4/10/23	4/29/23	5/6/23	5/21/23	5/21/23
Brantley Fee 2419 1BSS 2H		4/30/23	5/19/23	5/26/23	6/10/23	6/10/23
Subsection A through F of	ces: 🛛 Atta of 19.15.27.8 Practices:	ch a complete descr NMAC.	iption of the act	ions Operator wil	l take to comply	with the requirements of tices to minimize venting

### Kaiser-Francis Oil Company Natural Gas Management Plan

#### Plan Description

#### VI. Separation Equipment

Separation equipment will be designed for maximum anticipated throughput and pressure to minimize waste.

#### VII. Operational Practices

#### A. VENTING AND FLARING OF NATURAL GAS

Kaiser-Francis Oil Company (KFOC) will maximize the recovery of natural gas by minimizing the waste of natural gas through venting and flaring during drilling, completion, and production operations as outlined in 19.15.27.8 NMAC. KFOC will flare rather than vent natural gas except when flaring is technically infeasible or would pose a safety risk and venting is a safer alternative than flaring. KFOC will ensure well(s) are connected to a natural gas gathering system with sufficient capacity to transport natural gas.

#### B. Venting and flaring during drilling operations

KFOC will combust natural gas brought to the surface during drilling operations. A properly sized flare stack will be located at a minimum of 100 feet from the nearest surface hole location. In case of emergency or malfunction, KFOC will report natural gas volumes, vented or flared.

#### C. Venting and flaring during completion or recompletion operations

During completion operations, KFOC will flare natural gas brought to the surface and commence operation of a separator once technically feasible. Produced natural gas from separation equipment will be sold. If natural gas does not meet gathering pipeline quality specifications, KFOC will flare for no more than 60 days or until the natural gas meets the pipeline quality specifications, whichever is sooner.

#### D. Venting and flaring during production operations

KFOC will not vent or flare natural gas during production, except for provisions defined by 19.15.27.8.D (1) through (4). KFOC will report natural gas volumes, vented or flared, appropriately.

#### E. Performance Standards

KFOC will comply with performance standards outlined in 19.15.27.8.E to minimize waste. Separation equipment will be designed for maximum anticipated throughput and pressure to minimize waste. Any permanent storage tank associated with production operations that is

routed to a flare or control device will be equipped with an automatic gauging system that reduces the venting of natural gas. KFOC will combust natural gas in a flare stack that is properly sized and designed to ensure proper combustion efficiency. Flare stacks will be equipped with an automatic ignitor or continuous pilot. KFOC will conduct an AVO inspection on the frequency specified in Subsection D of 19.15.27.8 NMAC. All emergencies will be resolved as quickly and safely as feasible.

#### F. Measurement or estimation of vented or flared natural gas

KFOC will measure or estimate natural gas that is vented, flared, or beneficially used during drilling, completion, and production operations. Equipment will be installed to measure the volume of natural gas flared from existing piping or a flowline piped from equipment such as high-pressure separators, heater treaters, or vapor recovery units associated with a well or facility, authorized by an APD issued after May 25, 2021, that has an average daily production greater than 60,000 cubic feet of natural gas. Measuring equipment will conform to an industry standard. Where measuring is not feasible, volumes will be estimated.

#### VIII. Best Management Practices

During active and planned maintenance, venting will be limited to the depressurization of the equipment to ensure safe working conditions. For maintenance of production and compression equipment the associated producing wells will be shut-in to eliminate venting. During VRU maintenance, gas normally routed to the VRU will be flared.

#### Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

#### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

#### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map.   Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system $\square$ wil	l □ will not have capac	city to gather 1009	% of the anticipated n	atural gas
production volume from the well	prior to the date of first prod	uction.			

XIII. Line Pressure. Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment, or portion,	of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new we	ell(s).

_								
A tto	oh Onarata	r'a nlan t	monogo	production	in roomance	to the incre	eased line pres	ccura

XIV. Confidentiality: $\Box$ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information j	provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific	information
for which confidentiality is asserted and the basis for such assertion.	

(i)

## Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan. 

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

#### **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	
Printed Name: Aaron Daniels	
Title: EHS Manager	
E-mail Address: aarond@kfoc.net	
Date: 1/27/2023	
Phone: 918-491-4352	
	OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of Approval:	



## KAISER FRANCIS OIL CO.

EDDY COUNTY, N.M. 83 SEC 24-T23S-R28E BRANTLEY FEE 2419 1BSS #2H

**ORIGINAL WELLPATH** 

Plan: PRELIM PLAN 1, REV1

## **Standard Planning Report**

10 January, 2023

Kaiser-Francis Oil Company

#### Planning Report

Kaiser-Francis Oil Company

Database: Company: 1 - EDM Production

KAISER FRANCIS OIL CO.

EDDY COUNTY, N.M. 83

Local Co-ordinate Reference:

TVD Reference:

Well BRANTLEY FEE 2419 1BSS #2H

2997.3' + 24' @ 3021.30usft (Original Well

Elev)

2997.3' + 24' @ 3021.30usft (Original Well MD Reference:

Elev)

Grid

North Reference:

Site:

Project:

SEC 24-T23S-R28E

Well: BRANTLEY FEE 2419 1BSS #2H

Wellbore: ORIGINAL WELLPATH Design: PRELIM PLAN 1, REV1 **Survey Calculation Method:** 

Minimum Curvature

Project

EDDY COUNTY, N.M. 83

Map System: Geo Datum:

US State Plane 1983 North American Datum 1983 New Mexico Eastern Zone

System Datum:

Mean Sea Level

Map Zone:

Site

Well

SEC 24-T23S-R28E

+N/-S

+E/-W

Site Position: From:

Мар

Northing: Easting:

467,096.60 usft 629,056.70 usft

Latitude: Longitude:

32.28380362 -104.04947996

**Position Uncertainty:** 

0.00 usft Slot Radius: 13-3/16 "

BRANTLEY FEE 2419 1BSS #2H

0.00

Northing: Easting:

468,808.02 usft 629,304.63 usft Latitude: Longitude:

32 28850624 -104.04866299

**Position Uncertainty** 

0.00 usft 0.00 usft 0.50 usft

Wellhead Elevation:

usft

0.00

**Ground Level:** 

91.10

2.997.30 usft

**Grid Convergence:** 

**Well Position** 

Wellbore

0.15 °

ORIGINAL WELLPATH

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	1/9/2023	6.59	59.84	47,322.50196679

PRELIM PLAN 1, REV1 Design **Audit Notes:** PLAN 0.00 Version: Phase: Tie On Depth: Vertical Section: +N/-S Direction Depth From (TVD) +E/-W (usft) (usft) (usft) (°)

0.00

**Plan Survey Tool Program** 1/10/2023 Date **Depth From** Depth To (usft) (usft) Survey (Wellbore) **Tool Name** Remarks 0.00 17,645.66 PRELIM PLAN 1, REV1 (ORIGIN MWD+HRGM OWSG MWD + HRGM

Kaiser-Francis Oil Company



Project:

#### **Planning Report**

1 - EDM Production Database: Company:

KAISER FRANCIS OIL CO.

EDDY COUNTY, N.M. 83

Site: SEC 24-T23S-R28E

Well: BRANTLEY FEE 2419 1BSS #2H

Wellbore: ORIGINAL WELLPATH Design: PRELIM PLAN 1, REV1 Local Co-ordinate Reference:

**Survey Calculation Method:** 

TVD Reference:

MD Reference:

North Reference:

Well BRANTLEY FEE 2419 1BSS #2H 2997.3' + 24' @ 3021.30usft (Original Well

2997.3' + 24' @ 3021.30usft (Original Well

Elev)

Grid

lan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
3,611.45	18.23	186.51	3,596.15	-142.84	-16.31	2.00	2.00	0.00	186.51	
6,096.40	18.23	186.51	5,956.39	-915.16	-104.50	0.00	0.00	0.00	0.00	
7,007.85	0.00	0.01	6,852.54	-1,058.00	-120.81	2.00	-2.00	0.00	180.00	
7,107.85	0.00	0.01	6,952.54	-1,058.00	-120.81	0.00	0.00	0.00	0.01	
7,857.85	90.00	91.10	7,430.00	-1,067.17	356.57	12.00	12.00	12.15	91.10	
17,645.66	90.00	91.10	7,430.00	-1,255.19	10,142.57	0.00	0.00	0.00	0.00	BF 1BSS 2H PBHL

#### **Planning Report**



Kaiser-Francis Oil Company

1 - EDM Production Database: Company:

KAISER FRANCIS OIL CO.

Project: EDDY COUNTY, N.M. 83

Site: SEC 24-T23S-R28E

Well: BRANTLEY FEE 2419 1BSS #2H

Wellbore: ORIGINAL WELLPATH Design: PRELIM PLAN 1, REV1 Local Co-ordinate Reference:

TVD Reference:

MD Reference:

North Reference:

**Survey Calculation Method:** 

Well BRANTLEY FEE 2419 1BSS #2H

2997.3' + 24' @ 3021.30usft (Original Well

Elev)

2997.3' + 24' @ 3021.30usft (Original Well

Elev) Grid

Planne	d Survey									
										_
	Measured			Vertical			Vertical	Dogleg	Build	Turn
	Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate	Rate
	(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)	(°/100usft)	(°/100usft)
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
	200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
	300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
	400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
	500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
	600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
	700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
	800.00	0.00	0.00	800.00	0.00	0.00	0.00	0.00	0.00	0.00
	900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,100.00	0.00	0.00	1,100.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,200.00	0.00	0.00	1,200.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,300.00	0.00	0.00	1,300.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,500.00	0.00	0.00	1,500.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,600.00	0.00	0.00	1,600.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,700.00	0.00	0.00	1,700.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,800.00	0.00	0.00	1,800.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,900.00	0.00	0.00	1,900.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,100.00	0.00	0.00	2,100.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,200.00	0.00	0.00	2,200.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,300.00	0.00	0.00	2,300.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,400.00	0.00	0.00	2,400.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,500.00	0.00	0.00	2,500.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,600.00	0.00	0.00	2,600.00	0.00	0.00	0.00	0.00	0.00	0.00
	2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00
	Start Build 2.	.00								
	2,800.00	2.00	186.51	2,799.98	-1.73	-0.20	-0.16	2.00	2.00	0.00
	2,900.00	4.00	186.51	2,899.84	-6.93	-0.79	-0.66	2.00	2.00	0.00
	3,000.00	6.00	186.51	2,999.45	-15.59	-1.78	-1.48	2.00	2.00	0.00
	3,100.00	8.00	186.51	3,098.70	-27.70	-3.16	-2.63	2.00	2.00	0.00
	3,200.00	10.00	186.51	3,197.47	-43.24	-4.94	-4.11	2.00	2.00	0.00
	3,300.00	12.00	186.51	3,295.62	-62.20	-7.10	-5.91	2.00	2.00	0.00
	3,400.00	14.00	186.51	3,393.06	-84.55	-9.65	-8.03	2.00	2.00	0.00
	3,500.00	16.00	186.51	3,489.64	-110.26	-12.59	-10.47	2.00	2.00	0.00
	3,600.00	18.00	186.51	3,585.27	-139.31	-15.91	-13.23	2.00	2.00	0.00
	3,611.45	18.23	186.51	3,596.15	-142.84	-16.31	-13.57	2.00	2.00	0.00
	Start 2484.95	hold at 3611.45	MD							
	3,700.00	18.23	186.51	3,680.26	-170.37	-19.45	-16.18	0.00	0.00	0.00
	3,800.00	18.23	186.51	3,775.24	-201.45	-23.00	-19.13	0.00	0.00	0.00
	3,900.00	18.23	186.51	3,870.22	-232.52	-26.55	-22.08	0.00	0.00	0.00
	4,000.00	18.23	186.51	3,965.20	-263.60	-30.10	-25.03	0.00	0.00	0.00
	4,100.00	18.23	186.51	4,060.18	-294.68	-33.65	-27.99	0.00	0.00	0.00
	4,200.00	18.23	186.51	4,155.16	-325.76	-37.20	-30.94	0.00	0.00	0.00
	4,300.00	18.23	186.51	4,250.15	-356.84	-40.75	-33.89	0.00	0.00	0.00
	4,400.00	18.23	186.51	4,345.13	-387.92	-44.30	-36.84	0.00	0.00	0.00
	4,500.00	18.23	186.51	4,440.11	-419.00	-47.84	-39.79	0.00	0.00	0.00
	4,600.00	18.23	186.51	4,535.09	-450.08	-51.39	-42.74	0.00	0.00	0.00
	4,700.00	18.23	186.51	4,630.07	-481.16	-54.94	-45.70	0.00	0.00	0.00
	4,800.00	18.23	186.51	4,725.05	-512.24	-58.49	-48.65	0.00	0.00	0.00

#### **Planning Report**



Kaiser-Francis Oil Company

1 - EDM Production Database: Company:

KAISER FRANCIS OIL CO.

Project:

EDDY COUNTY, N.M. 83

Site:

SEC 24-T23S-R28E

Well:

BRANTLEY FEE 2419 1BSS #2H

Wellbore: ORIGINAL WELLPATH Design: PRELIM PLAN 1, REV1 Local Co-ordinate Reference:

TVD Reference:

MD Reference:

North Reference:

**Survey Calculation Method:** 

Well BRANTLEY FEE 2419 1BSS #2H

2997.3' + 24' @ 3021.30usft (Original Well

2997.3' + 24' @ 3021.30usft (Original Well

Elev) Grid

Planne	d Survey									
	Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
	4,900.00	18.23	186.51	4,820.03	-543.32	-62.04	-51.60	0.00	0.00	0.00
	5,000.00	18.23	186.51	4,915.02	-574.40	-65.59	-54.55	0.00	0.00	0.00
	5,100.00	18.23	186.51	5,010.00	-605.48	-69.14	-57.50	0.00	0.00	0.00
	5,200.00	18.23	186.51	5,104.98	-636.56	-72.69	-60.45	0.00	0.00	0.00
	5,300.00	18.23	186.51	5,199.96	-667.64	-76.24	-63.40	0.00	0.00	0.00
	5,400.00	18.23	186.51	5,294.94	-698.72	-79.78	-66.36	0.00	0.00	0.00
	5,500.00	18.23	186.51	5,389.92	-729.80	-83.33	-69.31	0.00	0.00	0.00
	5,600.00	18.23	186.51	5,484.90	-760.88	-86.88	-72.26	0.00	0.00	0.00
	5,700.00	18.23	186.51	5,579.89	-791.96	-90.43	-75.21	0.00	0.00	0.00
	5,800.00	18.23	186.51	5,674.87	-823.04	-93.98	-78.16	0.00	0.00	0.00
	5 000 00	18.23	186.51	5,769.85	-854.12	-97.53	-81.11	0.00	0.00	0.00
	5,900.00		186.51	5,864.83	-885.20	-97.53 -101.08	-84.07	0.00	0.00	0.00
	6,000.00	18.23		,			-86.91	0.00	0.00	0.00
	6,096.40	18.23	186.51	5,956.39	-915.16	-104.50	-00.91	0.00	0.00	0.00
	Start Drop -2		400.54	E 050 04	040.07	404.00	07.00	0.00	0.00	0.00
	6,100.00	18.16	186.51 186.51	5,959.81 6,055.36	-916.27 -945.58	-104.63 -107.97	-87.02 -89.80	2.00 2.00	-2.00 -2.00	0.00 0.00
	6,200.00	16.16	100.01	0,055.50	-945.56	-107.97	-09.00	2.00	-2.00	0.00
	6,300.00	14.16	186.51	6,151.87	-971.56	-110.94	-92.27	2.00	-2.00	0.00
	6,400.00	12.16	186.51	6,249.24	-994.17	-113.52	-94.42	2.00	-2.00	0.00
	6,500.00	10.16	186.51	6,347.35	-1,013.39	-115.72	-96.24	2.00	-2.00	0.00
	6,600.00	8.16	186.51	6,446.07	-1,029.20	-117.52	-97.74	2.00	-2.00	0.00
	6,700.00	6.16	186.51	6,545.28	-1,041.58	-118.94	-98.92	2.00	-2.00	0.00
	6,800.00	4.16	186.51	6,644.87	-1,050.51	-119.95	-99.77	2.00	-2.00	0.00
	6,900.00	2.16	186.51	6,744.72	-1,055.98	-120.58	-100.29	2.00	-2.00	0.00
	7,007.85	0.00	0.01	6,852.54	-1,058.00	-120.81	-100.29	2.00	-2.00	0.00
		hold at 7007.85		0,002.04	-1,000.00	-120.01	-100.40	2.00	-2.00	0.00
	7,107.85	0.00	0.00	6,952.54	-1,058.00	-120.81	-100.48	0.00	0.00	0.00
		.00 TFO 91.10	0.00	0,002.04	-1,000.00	-120.01	-100.40	0.00	0.00	0.00
	7,125.00	2.06	91.10	6,969.69	-1,058.01	-120.50	-100.17	12.00	12.00	0.00
	7,125.00			0,909.09	-1,030.01	-120.50	-100.17	12.00		
	7,150.00	5.06	91.10	6,994.64	-1,058.04	-118.95	-98.62	12.00	12.00	0.00
	7,175.00	8.06	91.10	7,019.47	-1,058.09	-116.10	-95.76	12.00	12.00	0.00
	7,200.00	11.06	91.10	7,044.12	-1,058.17	-111.95	-91.61	12.00	12.00	0.00
	7,225.00	14.06	91.10	7,068.52	-1,058.27	-106.51	-86.18	12.00	12.00	0.00
	7,250.00	17.06	91.10	7,092.60	-1,058.40	-99.81	-79.47	12.00	12.00	0.00
	7,275.00	20.06	91.10	7,116.30	-1,058.56	-91.85	-71.52	12.00	12.00	0.00
	7,300.00	23.06	91.10	7,139.55	-1,058.73	-82.67	-62.33	12.00	12.00	0.00
	7,325.00	26.06	91.10	7,162.28	-1,058.93	-72.28	-51.94	12.00	12.00	0.00
	7,350.00	29.06	91.10	7,184.44	-1,059.15	-60.72	-40.38	12.00	12.00	0.00
	7,375.00	32.06	91.10	7,205.97	-1,059.40	-48.01	-27.67	12.00	12.00	0.00
				7,226.80						0.00
	7,400.00 7,425.00	35.06	91.10		-1,059.66 1,050.05	-34.20 -19.31	-13.85 1.04	12.00 12.00	12.00 12.00	
	,	38.06 41.06	91.10	7,246.88	-1,059.95 1,060.26					0.00
	7,450.00 7,475.00	41.06 44.06	91.10 91.10	7,266.15 7,284.56	-1,060.26 -1,060.58	-3.40 13.51	16.96 33.87	12.00 12.00	12.00 12.00	0.00 0.00
	7,475.00	44.06 47.06	91.10	7,284.56 7,302.07	-1,060.58 -1,060.92	31.35	53.87 51.71	12.00	12.00	0.00
	7,525.00	50.06	91.10	7,318.61	-1,061.28	50.09	70.45	12.00	12.00	0.00
	7,550.00	53.06	91.10	7,334.15	-1,061.66	69.66	90.03	12.00	12.00	0.00
	7,575.00	56.06	91.10	7,348.65	-1,062.05	90.02	110.40	12.00	12.00	0.00
	7,600.00	59.06	91.10	7,362.06	-1,062.46	111.12	131.49	12.00	12.00	0.00
	7,625.00	62.06	91.10	7,374.34	-1,062.87	132.88	153.26	12.00	12.00	0.00
	7,650.00	65.06	91.10	7,385.48	-1,063.30	155.26	175.64	12.00	12.00	0.00
	7,675.00	68.06	91.10	7,395.42	-1,063.74	178.19	198.58	12.00	12.00	0.00
	7,700.00	71.06	91.10	7,404.15	-1,064.19	201.61	222.00	12.00	12.00	0.00
	7,725.00	74.06	91.10	7,411.64	-1,064.65	225.45	245.85	12.00	12.00	0.00

Database:

Company:

Project:

Site:

Well:

Wellbore:

Kaiser-Francis Oil Company

#### **Planning Report**

EDDY COUNTY, N.M. 83

BRANTLEY FEE 2419 1BSS #2H

SEC 24-T23S-R28E

ORIGINAL WELLPATH

1 - EDM Production Local Co-ordinate Reference: KAISER FRANCIS OIL CO.

TVD Reference:

MD Reference:

North Reference:

**Survey Calculation Method:** 

Well BRANTLEY FEE 2419 1BSS #2H

2997.3' + 24' @ 3021.30usft (Original Well

Elev)

2997.3' + 24' @ 3021.30usft (Original Well

Elev) Grid

elibore: esign:	PRELIM PLAN	N 1, REV1							
nned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
7,750.00	77.06	91.10	7,417.88	-1,065.12	249.65	270.05	12.00	12.00	0.00
7,775.00	80.06	91.10	7,422.84	-1,065.59	274.15	294.56	12.00	12.00	0.00
7,800.00	83.06	91.10	7,426.50	-1,066.06	298.87	319.28	12.00	12.00	0.00
7,825.00	86.06	91.10	7,428.88	-1,066.54	323.75	344.17	12.00	12.00	0.00
7,850.00	89.06	91.10	7,429.94	-1,067.02	348.72	369.14	12.00	12.00	0.00
7,857.85	90.00	91.10	7,430.00	-1,067.17	356.57	376.99	12.00	12.00	0.00
Start 9787.8	81 hold at 7857.8	5 MD							
7 000 00	00.00	01.10	7 420 00	1.067.00	200.74	410.14	0.00	0.00	0.00
7,900.00	90.00	91.10	7,430.00 7,430.00	-1,067.98	398.71	419.14 519.14	0.00 0.00	0.00 0.00	0.00 0.00
8,000.00	90.00 90.00	91.10	7,430.00 7,430.00	-1,069.90	498.69 598.67	619.14	0.00	0.00	
8,100.00 8,200.00	90.00	91.10 91.10	7,430.00	-1,071.82 -1,073.74	698.66	719.14	0.00	0.00	0.00 0.00
8,300.00	90.00	91.10	7,430.00	-1,073.74 -1,075.67	798.64	819.14	0.00	0.00	0.00
8,400.00	90.00	91.10	7,430.00	-1,077.59	898.62	919.14	0.00	0.00	0.00
8,500.00	90.00	91.10	7,430.00	-1,079.51	998.60	1,019.14	0.00	0.00	0.00
8,600.00	90.00	91.10	7,430.00	-1,081.43	1,098.58	1,119.14	0.00	0.00	0.00
8,700.00	90.00	91.10	7,430.00	-1,083.35	1,198.56	1,219.14	0.00	0.00	0.00
8,800.00	90.00	91.10	7,430.00	-1,085.27	1,298.55	1,319.14	0.00	0.00	0.00
8,900.00	90.00	91.10	7,430.00	-1,087.19	1,398.53	1,419.14	0.00	0.00	0.00
9,000.00	90.00	91.10	7,430.00	-1,089.11	1,498.51	1,519.14	0.00	0.00	0.00
9,100.00	90.00	91.10	7,430.00	-1,091.03	1,598.49	1,619.14	0.00	0.00	0.00
9,200.00	90.00	91.10	7,430.00	-1,092.95	1,698.47	1,719.14	0.00	0.00	0.00
9,300.00	90.00	91.10	7,430.00	-1,094.87	1,798.45	1,819.14	0.00	0.00	0.00
9,400.00	90.00	91.10	7,430.00	-1,096.80	1,898.43	1,919.14	0.00	0.00	0.00
9,500.00	90.00	91.10	7,430.00	-1,098.72	1,998.42	2,019.14	0.00	0.00	0.00
9,600.00	90.00	91.10	7,430.00	-1,100.64	2,098.40	2,119.14	0.00	0.00	0.00
9,700.00	90.00	91.10	7,430.00	-1,102.56	2,198.38	2,219.14	0.00	0.00	0.00
9,800.00	90.00	91.10	7,430.00	-1,104.48	2,298.36	2,319.14	0.00	0.00	0.00
9,900.00	90.00	91.10	7,430.00	-1,106.40	2,398.34	2,419.14	0.00	0.00	0.00
10,000.00	90.00	91.10	7,430.00	-1,108.32	2,498.32	2,519.14	0.00	0.00	0.00
10,100.00	90.00	91.10	7,430.00	-1,110.24	2,598.31	2,619.14	0.00	0.00	0.00
10,200.00	90.00	91.10	7,430.00	-1,112.16	2,698.29	2,719.14	0.00	0.00	0.00
10,300.00	90.00	91.10	7,430.00	-1,114.08	2,798.27	2,819.14	0.00	0.00	0.00
	90.00	91.10					0.00	0.00	0.00
10,400.00 10,500.00	90.00	91.10 91.10	7,430.00 7,430.00	-1,116.01 -1,117.93	2,898.25 2,998.23	2,919.14 3,019.14	0.00	0.00	0.00
10,600.00	90.00	91.10	7,430.00	-1,117.93 -1,119.85	3,098.21	3,119.14	0.00	0.00	0.00
10,700.00	90.00	91.10	7,430.00	-1,119.65	3,198.19	3,219.14	0.00	0.00	0.00
10,800.00	90.00	91.10	7,430.00	-1,123.69	3,298.18	3,319.14	0.00	0.00	0.00
10,900.00	90.00	91.10	7,430.00	-1,125.61	3,398.16	3,419.14	0.00	0.00	0.00
11,000.00	90.00	91.10	7,430.00	-1,127.53	3,498.14	3,519.14	0.00	0.00	0.00
11,100.00	90.00	91.10	7,430.00	-1,129.45 1 131 37	3,598.12	3,619.14	0.00	0.00	0.00
11,200.00 11,300.00	90.00 90.00	91.10 91.10	7,430.00 7,430.00	-1,131.37 -1,133.29	3,698.10 3,798.08	3,719.14 3,819.14	0.00 0.00	0.00 0.00	0.00 0.00
		91.10							
11,400.00	90.00	91.10	7,430.00	-1,135.21	3,898.07	3,919.14	0.00	0.00	0.00
11,500.00	90.00	91.10	7,430.00	-1,137.14	3,998.05	4,019.14	0.00	0.00	0.00
11,600.00	90.00	91.10	7,430.00	-1,139.06	4,098.03	4,119.14	0.00	0.00	0.00
11,700.00	90.00	91.10	7,430.00	-1,140.98	4,198.01	4,219.14	0.00	0.00	0.00
11,800.00	90.00	91.10	7,430.00	-1,142.90	4,297.99	4,319.14	0.00	0.00	0.00
11,900.00	90.00	91.10	7,430.00	-1,144.82	4,397.97	4,419.14	0.00	0.00	0.00
12,000.00	90.00	91.10	7,430.00	-1,146.74	4,497.95	4,519.14	0.00	0.00	0.00
12,100.00	90.00	91.10	7,430.00	-1,148.66	4,597.94	4,619.14	0.00	0.00	0.00
12,200.00	90.00	91.10	7,430.00	-1,150.58	4,697.92	4,719.14	0.00	0.00	0.00
12,300.00	90.00	91.10	7,430.00	-1,152.50	4,797.90	4,819.14	0.00	0.00	0.00

#### Kaiser-Francis Oil Company



#### **Planning Report**

1 - EDM Production Database: Company:

KAISER FRANCIS OIL CO.

Project:

EDDY COUNTY, N.M. 83

Site: Well: SEC 24-T23S-R28E

BRANTLEY FEE 2419 1BSS #2H Wellbore: ORIGINAL WELLPATH

Design: PRELIM PLAN 1, REV1 Local Co-ordinate Reference:

TVD Reference:

MD Reference:

North Reference:

**Survey Calculation Method:** 

Well BRANTLEY FEE 2419 1BSS #2H

2997.3' + 24' @ 3021.30usft (Original Well

2997.3' + 24' @ 3021.30usft (Original Well

Elev) Grid

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
12,400.00	90.00	91.10	7,430.00	-1,154.42	4,897.88	4,919.14	0.00	0.00	0.00
12,500.00	90.00	91.10	7,430.00	-1,156.34	4,997.86	5,019.14	0.00	0.00	0.00
12,600.00	90.00	91.10	7,430.00	-1,158.27	5,097.84	5,119.14	0.00	0.00	0.00
12,700.00	90.00	91.10	7,430.00	-1,160.19	5,197.83	5,219.14	0.00	0.00	0.00
12,800.00	90.00	91.10	7,430.00	-1,162.11	5,297.81	5,319.14	0.00	0.00	0.00
12,900.00	90.00	91.10	7.430.00	-1,164.03	5,397.79	5,419.14	0.00	0.00	0.00
13,000.00	90.00	91.10	7,430.00	-1,165.95	5,497.77	5,519.14	0.00	0.00	0.00
13,100.00	90.00	91.10	7,430.00	-1,167.87	5,597.75	5,619.14	0.00	0.00	0.00
13,200.00	90.00	91.10	7,430.00	-1,169.79	5,697.73	5,719.14	0.00	0.00	0.00
13,300.00	90.00	91.10	7,430.00	-1,171.71	5,797.71	5,819.14	0.00	0.00	0.00
13,400.00	90.00	91.10	7,430.00	-1,173.63	5,897.70	5,919.14	0.00	0.00	0.00
13,500.00	90.00	91.10	7,430.00	-1,175.55	5,997.68	6,019.14	0.00	0.00	0.00
13,600.00	90.00	91.10	7,430.00	-1,177.48	6,097.66	6,119.14	0.00	0.00	0.00
13,700.00	90.00	91.10	7,430.00	-1,179.40	6,197.64	6,219.14	0.00	0.00	0.00
13,800.00	90.00	91.10	7,430.00	-1,181.32	6,297.62	6,319.14	0.00	0.00	0.00
13,900.00	90.00	91.10	7,430.00	-1,183.24	6,397.60	6,419.14	0.00	0.00	0.00
14,000.00	90.00	91.10	7,430.00	-1,185.16	6,497.59	6,519.14	0.00	0.00	0.00
14,100.00	90.00	91.10	7,430.00	-1,187.08	6,597.57	6,619.14	0.00	0.00	0.00
14,200.00	90.00	91.10	7,430.00	-1,189.00	6,697.55	6,719.14	0.00	0.00	0.00
14,300.00	90.00	91.10	7,430.00	-1,190.92	6,797.53	6,819.14	0.00	0.00	0.00
14,400.00	90.00	91.10	7,430.00	-1,192.84	6,897.51	6,919.14	0.00	0.00	0.00
14,500.00	90.00	91.10	7,430.00	-1,194.76	6,997.49	7,019.14	0.00	0.00	0.00
14,600.00	90.00	91.10	7,430.00	-1,196.68	7,097.48	7,119.14	0.00	0.00	0.00
14,700.00	90.00	91.10	7,430.00	-1,198.61	7,197.46	7,219.14	0.00	0.00	0.00
14,800.00	90.00	91.10	7,430.00	-1,200.53	7,297.44	7,319.14	0.00	0.00	0.00
14,900.00	90.00	91.10	7,430.00	-1,202.45	7,397.42	7,419.14	0.00	0.00	0.00
15,000.00	90.00	91.10	7,430.00	-1,204.37	7,497.40	7,519.14	0.00	0.00	0.00
15,100.00	90.00	91.10	7,430.00	-1,206.29	7,597.38	7,619.14	0.00	0.00	0.00
15,200.00	90.00	91.10	7,430.00	-1,208.21	7,697.36	7,719.14	0.00	0.00	0.00
15,300.00	90.00	91.10	7,430.00	-1,210.13	7,797.35	7,819.14	0.00	0.00	0.00
15,400.00	90.00	91.10	7,430.00	-1,212.05	7,897.33	7,919.14	0.00	0.00	0.00
15,500.00	90.00	91.10	7,430.00	-1,213.97	7,997.31	8,019.14	0.00	0.00	0.00
15,600.00	90.00	91.10	7,430.00	-1,215.89	8,097.29	8,119.14	0.00	0.00	0.00
15,700.00	90.00	91.10	7,430.00	-1,217.82	8,197.27	8,219.14	0.00	0.00	0.00
15,800.00	90.00	91.10	7,430.00	-1,217.62	8,297.25	8,319.14	0.00	0.00	0.00
15,900.00	90.00	91.10	7,430.00	-1,221.66	8,397.24	8,419.14	0.00	0.00	0.00
16,000.00	90.00	91.10	7,430.00	-1,223.58	8,497.22	8,519.14	0.00	0.00	0.00
16,100.00	90.00	91.10	7,430.00	-1,225.50	8,597.20	8,619.14	0.00	0.00	0.00
16,200.00	90.00	91.10	7,430.00	-1,227.42	8,697.18	8,719.14	0.00	0.00	0.00
16,300.00	90.00	91.10	7,430.00	-1,229.34	8,797.16	8,819.14	0.00	0.00	0.00
16,400.00	90.00	91.10	7,430.00	-1,231.26	8,897.14	8,919.14	0.00	0.00	0.00
16,500.00	90.00	91.10	7,430.00	-1,233.18	8,997.12	9,019.14	0.00	0.00	0.00
16,600.00	90.00	91.10	7,430.00	-1,235.10	9,097.11	9,119.14	0.00	0.00	0.00
16,700.00	90.00	91.10	7,430.00	-1,237.02	9,197.09	9,219.14	0.00	0.00	0.00
16,800.00	90.00	91.10	7,430.00	-1,238.95	9,297.07	9,319.14	0.00	0.00	0.00
16,900.00	90.00	91.10	7,430.00	-1,240.87	9,397.05	9,419.14	0.00	0.00	0.00
17,000.00	90.00	91.10	7,430.00	-1,242.79	9,497.03	9,519.14	0.00	0.00	0.00
17,100.00	90.00	91.10	7,430.00	-1,244.71	9,597.01	9,619.14	0.00	0.00	0.00
17,200.00	90.00	91.10	7,430.00	-1,246.63	9,697.00	9,719.14	0.00	0.00	0.00
17,300.00	90.00	91.10	7,430.00	-1,248.55	9,796.98	9,819.14	0.00	0.00	0.00
17,400.00	90.00	91.10	7,430.00	-1,250.47	9,896.96	9,919.14	0.00	0.00	0.00
17,500.00	90.00	91.10	7,430.00	-1,252.39	9,996.94	10,019.14	0.00	0.00	0.00
,			,	,	-,	-,			

#### Page 27 of 27

#### **Planning Report**

Kaiser-Francis Oil Company

Database: Company: 1 - EDM Production

KAISER FRANCIS OIL CO.

EDDY COUNTY, N.M. 83

Local Co-ordinate Reference: TVD Reference:

**Survey Calculation Method:** 

Well BRANTLEY FEE 2419 1BSS #2H 2997.3' + 24' @ 3021.30usft (Original Well

Elev)

MD Reference: 2997.3' + 24' @ 3021.30usft (Original Well

Elev)

Grid Minimum Curvature

Project:

Site: SEC 24-T23S-R28E Well:

Wellbore:

BRANTLEY FEE 2419 1BSS #2H

Design:

ORIGINAL WELLPATH PRELIM PLAN 1, REV1

Planned Surve

ieu Survey										
Measured Depth (usft)		clination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
17,600.0 17,645.6		90.00 90.00	91.10 91.10	7,430.00 7,430.00	-1,254.31 -1,255.19	10,096.92 10,142.57	10,119.14 10,164.80	0.00 0.00	0.00 0.00	0.00 0.00
TD at 176	45.66									

North Reference:

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
BF 1BSS 2H KOP: 660' - plan misses target ( - Point	0.00 center by 90.0	0.00 Ousft at 700	6,852.54 7.85usft MD	-1,056.74 (6852.54 TVE	-210.81 D, -1058.00 N,	467,751.28 -120.81 E)	629,093.83	32.28560296	-104.04935422
BF 1BSS 2H PBHL: 660 - plan hits target cent - Point	0.00 ter	0.00	7,430.00	-1,255.19	10,142.57	467,552.83	639,447.20	32.28497767	-104.01585306

Casing Points							
	Measured	Vertical			Casing	Hole	
	Depth	Depth			Diameter	Diameter	
	(usft)	(usft)		Name	(")	(")	
	17,745.05		20" Casing		20	24	

Plan Annotations					
Measu	ed Vertical	Local C	oordinates		
Dept (usft	•	+N/-S (usft)	+E/-W (usft)	Comment	
2,70	0.00 2,700.	0.00	0.00	Start Build 2.00	
3,61	1.45 3,596.	15 -142.84	-16.31	Start 2484.95 hold at 3611.45 MD	
6,09	6.40 5,956.3	39 -915.16	-104.50	Start Drop -2.00	
7,00	7.85 6,852.	-1,058.00	-120.81	Start 100.00 hold at 7007.85 MD	
7,10	7.85 6,952.	54 -1,058.00	-120.81	Start DLS 12.00 TFO 91.10	
7,85	7.85 7,430.	00 -1,067.17	356.57	Start 9787.81 hold at 7857.85 MD	
17,64	5.66 7,430.	00 -1,255.19	10,142.57	TD at 17645.66	