

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                               |                                                         |                                                                            |
|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br><br>CROSS TIMBERS ENERGY, LLC<br>400 W 7TH ST, FORT WORTH, TX 76102 |                                                         | <sup>2</sup> OGRID Number<br><br>298299                                    |
|                                                                                                               |                                                         | <sup>3</sup> Reason for Filing Code/ Effective Date<br><br>RT / 01/15/2023 |
| <sup>4</sup> API Number<br><br>30 - 0 25-50725                                                                | <sup>5</sup> Pool Name<br><br>VACUUM; ABO, NORTH        |                                                                            |
|                                                                                                               |                                                         | <sup>6</sup> Pool Code<br><br>61760                                        |
| <sup>7</sup> Property Code<br><br>312479                                                                      | <sup>8</sup> Property Name<br><br>NORTH VACUUM ABO UNIT |                                                                            |
|                                                                                                               |                                                         | <sup>9</sup> Well Number<br><br>306                                        |

II. <sup>10</sup> Surface Location

|                        |                   |                     |                   |                 |                           |                           |                          |                         |                   |
|------------------------|-------------------|---------------------|-------------------|-----------------|---------------------------|---------------------------|--------------------------|-------------------------|-------------------|
| UL or lot no.<br><br>E | Section<br><br>26 | Township<br><br>17S | Range<br><br>34 E | Lot Idn<br><br> | Feet from the<br><br>2394 | North/South Line<br><br>N | Feet from the<br><br>143 | East/West line<br><br>W | County<br><br>LEA |
|------------------------|-------------------|---------------------|-------------------|-----------------|---------------------------|---------------------------|--------------------------|-------------------------|-------------------|

<sup>11</sup> Bottom Hole Location

|                                 |                                        |                                      |                                   |                 |                                    |                           |                                     |                         |                   |
|---------------------------------|----------------------------------------|--------------------------------------|-----------------------------------|-----------------|------------------------------------|---------------------------|-------------------------------------|-------------------------|-------------------|
| UL or lot no.<br><br>L          | Section<br><br>26                      | Township<br><br>17S                  | Range<br><br>34E                  | Lot Idn<br><br> | Feet from the<br><br>2602          | North/South line<br><br>S | Feet from the<br><br>34             | East/West line<br><br>W | County<br><br>LEA |
| <sup>12</sup> Lse Code<br><br>S | <sup>13</sup> Producing Method<br>Code | <sup>14</sup> Gas Connection<br>Date | <sup>15</sup> C-129 Permit Number |                 | <sup>16</sup> C-129 Effective Date |                           | <sup>17</sup> C-129 Expiration Date |                         |                   |

III. Oil and Gas Transporters

|                                    |                                                                |                     |
|------------------------------------|----------------------------------------------------------------|---------------------|
| <sup>18</sup> Transporter<br>OGRID | <sup>19</sup> Transporter Name<br>and Address                  | <sup>20</sup> O/G/W |
| 248749                             | DCP MIDSTREAM, LP<br>370 17TH ST, SUITE 2500, DENVER, CO 80202 | G                   |
| 34019                              | PHILLIPS 66 COMPANY<br>916 ADAMS BLDG, BARTLESVILLE, OK 74004  | O                   |
|                                    |                                                                |                     |
|                                    |                                                                |                     |
|                                    |                                                                |                     |
|                                    |                                                                |                     |

IV. Well Completion Data

|                                           |                                            |                                    |                                 |                            |                                   |
|-------------------------------------------|--------------------------------------------|------------------------------------|---------------------------------|----------------------------|-----------------------------------|
| <sup>21</sup> Spud Date<br><br>11/04/2022 | <sup>22</sup> Ready Date<br><br>01/19/2023 | <sup>23</sup> TD<br><br>9132'      | <sup>24</sup> PBDT<br><br>9041' | <sup>25</sup> Perforations | <sup>26</sup> DHC, MC             |
| <sup>27</sup> Hole Size                   |                                            | <sup>28</sup> Casing & Tubing Size | <sup>29</sup> Depth Set         |                            | <sup>30</sup> Sacks Cement        |
| 12 1/4"                                   |                                            | 9 5/8"                             | 1575'                           |                            | 575 sx 15/85 POZ & 176 sx Class C |
| 8 3/4"                                    |                                            | 5 1/2"                             | 9087'                           |                            | 2373 sx                           |
|                                           |                                            |                                    |                                 |                            |                                   |
|                                           |                                            |                                    |                                 |                            |                                   |

V. Well Test Data

|                                                                                                                                                                                                                                               |                                 |                         |                                       |                             |                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------------------------|---------------------------------------|-----------------------------|-----------------------------|
| <sup>31</sup> Date New Oil                                                                                                                                                                                                                    | <sup>32</sup> Gas Delivery Date | <sup>33</sup> Test Date | <sup>34</sup> Test Length             | <sup>35</sup> Tbg. Pressure | <sup>36</sup> Csg. Pressure |
| <sup>37</sup> Choke Size                                                                                                                                                                                                                      | <sup>38</sup> Oil               | <sup>39</sup> Water     | <sup>40</sup> Gas                     |                             | <sup>41</sup> Test Method   |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature: <i>Connie Blaylock</i> |                                 |                         | OIL CONSERVATION DIVISION             |                             |                             |
| Printed name: Connie Blaylock                                                                                                                                                                                                                 |                                 |                         | Approved by: <i>PATRICIA MARTINEZ</i> |                             |                             |
| Title: Regulatory Analyst                                                                                                                                                                                                                     |                                 |                         | Title: <i>PETROLEUM SPECIALIST</i>    |                             |                             |
| E-mail Address: cblaylock@mspartners.com                                                                                                                                                                                                      |                                 |                         | Approval Date: <i>2/7/2023</i>        |                             |                             |
| Date: 01/12/2023                                                                                                                                                                                                                              |                                 | Phone: 817-334-7882     |                                       | <i>RT EXPIRES 4/19/2023</i> |                             |

DISTRICT I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, New Mexico 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS DRILLED

|               |                           |                    |
|---------------|---------------------------|--------------------|
| API Number    | Pool Code                 | Pool Name          |
| 30-025-50725  | 61760                     | VACUUM; ABO, NORTH |
| Property Code | Property Name             | Well Number        |
| 312479        | NORTH VACUUM ABO UNIT     | 306                |
| OGRID No.     | Operator Name             | Elevation          |
| 298299        | CROSS TIMBERS ENERGY, LLC | 4034'              |


Surface Location

| UL or lot No. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| E             | 26      | 17-S     | 34-E  |         | 2394          | NORTH            | 143           | WEST           | LEA    |

As-Drilled Bottom Hole Location If Different From Surface

| UL or lot No.   | Section         | Township           | Range     | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|-----------------|-----------------|--------------------|-----------|---------|---------------|------------------|---------------|----------------|--------|
| L               | 26              | 17-S               | 34-E      |         | 2601.7        | SOUTH            | 34            | WEST           | LEA    |
| Dedicated Acres | Joint or Infill | Consolidation Code | Order No. |         |               |                  |               |                |        |
| 240             |                 |                    |           |         |               |                  |               |                |        |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

*Connie Blaylock* 1/12/2023  
Signature Date

CONNIE BLAYLOCK  
Printed Name

cblaylock@mspartners.com  
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey 12641  
Signature Seal of Professional Surveyor

*Gary G. Eidson* 01/12/2023  
Certificate Number Gary G. Eidson 12641  
Ronald J. Eidson 3239

ACK REL. W.O.:22110319 JWSC W.O.: 23.13.0002

# Cross Timbers Energy

Lea County, NM

NVAU #306

NVAU #306

OH

Design: OH

## Standard Survey Report

18 November, 2022

This survey is correct to the best of my knowledge and is supported by actual field data.

CST


Notarized this date 18th of November, 2022.

Carrie Reed

Notary Signature

County of Midland

State of Texas



## Survey Report

|                  |                      |                                     |                                 |
|------------------|----------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | Cross Timbers Energy | <b>Local Co-ordinate Reference:</b> | Well NVAU #306                  |
| <b>Project:</b>  | Lea County, NM       | <b>TVD Reference:</b>               | GL 4034' + KB 13' @ 4047.00usft |
| <b>Site:</b>     | NVAU #306            | <b>MD Reference:</b>                | GL 4034' + KB 13' @ 4047.00usft |
| <b>Well:</b>     | NVAU #306            | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | OH                   | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | OH                   | <b>Database:</b>                    | EDM5000                         |

|                    |                                      |                      |                |
|--------------------|--------------------------------------|----------------------|----------------|
| <b>Project</b>     | Lea County, NM                       |                      |                |
| <b>Map System:</b> | US State Plane 1927 (Exact solution) | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | NAD 1927 (NADCON CONUS)              |                      |                |
| <b>Map Zone:</b>   | New Mexico East 3001                 |                      |                |

|                              |           |                     |                 |
|------------------------------|-----------|---------------------|-----------------|
| <b>Site</b>                  | NVAU #306 |                     |                 |
| <b>Site Position:</b>        |           | <b>Northing:</b>    | 658,021.00 usft |
| <b>From:</b>                 | Map       | <b>Easting:</b>     | 744,111.60 usft |
| <b>Position Uncertainty:</b> | 0.00 usft | <b>Slot Radius:</b> | 13-3/16 "       |
|                              |           | <b>Latitude:</b>    | 32.806468       |
|                              |           | <b>Longitude:</b>   | -103.538842     |

|                             |              |                            |                                  |
|-----------------------------|--------------|----------------------------|----------------------------------|
| <b>Well</b>                 | NVAU #306    |                            |                                  |
| <b>Well Position</b>        | <b>+N/-S</b> | 0.00 usft                  | <b>Northing:</b> 658,021.00 usft |
|                             | <b>+E/-W</b> | 0.00 usft                  | <b>Easting:</b> 744,111.60 usft  |
| <b>Position Uncertainty</b> | 0.00 usft    | <b>Wellhead Elevation:</b> | usft                             |
| <b>Grid Convergence:</b>    | 0.43 °       | <b>Ground Level:</b>       | 4,034.00 usft                    |

|                  |                   |                    |                            |
|------------------|-------------------|--------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b>     |
|                  | IGRF2020          | 10/29/2022         | 6.41                       |
|                  |                   |                    | <b>Dip Angle (°)</b>       |
|                  |                   |                    | 60.39                      |
|                  |                   |                    | <b>Field Strength (nT)</b> |
|                  |                   |                    | 47,693.66270560            |

|                          |                                |                     |                      |
|--------------------------|--------------------------------|---------------------|----------------------|
| <b>Design</b>            | OH                             |                     |                      |
| <b>Audit Notes:</b>      |                                |                     |                      |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>       | ACTUAL               |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b>  |
|                          | 0.00                           | 0.00                | 0.00                 |
|                          |                                |                     | <b>Direction (°)</b> |
|                          |                                |                     | 205.27               |

|                       |                  |                          |                  |                     |
|-----------------------|------------------|--------------------------|------------------|---------------------|
| <b>Survey Program</b> | <b>Date</b>      | 11/18/2022               |                  |                     |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b>  |
| 0.00                  | 9,142.00         | Survey #1 (OH)           | MWD              | OWSG MWD - Standard |

|                              |                        |                    |                              |                     |                     |                                |                                |                               |                              |  |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|--------------------------------|-------------------------------|------------------------------|--|
| <b>Survey</b>                |                        |                    |                              |                     |                     |                                |                                |                               |                              |  |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Vertical Section (usft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> |  |
| 0.00                         | 0.00                   | 0.00               | 0.00                         | 0.00                | 0.00                | 0.00                           | 0.00                           | 0.00                          | 0.00                         |  |
| 102.00                       | 0.18                   | 88.60              | 102.00                       | 0.00                | 0.16                | -0.07                          | 0.18                           | 0.18                          | 0.00                         |  |
| 133.00                       | 0.22                   | 158.31             | 133.00                       | -0.05               | 0.23                | -0.05                          | 0.74                           | 0.13                          | 224.87                       |  |
| 311.00                       | 0.28                   | 120.68             | 311.00                       | -0.59               | 0.73                | 0.22                           | 0.10                           | 0.03                          | -21.14                       |  |
| 467.00                       | 0.32                   | 116.44             | 467.00                       | -0.98               | 1.45                | 0.27                           | 0.03                           | 0.03                          | -2.72                        |  |
| 593.00                       | 0.07                   | 256.81             | 593.00                       | -1.15               | 1.69                | 0.32                           | 0.30                           | -0.20                         | 111.40                       |  |
| 720.00                       | 0.41                   | 256.25             | 719.99                       | -1.28               | 1.17                | 0.66                           | 0.27                           | 0.27                          | -0.44                        |  |
| 846.00                       | 0.28                   | 282.87             | 845.99                       | -1.32               | 0.43                | 1.01                           | 0.16                           | -0.10                         | 21.13                        |  |
| 972.00                       | 0.18                   | 308.20             | 971.99                       | -1.13               | -0.02               | 1.03                           | 0.11                           | -0.08                         | 20.10                        |  |
| 1,099.00                     | 0.41                   | 295.49             | 1,098.99                     | -0.81               | -0.59               | 0.98                           | 0.19                           | 0.18                          | -10.01                       |  |

## Survey Report

|                  |                      |                                     |                                 |
|------------------|----------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | Cross Timbers Energy | <b>Local Co-ordinate Reference:</b> | Well NVAU #306                  |
| <b>Project:</b>  | Lea County, NM       | <b>TVD Reference:</b>               | GL 4034' + KB 13' @ 4047.00usft |
| <b>Site:</b>     | NVAU #306            | <b>MD Reference:</b>                | GL 4034' + KB 13' @ 4047.00usft |
| <b>Well:</b>     | NVAU #306            | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | OH                   | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | OH                   | <b>Database:</b>                    | EDM5000                         |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 1,226.00              | 0.23            | 314.42      | 1,225.99              | -0.43        | -1.18        | 0.90                    | 0.16                    | -0.14                  | 14.91                 |
| 1,353.00              | 0.21            | 305.03      | 1,352.99              | -0.12        | -1.55        | 0.77                    | 0.03                    | -0.02                  | -7.39                 |
| 1,479.00              | 0.26            | 268.56      | 1,478.99              | 0.00         | -2.03        | 0.86                    | 0.12                    | 0.04                   | -28.94                |
| 1,512.00              | 0.34            | 248.42      | 1,511.98              | -0.03        | -2.19        | 0.97                    | 0.40                    | 0.24                   | -61.03                |
| 1,639.00              | 0.43            | 228.71      | 1,638.98              | -0.49        | -2.90        | 1.68                    | 0.13                    | 0.07                   | -15.52                |
| 1,702.00              | 0.74            | 247.34      | 1,701.98              | -0.80        | -3.46        | 2.20                    | 0.57                    | 0.49                   | 29.57                 |
| 1,765.00              | 0.69            | 221.74      | 1,764.97              | -1.24        | -4.08        | 2.86                    | 0.51                    | -0.08                  | -40.63                |
| 1,829.00              | 0.95            | 217.61      | 1,828.97              | -1.95        | -4.66        | 3.75                    | 0.42                    | 0.41                   | -6.45                 |
| 1,892.00              | 1.35            | 214.47      | 1,891.95              | -2.97        | -5.40        | 4.99                    | 0.64                    | 0.63                   | -4.98                 |
| 1,956.00              | 1.47            | 215.92      | 1,955.94              | -4.26        | -6.31        | 6.55                    | 0.20                    | 0.19                   | 2.27                  |
| 2,019.00              | 1.90            | 209.63      | 2,018.91              | -5.82        | -7.30        | 8.38                    | 0.74                    | 0.68                   | -9.98                 |
| 2,083.00              | 2.77            | 209.48      | 2,082.85              | -8.09        | -8.59        | 10.98                   | 1.36                    | 1.36                   | -0.23                 |
| 2,146.00              | 3.32            | 208.24      | 2,145.76              | -11.02       | -10.20       | 14.32                   | 0.88                    | 0.87                   | -1.97                 |
| 2,210.00              | 4.53            | 203.86      | 2,209.61              | -14.97       | -12.10       | 18.70                   | 1.95                    | 1.89                   | -6.84                 |
| 2,273.00              | 6.01            | 200.38      | 2,272.35              | -20.33       | -14.25       | 24.47                   | 2.40                    | 2.35                   | -5.52                 |
| 2,336.00              | 6.41            | 203.57      | 2,334.98              | -26.65       | -16.81       | 31.27                   | 0.84                    | 0.63                   | 5.06                  |
| 2,399.00              | 6.50            | 203.21      | 2,397.58              | -33.15       | -19.62       | 38.35                   | 0.16                    | 0.14                   | -0.57                 |
| 2,462.00              | 6.83            | 201.22      | 2,460.15              | -39.92       | -22.38       | 45.65                   | 0.64                    | 0.52                   | -3.16                 |
| 2,526.00              | 7.25            | 203.53      | 2,523.67              | -47.17       | -25.37       | 53.49                   | 0.79                    | 0.66                   | 3.61                  |
| 2,588.00              | 6.82            | 203.26      | 2,585.20              | -54.14       | -28.39       | 61.07                   | 0.70                    | -0.69                  | -0.44                 |
| 2,652.00              | 5.40            | 199.65      | 2,648.84              | -60.47       | -30.90       | 67.87                   | 2.30                    | -2.22                  | -5.64                 |
| 2,715.00              | 5.48            | 197.77      | 2,711.55              | -66.12       | -32.81       | 73.80                   | 0.31                    | 0.13                   | -2.98                 |
| 2,778.00              | 5.78            | 195.18      | 2,774.25              | -72.05       | -34.56       | 79.91                   | 0.62                    | 0.48                   | -4.11                 |
| 2,842.00              | 5.53            | 194.53      | 2,837.94              | -78.14       | -36.18       | 86.11                   | 0.40                    | -0.39                  | -1.02                 |
| 2,905.00              | 5.84            | 198.46      | 2,900.63              | -84.12       | -37.96       | 92.28                   | 0.79                    | 0.49                   | 6.24                  |
| 2,968.00              | 5.30            | 195.07      | 2,963.33              | -89.97       | -39.73       | 98.32                   | 1.00                    | -0.86                  | -5.38                 |
| 3,031.00              | 4.12            | 194.42      | 3,026.12              | -94.97       | -41.05       | 103.41                  | 1.87                    | -1.87                  | -1.03                 |
| 3,094.00              | 3.32            | 198.76      | 3,088.98              | -98.89       | -42.20       | 107.44                  | 1.35                    | -1.27                  | 6.89                  |
| 3,158.00              | 3.06            | 193.16      | 3,152.88              | -102.31      | -43.18       | 110.96                  | 0.63                    | -0.41                  | -8.75                 |
| 3,221.00              | 3.45            | 198.40      | 3,215.78              | -105.75      | -44.17       | 114.48                  | 0.78                    | 0.62                   | 8.32                  |
| 3,284.00              | 3.53            | 197.91      | 3,278.67              | -109.39      | -45.36       | 118.29                  | 0.14                    | 0.13                   | -0.78                 |
| 3,346.00              | 3.44            | 199.11      | 3,340.55              | -112.96      | -46.56       | 122.03                  | 0.19                    | -0.15                  | 1.94                  |
| 3,410.00              | 3.39            | 192.90      | 3,404.44              | -116.62      | -47.61       | 125.79                  | 0.58                    | -0.08                  | -9.70                 |
| 3,473.00              | 3.85            | 200.80      | 3,467.31              | -120.42      | -48.77       | 129.71                  | 1.08                    | 0.73                   | 12.54                 |
| 3,537.00              | 3.73            | 209.68      | 3,531.17              | -124.23      | -50.57       | 133.93                  | 0.94                    | -0.19                  | 13.88                 |
| 3,600.00              | 3.57            | 204.63      | 3,594.05              | -127.80      | -52.40       | 137.94                  | 0.57                    | -0.25                  | -8.02                 |
| 3,663.00              | 3.91            | 208.44      | 3,656.91              | -131.47      | -54.24       | 142.04                  | 0.67                    | 0.54                   | 6.05                  |
| 3,727.00              | 3.77            | 210.37      | 3,720.77              | -135.20      | -56.34       | 146.32                  | 0.30                    | -0.22                  | 3.02                  |
| 3,790.00              | 3.84            | 210.86      | 3,783.63              | -138.80      | -58.47       | 150.48                  | 0.12                    | 0.11                   | 0.78                  |
| 3,854.00              | 3.92            | 206.58      | 3,847.48              | -142.60      | -60.55       | 154.80                  | 0.47                    | 0.13                   | -6.69                 |
| 3,917.00              | 4.10            | 210.48      | 3,910.33              | -146.46      | -62.66       | 159.20                  | 0.52                    | 0.29                   | 6.19                  |
| 3,980.00              | 4.25            | 209.66      | 3,973.16              | -150.43      | -64.95       | 163.77                  | 0.26                    | 0.24                   | -1.30                 |
| 4,044.00              | 4.19            | 211.09      | 4,036.99              | -154.50      | -67.34       | 168.46                  | 0.19                    | -0.09                  | 2.23                  |

## Survey Report

|                  |                      |                                     |                                 |
|------------------|----------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | Cross Timbers Energy | <b>Local Co-ordinate Reference:</b> | Well NVAU #306                  |
| <b>Project:</b>  | Lea County, NM       | <b>TVD Reference:</b>               | GL 4034' + KB 13' @ 4047.00usft |
| <b>Site:</b>     | NVAU #306            | <b>MD Reference:</b>                | GL 4034' + KB 13' @ 4047.00usft |
| <b>Well:</b>     | NVAU #306            | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | OH                   | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | OH                   | <b>Database:</b>                    | EDM5000                         |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4,107.00              | 4.41            | 207.09      | 4,099.81              | -158.62      | -69.63       | 173.17                  | 0.59                    | 0.35                   | -6.35                 |
| 4,171.00              | 4.69            | 211.40      | 4,163.61              | -163.05      | -72.11       | 178.23                  | 0.69                    | 0.44                   | 6.73                  |
| 4,234.00              | 4.68            | 212.79      | 4,226.40              | -167.41      | -74.84       | 183.34                  | 0.18                    | -0.02                  | 2.21                  |
| 4,297.00              | 4.73            | 210.36      | 4,289.19              | -171.81      | -77.55       | 188.47                  | 0.33                    | 0.08                   | -3.86                 |
| 4,361.00              | 5.35            | 210.12      | 4,352.94              | -176.67      | -80.38       | 194.07                  | 0.97                    | 0.97                   | -0.38                 |
| 4,424.00              | 4.94            | 213.85      | 4,415.68              | -181.46      | -83.36       | 199.68                  | 0.84                    | -0.65                  | 5.92                  |
| 4,488.00              | 4.07            | 214.75      | 4,479.49              | -185.61      | -86.19       | 204.65                  | 1.36                    | -1.36                  | 1.41                  |
| 4,551.00              | 4.38            | 212.74      | 4,542.31              | -189.47      | -88.77       | 209.24                  | 0.55                    | 0.49                   | -3.19                 |
| 4,615.00              | 4.42            | 216.57      | 4,606.13              | -193.51      | -91.56       | 214.08                  | 0.46                    | 0.06                   | 5.98                  |
| 4,678.00              | 4.54            | 215.49      | 4,668.93              | -197.49      | -94.45       | 218.91                  | 0.23                    | 0.19                   | -1.71                 |
| 4,742.00              | 4.64            | 207.58      | 4,732.73              | -201.85      | -97.12       | 223.99                  | 1.00                    | 0.16                   | -12.36                |
| 4,804.00              | 4.81            | 211.88      | 4,794.52              | -206.28      | -99.66       | 229.08                  | 0.63                    | 0.27                   | 6.94                  |
| 4,868.00              | 5.21            | 207.62      | 4,858.27              | -211.13      | -102.42      | 234.65                  | 0.85                    | 0.63                   | -6.66                 |
| 4,931.00              | 4.19            | 204.89      | 4,921.06              | -215.75      | -104.72      | 239.81                  | 1.66                    | -1.62                  | -4.33                 |
| 4,995.00              | 4.05            | 202.62      | 4,984.90              | -219.96      | -106.57      | 244.40                  | 0.34                    | -0.22                  | -3.55                 |
| 5,056.00              | 4.10            | 206.19      | 5,045.74              | -223.91      | -108.36      | 248.74                  | 0.42                    | 0.08                   | 5.85                  |
| 5,120.00              | 4.47            | 202.42      | 5,109.56              | -228.26      | -110.32      | 253.52                  | 0.73                    | 0.58                   | -5.89                 |
| 5,183.00              | 4.69            | 204.33      | 5,172.36              | -232.88      | -112.32      | 258.54                  | 0.42                    | 0.35                   | 3.03                  |
| 5,247.00              | 5.62            | 202.48      | 5,236.10              | -238.16      | -114.60      | 264.29                  | 1.48                    | 1.45                   | -2.89                 |
| 5,309.00              | 5.96            | 201.20      | 5,297.79              | -243.97      | -116.92      | 270.53                  | 0.59                    | 0.55                   | -2.06                 |
| 5,373.00              | 5.99            | 199.90      | 5,361.44              | -250.20      | -119.26      | 277.17                  | 0.22                    | 0.05                   | -2.03                 |
| 5,436.00              | 4.77            | 204.46      | 5,424.16              | -255.68      | -121.46      | 283.06                  | 2.05                    | -1.94                  | 7.24                  |
| 5,500.00              | 3.24            | 208.53      | 5,488.00              | -259.69      | -123.43      | 287.53                  | 2.43                    | -2.39                  | 6.36                  |
| 5,563.00              | 2.20            | 220.35      | 5,550.93              | -262.18      | -125.06      | 290.47                  | 1.87                    | -1.65                  | 18.76                 |
| 5,627.00              | 2.12            | 213.16      | 5,614.89              | -264.10      | -126.50      | 292.83                  | 0.44                    | -0.13                  | -11.23                |
| 5,690.00              | 1.27            | 189.74      | 5,677.86              | -265.77      | -127.26      | 294.66                  | 1.71                    | -1.35                  | -37.17                |
| 5,753.00              | 2.08            | 141.33      | 5,740.83              | -267.35      | -126.66      | 295.84                  | 2.48                    | 1.29                   | -76.84                |
| 5,816.00              | 2.51            | 131.78      | 5,803.78              | -269.16      | -124.92      | 296.73                  | 0.91                    | 0.68                   | -15.16                |
| 5,880.00              | 2.39            | 114.05      | 5,867.73              | -270.64      | -122.66      | 297.10                  | 1.19                    | -0.19                  | -27.70                |
| 5,943.00              | 3.28            | 89.39       | 5,930.65              | -271.15      | -119.65      | 296.28                  | 2.37                    | 1.41                   | -39.14                |
| 6,007.00              | 3.69            | 75.84       | 5,994.53              | -270.63      | -115.83      | 294.18                  | 1.43                    | 0.64                   | -21.17                |
| 6,069.00              | 3.97            | 64.78       | 6,056.39              | -269.23      | -111.95      | 291.25                  | 1.27                    | 0.45                   | -17.84                |
| 6,132.00              | 4.06            | 60.20       | 6,119.24              | -267.19      | -108.04      | 287.74                  | 0.53                    | 0.14                   | -7.27                 |
| 6,195.00              | 3.84            | 62.15       | 6,182.09              | -265.10      | -104.24      | 284.23                  | 0.41                    | -0.35                  | 3.10                  |
| 6,259.00              | 3.17            | 66.27       | 6,245.97              | -263.38      | -100.73      | 281.18                  | 1.12                    | -1.05                  | 6.44                  |
| 6,322.00              | 2.21            | 64.35       | 6,308.90              | -262.16      | -98.04       | 278.92                  | 1.53                    | -1.52                  | -3.05                 |
| 6,378.00              | 1.99            | 52.10       | 6,364.86              | -261.09      | -96.30       | 277.21                  | 0.89                    | -0.39                  | -21.88                |
| 6,441.00              | 0.60            | 257.86      | 6,427.85              | -260.49      | -95.76       | 276.44                  | 4.04                    | -2.21                  | -244.83               |
| 6,505.00              | 0.94            | 238.30      | 6,491.85              | -260.84      | -96.53       | 277.08                  | 0.66                    | 0.53                   | -30.56                |
| 6,568.00              | 0.77            | 277.06      | 6,554.84              | -261.05      | -97.39       | 277.65                  | 0.94                    | -0.27                  | 61.52                 |
| 6,632.00              | 0.92            | 247.82      | 6,618.83              | -261.20      | -98.29       | 278.16                  | 0.70                    | 0.23                   | -45.69                |
| 6,695.00              | 0.66            | 285.91      | 6,681.83              | -261.29      | -99.11       | 278.59                  | 0.91                    | -0.41                  | 60.46                 |
| 6,759.00              | 0.60            | 291.53      | 6,745.82              | -261.06      | -99.78       | 278.67                  | 0.13                    | -0.09                  | 8.78                  |

## Survey Report

|                  |                      |                                     |                                 |
|------------------|----------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | Cross Timbers Energy | <b>Local Co-ordinate Reference:</b> | Well NVAU #306                  |
| <b>Project:</b>  | Lea County, NM       | <b>TVD Reference:</b>               | GL 4034' + KB 13' @ 4047.00usft |
| <b>Site:</b>     | NVAU #306            | <b>MD Reference:</b>                | GL 4034' + KB 13' @ 4047.00usft |
| <b>Well:</b>     | NVAU #306            | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | OH                   | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | OH                   | <b>Database:</b>                    | EDM5000                         |

| Survey                       |                 |             |                       |              |              |                         |                         |                        |                       |
|------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)        | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 6,823.00                     | 0.75            | 253.22      | 6,809.82              | -261.06      | -100.49      | 278.98                  | 0.73                    | 0.23                   | -59.86                |
| 6,886.00                     | 0.29            | 292.90      | 6,872.82              | -261.12      | -101.03      | 279.26                  | 0.89                    | -0.73                  | 62.98                 |
| 6,949.00                     | 0.75            | 268.36      | 6,935.81              | -261.07      | -101.59      | 279.45                  | 0.80                    | 0.73                   | -38.95                |
| 7,013.00                     | 0.80            | 277.45      | 6,999.81              | -261.02      | -102.45      | 279.78                  | 0.21                    | 0.08                   | 14.20                 |
| 7,076.00                     | 0.41            | 275.78      | 7,062.81              | -260.94      | -103.11      | 279.99                  | 0.62                    | -0.62                  | -2.65                 |
| 7,140.00                     | 0.24            | 9.96        | 7,126.80              | -260.79      | -103.32      | 279.94                  | 0.77                    | -0.27                  | 147.16                |
| 7,203.00                     | 0.93            | 108.20      | 7,189.80              | -260.82      | -102.81      | 279.75                  | 1.58                    | 1.10                   | 155.94                |
| 7,267.00                     | 1.02            | 106.39      | 7,253.79              | -261.14      | -101.77      | 279.59                  | 0.15                    | 0.14                   | -2.83                 |
| 7,330.00                     | 1.23            | 101.84      | 7,316.78              | -261.44      | -100.57      | 279.35                  | 0.36                    | 0.33                   | -7.22                 |
| 7,393.00                     | 1.25            | 85.28       | 7,379.77              | -261.52      | -99.22       | 278.85                  | 0.57                    | 0.03                   | -26.29                |
| 7,456.00                     | 1.21            | 80.86       | 7,442.75              | -261.36      | -97.88       | 278.13                  | 0.16                    | -0.06                  | -7.02                 |
| 7,519.00                     | 1.27            | 97.75       | 7,505.74              | -261.35      | -96.53       | 277.54                  | 0.59                    | 0.10                   | 26.81                 |
| 7,581.00                     | 0.63            | 40.87       | 7,567.73              | -261.18      | -95.63       | 277.01                  | 1.72                    | -1.03                  | -91.74                |
| 7,644.00                     | 0.66            | 345.76      | 7,630.73              | -260.57      | -95.49       | 276.40                  | 0.95                    | 0.05                   | -87.48                |
| 7,706.00                     | 0.79            | 16.61       | 7,692.72              | -259.81      | -95.46       | 275.70                  | 0.65                    | 0.21                   | 49.76                 |
| 7,768.00                     | 1.12            | 1.93        | 7,754.71              | -258.80      | -95.31       | 274.72                  | 0.66                    | 0.53                   | -23.68                |
| 7,830.00                     | 0.89            | 18.25       | 7,816.70              | -257.73      | -95.14       | 273.68                  | 0.59                    | -0.37                  | 26.32                 |
| 7,893.00                     | 0.73            | 284.40      | 7,879.70              | -257.17      | -95.38       | 273.27                  | 1.89                    | -0.25                  | -148.97               |
| 7,956.00                     | 1.38            | 251.42      | 7,942.69              | -257.31      | -96.49       | 273.88                  | 1.37                    | 1.03                   | -52.35                |
| 8,019.00                     | 2.52            | 248.48      | 8,005.65              | -258.06      | -98.49       | 275.41                  | 1.82                    | 1.81                   | -4.67                 |
| 8,082.00                     | 3.19            | 241.05      | 8,068.57              | -259.42      | -101.32      | 277.84                  | 1.21                    | 1.06                   | -11.79                |
| 8,112.00                     | 3.02            | 241.27      | 8,098.53              | -260.20      | -102.74      | 279.16                  | 0.57                    | -0.57                  | 0.73                  |
| 8,175.00                     | 2.64            | 213.95      | 8,161.45              | -262.20      | -105.00      | 281.94                  | 2.20                    | -0.60                  | -43.37                |
| 8,238.00                     | 2.69            | 200.99      | 8,224.39              | -264.79      | -106.34      | 284.84                  | 0.96                    | 0.08                   | -20.57                |
| 8,301.00                     | 2.26            | 194.29      | 8,287.33              | -267.37      | -107.18      | 287.54                  | 0.82                    | -0.68                  | -10.63                |
| 8,365.00                     | 1.42            | 181.83      | 8,351.29              | -269.39      | -107.52      | 289.50                  | 1.45                    | -1.31                  | -19.47                |
| 8,428.00                     | 1.45            | 181.91      | 8,414.27              | -270.96      | -107.57      | 290.95                  | 0.05                    | 0.05                   | 0.13                  |
| 8,492.00                     | 1.47            | 179.23      | 8,478.25              | -272.59      | -107.58      | 292.43                  | 0.11                    | 0.03                   | -4.19                 |
| 8,554.00                     | 1.49            | 180.35      | 8,540.23              | -274.19      | -107.58      | 293.88                  | 0.06                    | 0.03                   | 1.81                  |
| 8,617.00                     | 1.56            | 180.54      | 8,603.21              | -275.87      | -107.59      | 295.40                  | 0.11                    | 0.11                   | 0.30                  |
| 8,680.00                     | 1.56            | 178.18      | 8,666.19              | -277.58      | -107.57      | 296.94                  | 0.10                    | 0.00                   | -3.75                 |
| 8,743.00                     | 1.49            | 175.69      | 8,729.17              | -279.26      | -107.48      | 298.42                  | 0.15                    | -0.11                  | -3.95                 |
| 8,806.00                     | 1.48            | 174.83      | 8,792.14              | -280.89      | -107.35      | 299.83                  | 0.04                    | -0.02                  | -1.37                 |
| 8,869.00                     | 1.37            | 173.86      | 8,855.12              | -282.44      | -107.20      | 301.18                  | 0.18                    | -0.17                  | -1.54                 |
| 8,933.00                     | 1.42            | 172.87      | 8,919.11              | -283.99      | -107.02      | 302.50                  | 0.09                    | 0.08                   | -1.55                 |
| 8,996.00                     | 1.39            | 171.36      | 8,982.09              | -285.52      | -106.80      | 303.79                  | 0.08                    | -0.05                  | -2.40                 |
| 9,059.00                     | 1.42            | 165.28      | 9,045.07              | -287.03      | -106.49      | 305.02                  | 0.24                    | 0.05                   | -9.65                 |
| 9,072.00                     | 1.48            | 165.54      | 9,058.06              | -287.35      | -106.41      | 305.28                  | 0.46                    | 0.46                   | 2.00                  |
| 9,142.00                     | 1.48            | 165.54      | 9,128.04              | -289.10      | -105.96      | 306.67                  | 0.00                    | 0.00                   | 0.00                  |
| PTB 9142.00' MD/9128.04' TVD |                 |             |                       |              |              |                         |                         |                        |                       |

Survey Report

|           |                      |                              |                                 |
|-----------|----------------------|------------------------------|---------------------------------|
| Company:  | Cross Timbers Energy | Local Co-ordinate Reference: | Well NVAU #306                  |
| Project:  | Lea County, NM       | TVD Reference:               | GL 4034' + KB 13' @ 4047.00usft |
| Site:     | NVAU #306            | MD Reference:                | GL 4034' + KB 13' @ 4047.00usft |
| Well:     | NVAU #306            | North Reference:             | Grid                            |
| Wellbore: | OH                   | Survey Calculation Method:   | Minimum Curvature               |
| Design:   | OH                   | Database:                    | EDM5000                         |

| Design Annotations    |                       |                   |              |                              |  |
|-----------------------|-----------------------|-------------------|--------------|------------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              |                              |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) | Comment                      |  |
| 9,142.00              | 9,128.04              | -289.10           | -105.96      | PTB 9142.00' MD/9128.04' TVD |  |

Checked By: \_\_\_\_\_

Approved By: \_\_\_\_\_

Date: \_\_\_\_\_

Cross Timbers Energy



Company: Cross Timbers Energy  
Field: Lea County, NM  
Location: NVAU #306  
Well: NVAU #306  
Wellbore: OH  
Plan: Plan 1  
GL: GL 4034' + KB 13' @ 4047.00usft

Norton 7

PROJECT DETAILS: Lea County, NM  
Geodetic System: US State Plane 1927 (Exact solution)  
Datum: NAD 1927 (NADCON CONUS)  
Ellipsoid: Clarke 1866  
Zone: New Mexico East 3001  
System Datum: Mean Sea Level

FORMATION TOP DETAILS

| TVDPath | MDPath  | Formation    | DipAngle | DipDir |
|---------|---------|--------------|----------|--------|
| 1547.00 | 1547.00 | Rustler      |          |        |
| 2822.00 | 2824.41 | Yates        |          |        |
| 3155.00 | 3158.29 | Seven Rivers |          |        |
| 3748.00 | 3752.87 | Queen        |          |        |
| 4095.00 | 4100.79 | Grayburg     |          |        |
| 4483.00 | 4489.82 | San Andres   |          |        |
| 6013.00 | 6023.45 | Glorietta    |          |        |
| 8114.00 | 8124.45 | Abo          |          |        |
| 8522.00 | 8532.45 | *Abo A (Pay) |          |        |
| 8732.00 | 8742.45 | Abo E Base   |          |        |



Azimuths to Grid North  
True North: -0.43°  
Magnetic North: 5.98°  
  
Magnetic Field  
Strength: 47693.7nT  
Dip Angle: 60.39°  
Date: 10/29/2022  
Model: IGRF2020




To convert a Magnetic Direction to a Grid Direction, Add 5.98°

WELL DETAILS: NVAU #306

| +N/-S | +E/-W | GL 4034' + KB 13' @ 4047.00usft | 4034.00           | Slot                  |
|-------|-------|---------------------------------|-------------------|-----------------------|
| 0.00  | 0.00  | Northing 658021.00              | Easting 744111.60 | Latitude 32.806468    |
|       |       |                                 |                   | Longitude -103.538841 |

SECTION DETAILS: OH

| MD      | Inc  | Azi    | TVD     | +N/-S   | +E/-W   | Dleg | TFace  | VSect  |
|---------|------|--------|---------|---------|---------|------|--------|--------|
| 0.00    | 0.00 | 0.00   | 0.00    | 0.00    | 0.00    | 0.00 | 0.00   | 0.00   |
| 1776.00 | 0.00 | 0.00   | 1776.00 | 0.00    | 0.00    | 0.00 | 0.00   | 0.00   |
| 1984.31 | 4.17 | 205.27 | 1984.13 | -6.85   | -3.23   | 2.00 | 205.27 | 7.58   |
| 5794.12 | 4.17 | 205.27 | 5783.85 | -257.38 | -121.50 | 0.00 | 0.00   | 284.61 |
| 6002.43 | 0.00 | 0.00   | 5991.98 | -264.23 | -124.73 | 2.00 | 180.00 | 292.19 |
| 9696.45 | 0.00 | 0.00   | 9686.00 | -264.23 | -124.73 | 0.00 | 0.00   | 292.19 |



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS  
  
Action 175444

ACKNOWLEDGMENTS

|                                                                                       |                                                    |
|---------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>CROSS TIMBERS ENERGY, LLC<br>400 West 7th Street<br>Fort Worth, TX 76102 | OGRID:<br>298299                                   |
|                                                                                       | Action Number:<br>175444                           |
|                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 175444

CONDITIONS

|                                                                                       |                                                    |
|---------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>CROSS TIMBERS ENERGY, LLC<br>400 West 7th Street<br>Fort Worth, TX 76102 | OGRID:<br>298299                                   |
|                                                                                       | Action Number:<br>175444                           |
|                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition             | Condition Date |
|------------|-----------------------|----------------|
| plmartinez | RT EXPIRES 4/19/2023. | 2/7/2023       |