
Cettle di by Copy Po Appropriale Bistrict 4:43 PM	State of New Mexico		Form C-103 ¹ 6
Office District I – (575) 393-6161	Energy, Minerals and Natural Resources		Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240		WELL AP	
District II – (575) 748-1283	OIL CONSERVATION DIVISION		544
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Francis Dr.		e Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410			ATE FEE
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505	6. State O	il & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505			
		TO A Boyz Fee	
PROPOSALS.) 1. Type of Well: Oil Well Gas W	ell Other	8. Well No	umber #1
2. Name of Operator	🗀	9. OGRID	Number
Mack Energy Corporation		013837	XX/'1 1
3. Address of Operator P.O. Box 960 Artesia,NM 88210			ame or Wildcat Junction; San Andres
4. Well Location			,
Unit Letter C: 990	feet from the N line	and <u>2310</u> fee	et from theWline
Section 30 Town	nship 18S Range 37I	E NMPM	County Lea
	levation (Show whether DR, RKB, R		
	3735' GR	, - , ,	
12. Check Approp	oriate Box to Indicate Nature of	f Notice, Report or	Other Data
NOTICE OF INTENT	ION TO:	SUBSEQUEN	T REPORT OF:
_		DIAL WORK	☐ ALTERING CASING ☐
-	· —	ENCE DRILLING OPNS	_
		G/CEMENT JOB	□ PNR
DOWNHOLE COMMINGLE	_		
CLOSED-LOOP SYSTEM			
OTHER:	OTHER		
13. Describe proposed or completed or			
	EE RULE 19.15.7.14 NMAC. For M	ultiple Completions: A	Attach wellbore diagram of
proposed completion or recompleti	on.		
11/10/22 MIRU plugging equipment. bbls MLF. Pressure test csg. 11/15/22 Spotted 25 sx class C cmt w/ 2% CAC WOC. 11/16/22 Tagged plug @ 2508 Perf'd @ 430'. Established injection Established injection rate @ 1 BPM class C cmt @ 480' to surface. Gravit welder. Cut off well head & anchors. Marker''. Installed 2' concrete form	Spot 25 sx class C cmt @ 4586-43 CL @ 3265-3000'. WOC. Tagged p c. Spotted 25 sx class C cmt w/ 2% rate @ 1 BPM @ 300 PSI w/ 25 bb @ 300 PSI w/ 7 bbls H20, no circul cy sqz into 8 5/8 annulus. Rigged d Kerry Fortner w/ OCD verified cr	21'. Perf'd @ 3215'. P lug @ 2981'. Spotted 2 CACL @ 1710-1445'. ls H20, no circulation ation to surface. 11/17 own & moved off. 11/2 nt @ surface. Welded	ressured up on perfs to 500 PSI. 25 sx class C cmt @ 2770-2505'. WOC. Tagged plug @ 1410'. to surface. Perf'd @ 200' 7/22 ND BOP. Spotted 50 sx 22/22 Moved in backhoe and on "Above Ground Dry Hole
Spud Date:	Rig Release Date:		
I hereby certify that the information above i	s true and complete to the best of my	knowledge and belief.	
SIGNATURE Delilah Flores	TITLE_Regulatory T	echnician I	DATE 11/29/2022
Type or print name Delilah Flores	E-mail address: delila	nh@mec.com	PHONE: <u>575-748-1288</u>
For State Use Only	ŧ		
APPROVED BY: Conditions of Approval (if any):	TITLE Compliance	Officer A	DATE_ 2/9/23

Mack Energy Corporation		PLUGGED		
Author:	Abby BCM			
Well Name	Boyz Fee	Well No.	#1	
Field/Pool	Arkansas Junction;SA	API#:	30-025-38544	
County	Lea	Location:	Sec 30, T18S, R37E	
State	NM		990 FNL & 2310 FWL	
Spud Date	8/17/2007	GL:	3735'	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	54.5#	380	17 1/2	447	0
Inter Csg	8 5/8	J55	32#	3,165	12 1/4	1,400	0
Prod Csg	5 1/2	L80	20#	8,000	7 7/8	1,900	0



5. Perf'd @ 430'. Established injection rate @ 1 BPM @ 300 PSI w/ 25 bbls H20, no circulation to surface. Perf'd @ 200'. Established injection rate @ 1 BPM @ 300 PSI w/ 7 bbls H20, no circulation to surface. Spotted 50 sx class C cmt @ 480' to surface. Gravity sqz into 8 5/8 annulus.

13 3/8 54.5# CSG @ 380

4. Spotted 25 sx class C cmt w/ 2% CACL @ 1710-1445'. WOC. Tagged plug @ 1410'.

T/Salt 1660 B/Salt 2720 Yates 2800 7 Rivers 3204 3824 Queen **GRBG** 4218 4636 San Andres Drinkard 6874 7420 Abo Del Sand 5030

Top

Formation

3. Spotted 25 sx class C cmt @ 2770-2505'. WOC. Tagged plug @ 2508'.

8 5/8 32# CSG @ 3,165

2. Perf'd @ 3215'. Pressured up on perfs to 500 PSI. Spotted 25 sx class C cmt w/ 2% CACL @ 3265-3000'. WOC. Tagged plug @ 2981'.

1. Set 5 ½ CIBP @ 4586'. Circ hole w/ 90 bbls MLF. Pressure test csg. 22 Spot 25 sx class C cmt @ 4586-4321'.

Perfs @ 4636-4774 2 7/8" tbg set @ 6979

32.7231522 -103.2917786

5 1/2 20# CSG @ 8,000

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 162229

COMMENTS

Operator:	OGRID:
MACK ENERGY CORP	13837
P.O. Box 960	Action Number:
Artesia, NM 882110960	162229
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	2/9/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 162229

CONDITIONS

Operator:	OGRID:
MACK ENERGY CORP	13837
P.O. Box 960	Action Number:
Artesia, NM 882110960	162229
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortne	r Need C103Q and marker photo to release	2/9/2023