Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 17

Well Name: EAGLE 35 D FEDERAL Well Location: T17S / R27E / SEC 35 / County or Parish/State: EDDY /

NWNW /

Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC067849 Unit or CA Name: Unit or CA Number:

US Well Number: 300153326700S1 Well Status: Abandoned Operator: REDWOOD

OPERATING LLC

Accepted for record – NMOCD gc 2/10/2023

Subsequent Report

Sundry ID: 2714226

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/06/2023 Time Sundry Submitted: 11:53

Date Operation Actually Began: 01/25/2023

Actual Procedure: 01/25/23 MIRU plugging equipment. POH w rods & pump. Dug out cellar. ND well head, NU BOP. Pumpe'd Brine H20 to kill well. POH w/ tbg. 01/26/23 Bled well to pit & killed well. Stripped rods & tbg out of hole. Set 5 1/2 CIBP @ 2918'. Spotted 25 sx class C cmt @ 2918-2671'. WOC. 01/27/23 Tagged CIBP @ 2918'. Re-spotted 25 sx class C cmt w/ 2% CACL @ 2918-2671'. WOC. Tagged CIBP @ 2918'. POH & killed well. 02/01/23 RU wireline. Did 3 dump bailer runs @ 2918'. WOC. 02/03/23 Tagged plug @ 2855'. Set 5 1/2 CIBP @ 1892'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 1892-1645'. ND BOP, Spotted 54 sx class C cmt @ 375' to surface. Rigged down & moved off. 02/03/23 Moved in backhoe and welder. Cut off well head & anchors. Roberta Thompson w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

Actual Procedure

Eagle_35_D_Fed_17___Subsequent_Report_20230206115148.pdf

Eagle_35_D_Fed_17___Plugged_WBD_20230206115148.pdf

Eagle_35_D_Fed_17___Current_WBD_20230206115148.pdf

eceived by OCD: 2/10/2023 9:49:16 AM Well Name: EAGLE 35 D FEDERAL

Well Location: T17S / R27E / SEC 35 /

NWNW /

County or Parish/State: EDD 1/2

NM

Well Number: 17

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC067849

Unit or CA Name:

Unit or CA Number:

US Well Number: 300153326700S1

700S1 Well Status: Abandoned

Operator: REDWOOD OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DELILAH FLORES Signed on: FEB 06, 2023 11:52 AM

Name: REDWOOD OPERATING LLC

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

Disposition: Accepted **Disposition Date:** 02/09/2023

Signature: James A. Amos

Page 2 of 2

Redwood O	perating, LLC	PLUGGED	
Author:	Abby @ BCM		
Well Name	Eagle 35 D Federal	Well No.	#17
Field/Pool	Red Lake; Qn-GRBG- SA-GL-Yeso	API#:	30-015-33267
County	Eddy	Location:	Sec 35, T17S, R27E
State	New Mexico	_	430' FNL & 940' FWL
Spud Date	7/13/2004	GL:	3542
		_	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	314	12 1/4	200	0
Prod Csg	5 1/2	J55	15.5#	3,536	7 7/8	870	0

Formation	Тор
7 Rivers	337
Queen	855
Grbg	1300
San Andres	1600
Glorieta	2963
Yeso	3042

8 5/8 24#	CSG @	314
Hole Siz	ze: 12 1/4	

3. Spotted 54 sx class C cmt @ 375' to surface.

2. Set 5 1/2 CIBP @ 1892'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 1892-1645'.

Perfs @ 1942-2540

1. Set 5 1/2 CIBP @ 2918'. Spotted 25 sx class C cmt @ 2918-2671'. WOC. Tagged CIBP @ 2918'. Re-spotted 25 sx class C cmt w/ 2% CACL @ 2918-2671'. WOC. Tagged CIBP @ 2918'. Did 3 dump bailer runs @ 2918'. WOC & Tagged plug @ 2855'.

Perfs @ 2968-3403

5 1/2 15.5# CSG @ 3,536 Hole Size: 7 7/8

TDPB @

TD @

3480

3536

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 184937

CONDITIONS

Operator:	OGRID:		
Redwood Operating LLC	330211		
PO Box 1370	Action Number:		
Artesia, NM 88210	184937		
	Action Type:		
	[C-103] Sub. Plugging (C-103P)		

CONDITIONS

Created By		Condition Date
gcordero	None	2/10/2023