

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 11/29/2022
⁴ API Number 30 - 015-47559	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 321601	⁸ Property Name: SALT FLAT CC 20-29 FEDERAL COM	⁹ Well Number: 1H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	17	24S	29E		435	SOUTH	1730	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 188' FNL 1856' FWL LTP- 252' FSL 1874' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	29	24S	29E		44	SOUTH	1873	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 09/06/22	²² Ready Date 11/29/2022	²³ TD 18390'M 7702'V	²⁴ PBTD 18349'M 7701'V	²⁵ Perforations 7957-18182'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		550'	675
9-7/8"		7-5/8"		6973'	1876
6-3/4"		5-1/2"		18370'	1075

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 11/29/2022 Phone: 432-685-5036

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 02/16/2023

Run CBL and submit to OCD Permitting/ Well Logs
RT Expires 02/27/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (505) 334-6170
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47559	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 321601	Property Name SALT FLAT CC 20_29 FEDERAL COM	
⁶ Well Number 1H	⁹ Elevation 2936'	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	17	24S	29E		435	SOUTH	1730	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	29	24S	29E		44	SOUTH	1873	WEST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code		¹⁵ Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 639758.16' / Y: 432447.86' B - X: 639747.35' / Y: 435100.22' C - X: 639753.31' / Y: 437757.55' D - X: 639762.78' / Y: 440410.38' E - X: 642408.42' / Y: 440401.10' F - X: 642395.70' / Y: 435091.26' G - X: 642418.52' / Y: 429773.20' H - X: 639780.66' / Y: 429780.41'		CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 598574.08' / Y: 432389.23' B - X: 598563.34' / Y: 435041.53' C - X: 598569.36' / Y: 437698.81' D - X: 598578.90' / Y: 440351.58' E - X: 601224.48' / Y: 440342.27' F - X: 601211.64' / Y: 435032.54' G - X: 601234.33' / Y: 429714.58' H - X: 598596.52' / Y: 429721.83'		SECTION 10 SECTION 15
SURFACE HOLE LOCATION 435' FSL 1730' FWL, SECTION 17 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641486.26' / Y: 440838.92' LAT: 32.21152832N / LON: 104.00951550W NAD 27, SPCS NM EAST X: 600302.35' / Y: 440780.09' LAT: 32.21140561N / LON: 104.00902627W		KICK OFF POINT 402' FSL 1693' FWL, SECTION 17 6998' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641452.76' / Y: 440806.41' LAT: 32.21143923N / LON: 104.00962413W NAD 27, SPCS NM EAST X: 600028.65' / Y: 440747.59' LAT: 32.21131652N / LON: 104.00913490W		SECTION 21 SECTION 22
FIRST TAKE POINT 188' FSL 1856' FWL, SECTION 20 7957' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641618.12' / Y: 440216.20' LAT: 32.20981546N / LON: 104.00909524W NAD 27, SPCS NM EAST X: 600434.19' / Y: 440157.39' LAT: 32.20969273N / LON: 104.00860608W		LAST TAKE POINT 252' FSL 1874' FWL, SECTION 29 18182' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641652.26' / Y: 430027.24' LAT: 32.18180699N / LON: 104.00908418W NAD 27, SPCS NM EAST X: 600468.09' / Y: 429968.63' LAT: 32.18168392N / LON: 104.00859597W		SECTION 29 SECTION 30 SECTION 31 SECTION 32 SECTION 33
BOTTOM HOLE LOCATION 44' FSL 1873' FWL, SECTION 29 18390' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641653.04' / Y: 429819.25' LAT: 32.18123524N / LON: 104.00908368W NAD 27, SPCS NM EAST X: 600468.87' / Y: 429760.64' LAT: 32.18111216N / LON: 104.00859549W		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>[Signature]</i> Date: 11/28/22 JANA MENDIOLA Printed Name janalyn_mendiola@oxy.com E-mail Address		
18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. NOVEMBER 23, 2022 Date of Survey Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number LLOYD P. SHORT 21653		SECTION 7 SECTION 18 SECTION 13 SECTION 18 SECTION 17 SECTION 19 SECTION 20 SECTION 21 SECTION 22 SECTION 23 SECTION 24 SECTION 25 SECTION 26 SECTION 27 SECTION 28 SECTION 29 SECTION 30 SECTION 31 SECTION 32 SECTION 33		

Distances/areas relative to NAD 83 Combined Scale Factor: 0.997801707 Convergence Angle: 00°10'21.400000"




OXY



Borehole:	Well:	Field:	Structure:
Salt Flat CC 20_29 Federal Com 1H	Salt Flat CC 20_29 Federal Com 1H	NM Eddy County (NAD 83)	Oxy Salt Flat CC 20_29 Federal Com Pad (Patterson 882)

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	IFR1	Dip:	59.898°	Date:	25-Sep-2022	Lat:	N 32 12 41.50	Northing:	440838.92RUS	Grid Conv:	0.1726°
MagDec:	6.73°	FS:	47545.5nT	Gravity FS:	998.468mgn (9.80665 Based)	Lon:	W 104 0 34.26	Easting:	641486.26RUS	Scale Fact:	0.9992058
								Salt Flat CC			
								TVD Ref:			
								RKB(2961.1ft above MSL)			
								Oxy Salt Flat CC 20_29 Federal Com 1H Gyro+MWD 0' to 18390MD			

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
First Gyro Survey	94.29	0.42	65.03	94.29	-0.10	0.11	0.23	0.61
Last Gyro Survey	535.95	0.42	101.14	535.93	-1.12	1.18	3.68	0.25
First SLB Survey	665.00	0.19	218.40	664.98	-0.86	0.92	4.01	0.41
Actual KOP	6998.00	4.43	147.64	6995.56	32.01	-32.51	-33.50	10.73
1st Bone Spring Sandstone	7626.23	51.07	161.01	7511.10	334.32	-332.81	104.37	7.95
100' FNL Crossing	7861.00	68.24	179.42	7629.23	533.66	-531.76	131.49	6.51
Exit Target Box	10987.00	86.66	163.55	7712.62	3631.21	-3628.66	198.61	1.34
Enter Target Box	11612.00	91.52	185.78	7719.17	4249.49	-4246.98	200.60	0.18
100' FSL Crossing	18331.00	89.23	179.65	7701.21	10961.94	-10960.68	166.42	0.39
Final MWD Survey	18351.00	89.15	179.65	7701.49	10981.94	-10980.67	166.55	0.39
Proj to TD	18390.00	89.15	179.65	7702.07	11020.93	-11019.67	166.78	0.00



Schlumberger



Oxy Salt Flat CC 20_29 Federal Com 1H Gyro+MWD 0' to 18390'MD Survey Geodetic Report (Def Survey)

Report Date: October 10, 2022 - 02:10 PM Client: OXY Field: NM Eddy County (NAD 83) Structure / Slot: Oxy Salt Flat CC 20_29 Federal Com Pad (Patterson 882) / Salt Flat CC 20_29 Federal Com 1H Well: Salt Flat CC 20_29 Federal Com 1H Borehole: Salt Flat CC 20_29 Federal Com 1H UWI / API#: Unknown / Unknown Survey Name: Oxy Salt Flat CC 20_29 Federal Com 1H Gyro+MWD 0' to 18390'MD Survey Date: August 26, 2022 Tort / AHD / DDI / ERD Ratio: 373.066' / 11129.672 ft / 6.995' / 1.440 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 12' 41.50193", W 104° 0' 34.25580" Location Grid N/E Y/X: N 440838.920 ftUS, E 641486.260 ftUS CRS Grid Convergence Angle: 0.1726 ° Grid Scale Factor: 0.99992058 Version / Patch: 2.10.829.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 179.149 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 2961.100 ft above MSL Seabed / Ground Elevation: 2936.100 ft above MSL Magnetic Declination: 6.730 ° Total Gravity Field Strength: 998.4679mgm (9.80665 Bases) Gravity Model: GARM Total Magnetic Field Strength: 47545.500 nT Magnetic Dip Angle: 59.898 ° Declination Date: September 25, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.1700 ° Total Corr Mag North->Grid North: 6.5600 ° Local Coord Referenced To: Well Head	
--	---	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	440838.92	641486.26	N 32 12 41.50	W 104 0 34.26
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	440838.92	641486.26	N 32 12 41.50	W 104 0 34.26
First Gyro Survey	94.29	0.42	65.03	94.29	-0.10	0.11	0.23	0.61	0.25	65.03	440839.03	641486.49	N 32 12 41.50	W 104 0 34.25
	176.39	0.56	55.50	176.39	-0.45	0.46	0.83	0.20	0.95	61.03	440839.38	641487.09	N 32 12 41.51	W 104 0 34.25
	264.39	0.43	75.00	264.38	-0.77	0.79	1.51	0.24	1.70	62.32	440839.71	641487.77	N 32 12 41.51	W 104 0 34.24
	358.74	0.46	74.13	358.73	-0.95	0.99	2.21	0.03	2.42	65.99	440839.91	641488.47	N 32 12 41.51	W 104 0 34.23
	453.04	0.53	79.51	453.03	-1.12	1.17	3.01	0.09	3.23	68.76	440840.09	641489.27	N 32 12 41.51	W 104 0 34.22
Last Gyro Survey	535.95	0.42	101.14	535.93	-1.12	1.18	3.68	0.25	3.87	72.23	440840.10	641489.94	N 32 12 41.51	W 104 0 34.21
First SLB Survey	665.00	0.19	218.40	664.98	-0.86	0.92	4.01	0.41	4.12	77.08	440839.84	641490.27	N 32 12 41.51	W 104 0 34.21
	756.00	0.20	177.00	755.98	-0.59	0.64	3.93	0.15	3.98	80.69	440839.56	641490.19	N 32 12 41.51	W 104 0 34.21
	916.00	0.09	61.27	915.98	-0.37	0.43	4.05	0.16	4.07	84.01	440839.34	641490.31	N 32 12 41.51	W 104 0 34.21
	1007.00	0.43	28.84	1006.98	-0.70	0.76	4.28	0.39	4.35	79.94	440839.68	641490.54	N 32 12 41.51	W 104 0 34.21
	1098.00	0.32	290.40	1097.98	-1.08	1.15	4.21	0.63	4.36	74.75	440840.07	641490.47	N 32 12 41.51	W 104 0 34.21
	1189.00	1.18	255.94	1188.97	-0.96	1.01	3.06	1.03	3.22	71.77	440839.93	641489.32	N 32 12 41.51	W 104 0 34.22
	1280.00	0.74	23.81	1279.96	-1.28	1.32	2.39	1.91	2.73	61.10	440840.24	641488.65	N 32 12 41.51	W 104 0 34.23
	1371.00	0.72	75.36	1370.96	-1.95	2.00	3.18	0.70	3.75	57.82	440840.92	641489.44	N 32 12 41.52	W 104 0 34.22
	1461.00	0.66	116.48	1460.95	-1.85	1.91	4.19	0.54	4.60	65.47	440840.83	641490.45	N 32 12 41.52	W 104 0 34.21
	1553.00	0.76	168.45	1552.95	-1.01	1.08	4.79	0.68	4.90	77.31	440840.00	641491.04	N 32 12 41.51	W 104 0 34.20
	1645.00	0.54	193.72	1644.94	0.01	0.06	4.80	0.39	4.80	89.30	440838.98	641491.06	N 32 12 41.51	W 104 0 34.20
	1744.00	0.53	180.01	1743.94	0.92	-0.85	4.69	0.13	4.77	100.30	440838.07	641490.95	N 32 12 41.49	W 104 0 34.20
	1839.00	0.57	147.84	1838.93	1.77	-1.69	4.95	0.32	5.23	108.89	440837.23	641491.20	N 32 12 41.49	W 104 0 34.20
	1934.00	0.45	178.30	1933.93	2.54	-2.47	5.21	0.31	5.76	115.33	440836.45	641491.47	N 32 12 41.48	W 104 0 34.20
	2029.00	0.58	151.19	2028.92	3.34	-3.26	5.45	0.29	6.35	120.88	440835.66	641491.71	N 32 12 41.47	W 104 0 34.19
	2124.00	0.08	91.76	2123.92	3.77	-3.68	5.75	0.57	6.83	122.64	440835.24	641492.01	N 32 12 41.47	W 104 0 34.19
	2219.00	0.16	344.34	2218.92	3.64	-3.56	5.78	0.21	6.79	121.61	440835.36	641492.04	N 32 12 41.47	W 104 0 34.19
	2314.00	0.15	252.05	2313.92	3.55	-3.47	5.62	0.24	6.61	121.65	440835.45	641491.88	N 32 12 41.47	W 104 0 34.19
	2409.00	0.12	173.60	2408.92	3.69	-3.60	5.52	0.18	6.59	123.16	440835.32	641491.78	N 32 12 41.47	W 104 0 34.19
	2504.00	0.21	106.18	2503.92	3.84	-3.75	5.70	0.21	6.82	123.37	440835.17	641491.96	N 32 12 41.46	W 104 0 34.19
	2599.00	0.12	3.46	2598.92	3.79	-3.70	5.87	0.28	6.94	122.24	440835.22	641492.13	N 32 12 41.47	W 104 0 34.19
	2694.00	0.49	253.76	2693.92	3.80	-3.72	5.49	0.57	6.63	124.11	440835.20	641491.74	N 32 12 41.47	W 104 0 34.19
	2789.00	2.55	250.53	2788.88	4.58	-4.53	3.10	2.17	5.49	145.62	440834.39	641489.36	N 32 12 41.46	W 104 0 34.22
	2884.00	4.29	245.77	2883.71	6.66	-6.70	-2.13	1.85	7.03	197.65	440832.22	641484.13	N 32 12 41.44	W 104 0 34.28
	2978.00	6.49	244.92	2977.29	10.24	-10.39	-10.15	2.34	14.53	224.32	440828.53	641476.11	N 32 12 41.40	W 104 0 34.37
	3073.00	8.32	242.95	3071.49	15.48	-15.79	-15.13	1.94	26.38	233.23	440823.13	641465.13	N 32 12 41.35	W 104 0 34.50
	3168.00	5.40	222.44	3165.82	21.77	-22.22	-20.28	3.97	37.56	233.72	440816.70	641455.99	N 32 12 41.28	W 104 0 34.61
	3262.00	1.82	169.69	3259.63	26.46	-26.96	-32.99	4.82	42.61	230.75	440811.97	641453.27	N 32 12 41.24	W 104 0 34.64
	3357.00	0.42	234.81	3354.61	28.15	-28.64	-33.01	1.78	43.70	229.05	440810.28	641453.25	N 32 12 41.22	W 104 0 34.64
	3452.00	0.42	198.64	3449.61	28.67	-29.17	-33.41	0.27	44.35	228.87	440809.75	641452.86	N 32 12 41.21	W 104 0 34.65
	3546.00	0.24	113.71	3543.61	29.08	-29.58	-33.34	0.49	44.56	228.42	440809.34	641452.93	N 32 12 41.21	W 104 0 34.64
	3641.00	0.34	63.44	3638.61	29.34	-29.53	-32.90	0.28	44.21	228.09	440809.39	641453.36	N 32 12 41.21	W 104 0 34.64
	3735.00	0.30	343.05	3732.61	29.68	-29.17	-32.72	0.44	43.84	228.28	440809.75	641453.54	N 32 12 41.21	W 104 0 34.64
	3830.00	0.33	273.47	3827.61	28.42	-28.92	-33.07	0.38	43.93	228.83	440810.01	641453.19	N 32 12 41.22	W 104 0 34.64
	3925.00	0.28	205.08	3922.61	28.61	-29.11	-33.44	0.36	44.34	228.96	440809.81	641452.82	N 32 12 41.21	W 104 0 34.65
	4019.00	0.24	298.42	4016.61	28.72	-29.22	-33.71	0.40	44.61	229.08	440809.70	641452.55	N 32 12 41.21	W 104 0 34.65
	4114.00	0.16	144.14	4111.60	28.73	-29.24	-33.81	0.41	44.70	229.15	440809.68	641452.45	N 32 12 41.21	W 104 0 34.65
	4209.00	0.15	69.76	4206.60	28.80	-29.30	-33.61	0.20	44.59	228.92	440809.62	641452.65	N 32 12 41.21	W 104 0 34.65
	4304.00	0.07	28.46	4301.60	28.71	-29.21	-33.47	0.11	44.42	228.89	440809.71	641452.79	N 32 12 41.21	W 104 0 34.65
	4398.00	0.17	170.63	4395.60	28.80	-29.29	-33.42	0.24	44.44	228.76	440809.63	641452.84	N 32 12 41.21	W 104 0 34.65
	4493.00	0.06	23.96	4490.60	28.89	-29.38	-33.38	0.23	44.47	228.64	440809.53	641452.89	N 32 12 41.21	W 104 0 34.65
	4588.00	0.07	133.43	4585.60	28.88	-29.38	-33.31	0.11	44.42	228.59	440809.54	641452.95	N 32 12 41.21	W 104 0 34.64
	4682.00	0.17	257.76	4679.60	28.95	-29.45	-33.41	0.23	44.54	228.60	440809.47	641452.85	N 32 12 41.21	W 104 0 34.65
	4777.00	0.10	168.46	4774.60	29.06	-29.56	-33.53	0.21	44.70	228.60	440809.38	641452.73	N 32 12 41.21	W 104 0 34.65
	4872.00	0.09	342.34	4869.60	29.07	-29.57	-33.54	0.20	44.71	228.59	440809.35	641452.73	N 32 12 41.21	W 104 0 34.65
	4966.00	0.17	184.58	4963.60	29.14	-29.64	-33.57	0.27	44.78	228.55	440809.26	641452.69	N 32 12 41.21	W 104 0 34.65
	5061.00	0.12	213.80	5058.60	29.36	-29.87	-33.64	0.09	44.98	228.40	440809.06	641452.63	N 32 12 41.21	W 104 0 34.65
	5155.00	0.11	159.94	5152.60	29.53	-30.03	-33.66	0.11	45.11	228.26	440808.89	641452.60	N 32 12 41.21	W 104 0 34.65
	5250.00	0.21	147.19	5247.60	29.76	-30.26	-33.53	0.11	45.17	227.93	440808.66	641452.73	N 32 12 41.20	W 104 0 34.65
	5345.00	0.10	87.01	5342.60	29.91	-30.41	-33.36	0.19	45.13	227.65	440808.52	641452.91	N 32 12 41.20	W 104 0 34.65
	5439.00	0.12	56.38	5436.60	29.85	-30.35	-33.39	0.07	44.97	227.56	440808.58	641453.07	N 32 12 41.20	W 104 0 34.64
	5534.00	0.11	313.19	5531.60	29.73	-30.23	-33.18	0.19	44.88	227.66	440808.69	641453.09	N 32 12 41.20	W 104 0 34.64
	5629.00	0.04	140.89	5626.60	29.70	-30.19	-33.22	0.16	44.89	227.73	440808.73	641453.04	N 32 12 41.20	W 104 0 34.64
	5724.00	0.06	8.47	5721.60	29.67	-30.17	-33.19	0.10	44.86	227.73	440808.75	641453.07	N 32 12 41.20	W 104 0 34.64
	5818.00	0.06	233.29	5815.60	29.65	-30.15	-33.23	0.12	44.87	227.78	440808.77	641453.04	N 32 12 41.20	W 104 0 34.64
	5913.00	0.11	155.37	5910.60	29.77	-30.26	-33.23	0.12	44.94	227.67	440808.66	641453.03	N 32 12 41.20	W 104 0 34.64
	6008.00	0.15	179.36	6005.60	29.97	-30.47	-33.19	0.07	45.05	227.45	440808.45	641453.07	N 32 12 41.20	W 104 0 34.64

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	9145.00	88.68	188.65	7702.82	1799.43	-1797.47	145.49	4.70	1803.35	175.37	439041.80	641631.74	N 32 12 23.71	W 104 0 32.83
	9240.00	90.13	189.15	7703.61	1893.54	-1891.76	134.09	4.00	1896.51	175.95	438947.31	641620.34	N 32 12 22.78	W 104 0 32.76
	9335.00	89.74	182.12	7703.72	1988.24	-1986.56	128.08	3.21	1990.68	176.31	438852.52	641614.33	N 32 12 21.84	W 104 0 32.83
	9430.00	90.27	179.73	7703.71	2083.19	-2081.54	126.55	2.58	2085.38	176.52	438757.55	641612.79	N 32 12 20.90	W 104 0 32.86
	9525.00	90.24	179.90	7703.28	2178.18	-2176.54	126.85	0.18	2180.23	176.66	438662.56	641613.10	N 32 12 19.96	W 104 0 32.86
	9619.00	90.34	179.66	7702.81	2272.17	-2270.54	127.21	0.28	2274.10	176.79	438568.57	641613.46	N 32 12 19.03	W 104 0 32.85
	9714.00	89.74	180.62	7702.74	2367.16	-2365.53	126.98	1.19	2369.94	176.93	438473.58	641613.23	N 32 12 18.09	W 104 0 32.86
	9809.00	90.33	183.25	7702.68	2462.04	-2460.47	123.77	2.84	2463.58	177.12	438378.65	641610.02	N 32 12 17.15	W 104 0 32.90
	9903.00	90.42	181.40	7702.07	2555.89	-2554.39	119.96	1.97	2557.20	177.31	438284.74	641606.21	N 32 12 16.22	W 104 0 32.95
	9998.00	90.06	179.03	7701.67	2650.86	-2649.38	119.60	2.52	2652.08	177.42	438189.76	641605.85	N 32 12 15.28	W 104 0 32.96
	10093.00	89.09	176.93	7702.38	2745.83	-2744.31	122.95	2.43	2747.06	177.43	438094.83	641609.20	N 32 12 14.34	W 104 0 32.92
	10186.00	91.34	181.33	7702.03	2838.81	-2837.27	124.36	5.31	2840.00	177.49	438001.88	641610.61	N 32 12 13.42	W 104 0 32.91
	10281.00	91.11	183.94	7700.00	2933.60	-2932.14	120.00	2.76	2934.59	177.66	437907.02	641606.25	N 32 12 12.48	W 104 0 32.96
	10312.00	90.06	180.91	7699.68	2964.54	-2963.11	118.69	10.34	2965.48	177.71	437876.05	641604.94	N 32 12 12.18	W 104 0 32.98
	10407.00	90.23	181.66	7699.44	3059.48	-3058.08	116.56	0.81	3060.30	177.82	437781.09	641602.81	N 32 12 11.24	W 104 0 33.01
	10501.00	89.52	179.43	7699.64	3153.44	-3152.07	115.66	2.49	3154.19	177.90	437687.11	641601.91	N 32 12 10.31	W 104 0 33.02
	10596.00	89.18	177.24	7700.72	3248.42	-3247.02	118.42	2.33	3249.18	177.91	437592.16	641604.67	N 32 12 9.37	W 104 0 32.99
	10691.00	89.13	170.25	7702.12	3342.93	-3341.38	128.76	7.36	3343.86	177.79	437497.81	641615.01	N 32 12 8.43	W 104 0 32.87
	10786.00	88.17	166.81	7704.36	3436.26	-3434.45	147.65	7.76	3437.62	177.54	437404.75	641633.89	N 32 12 7.51	W 104 0 32.86
	10880.00	87.92	165.62	7707.57	3527.82	-3525.68	170.03	1.29	3529.78	177.51	437313.52	641656.28	N 32 12 6.61	W 104 0 32.40
Exit Target Box	10975.00	86.81	163.59	7711.94	3619.67	-3617.17	195.22	2.43	3622.44	176.91	437222.04	641681.47	N 32 12 5.70	W 104 0 32.11
	10987.00	86.66	163.55	7712.62	3631.21	-3628.66	198.61	1.34	3634.10	176.87	437210.55	641684.85	N 32 12 5.59	W 104 0 32.07
	11006.00	86.41	163.48	7713.77	3649.48	-3646.85	203.99	1.34	3652.55	176.80	437192.37	641690.24	N 32 12 5.41	W 104 0 32.01
	11060.00	88.03	165.64	7716.39	3701.67	-3698.83	218.35	5.00	3705.27	176.62	437140.39	641704.59	N 32 12 4.89	W 104 0 31.84
	11155.00	86.60	174.72	7721.88	3795.26	-3792.19	234.52	9.88	3799.44	176.46	437047.04	641720.76	N 32 12 3.97	W 104 0 31.86
	11249.00	86.36	182.51	7726.64	3889.04	-3885.95	236.78	6.78	3893.16	176.51	436953.28	641723.02	N 32 12 3.04	W 104 0 31.84
	11344.00	91.81	186.63	7726.50	3980.58	-3980.61	229.21	5.66	3987.21	176.70	436858.63	641715.45	N 32 12 2.11	W 104 0 31.73
	11439.00	91.45	186.24	7723.80	4077.77	-4074.98	218.57	0.56	4080.84	176.93	436764.27	641704.81	N 32 12 1.17	W 104 0 31.86
	11534.00	91.58	185.90	7721.28	4172.05	-4169.41	208.53	0.38	4174.62	177.14	436669.85	641694.77	N 32 12 0.24	W 104 0 31.98
	11612.00	91.52	185.78	7719.17	4249.49	-4246.98	200.60	0.18	4251.71	177.30	436592.29	641686.84	N 32 11 59.47	W 104 0 32.07
	11628.00	91.51	185.75	7718.75	4265.38	-4262.89	198.99	0.18	4267.53	177.33	436576.37	641685.23	N 32 11 59.31	W 104 0 32.09
	11723.00	91.08	184.44	7716.60	4359.94	-4357.49	190.56	1.45	4361.66	177.59	436461.78	641676.80	N 32 11 58.38	W 104 0 32.14
Enter Target Box	11817.00	91.93	183.81	7714.13	4453.45	-4451.21	183.80	1.13	4455.01	177.64	436368.07	641670.04	N 32 11 57.45	W 104 0 32.27
	11912.00	91.87	182.61	7710.98	4548.16	-4546.01	178.48	1.26	4549.51	177.75	436293.28	641664.72	N 32 11 56.51	W 104 0 32.34
	12007.00	92.01	182.25	7707.77	4642.95	-4640.87	174.45	0.41	4644.15	177.85	436198.43	641660.70	N 32 11 55.57	W 104 0 32.39
	12101.00	91.62	181.54	7704.79	4736.79	-4734.77	171.35	0.86	4737.87	177.93	436104.53	641657.59	N 32 11 54.65	W 104 0 32.43
	12196.00	90.53	181.00	7703.01	4831.71	-4829.73	169.24	1.28	4832.69	177.99	436009.88	641655.49	N 32 11 53.71	W 104 0 32.46
	12291.00	90.87	180.57	7701.85	4926.66	-4924.71	167.94	0.58	4927.58	178.05	435914.61	641654.19	N 32 11 52.77	W 104 0 32.47
	12386.00	90.77	179.75	7700.49	5021.64	-5019.70	167.58	0.87	5022.58	178.31	435819.63	641653.92	N 32 11 51.83	W 104 0 32.48
	12480.00	90.43	179.97	7699.11	5115.62	-5113.69	167.91	0.28	5116.45	178.12	435725.64	641654.15	N 32 11 50.90	W 104 0 32.48
	12575.00	90.91	180.47	7698.00	5210.60	-5208.68	167.54	0.73	5211.38	178.16	435630.66	641653.79	N 32 11 49.96	W 104 0 32.49
	12670.00	89.95	181.08	7697.68	5305.56	-5303.67	166.26	0.82	5306.28	178.20	435535.68	641652.50	N 32 11 49.02	W 104 0 32.51
	12765.00	90.22	180.66	7697.54	5400.52	-5398.66	164.81	0.53	5401.18	178.25	435440.70	641651.06	N 32 11 48.08	W 104 0 32.53
	12859.00	90.31	180.99	7697.11	5494.49	-5492.66	164.12	0.51	5495.11	178.29	435346.71	641650.36	N 32 11 47.15	W 104 0 32.54
	12954.00	89.42	179.97	7697.33	5589.45	-5587.45	164.63	1.41	5590.38	178.43	435251.72	641650.88	N 32 11 46.21	W 104 0 32.51
	13049.00	89.86	178.07	7697.93	5684.48	-5682.62	166.90	1.27	5685.07	178.32	435156.76	641653.15	N 32 11 45.27	W 104 0 32.51
	13144.00	89.67	178.48	7698.32	5779.46	-5777.58	169.76	0.48	5780.07	178.32	435061.81	641656.01	N 32 11 44.33	W 104 0 32.48
	13238.00	89.68	179.92	7698.85	5873.46	-5871.57	171.07	1.53	5874.06	178.33	434967.83	641657.32	N 32 11 43.40	W 104 0 32.47
	13333.00	90.35	179.91	7698.83	5968.45	-5966.57	171.21	0.71	5969.02	178.36	434872.84	641657.46	N 32 11 42.46	W 104 0 32.47
	13428.00	89.56	180.71	7698.90	6063.43	-6061.56	170.70	1.18	6063.97	178.39	434777.85	641656.95	N 32 11 41.52	W 104 0 32.48
	13523.00	89.67	180.97	7699.37	6158.45	-6156.54	168.58	1.19	6158.94	178.43	434682.88	641656.32	N 32 11 40.58	W 104 0 32.51
	13618.00	89.98	183.29	7699.50	6253.19	-6251.44	164.32	1.52	6253.60	178.49	434587.99	641650.56	N 32 11 39.64	W 104 0 32.56
	13713.00	91.14	183.18	7698.57	6347.94	-6346.28	158.96	1.23	6348.27	178.57	434493.16	641645.20	N 32 11 38.70	W 104 0 32.63
	13807.00	91.31	183.02	7696.56	6441.70	-6440.12	153.88	0.25	6441.96	178.63	434399.32	641640.12	N 32 11 37.77	W 104 0 32.69
	13902.00	90.23	184.67	7695.28	6536.36	-6534.89	147.51	2.08	6536.56	178.71	434304.56	641633.75	N 32 11 36.83	W 104 0 32.77
	13997.00	89.59	182.88	7695.43	6631.05	-6629.68	141.25	2.00	6631.19	178.78	434209.78	641627.50	N 32 11 35.90	W 104 0 32.84
	14091.00	90.17	179.65	7695.53	6724.83	-6723.55	136.18	0.76	6724.93	178.87	434115.92	641622.43	N 32 11 34.97	W 104 0 32.91
	14186.00	90.23	184.17	7695.30	6819.52	-6818.34	130.00	0.92	6819.58	178.91	434021.13	641616.24	N 32 11 34.03	W 104 0 32.98
	14280.00	89.56	183.16	7695.47										

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 162342

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 162342
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 162342

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 162342
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	Run CBL and submit to OCD Permitting/ Well Logs file to demonstrate TOC.	2/16/2023
smcgrath	RT Expires 02/27/2023	2/16/2023