

<b>Well Name:</b> RADIUS CC 6-7 FEDERAL COM	<b>Well Location:</b> T24S / R29E / SEC 6 / LOT 4 / 32.2538199 / -104.0281907	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 51H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM13996	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001546825	<b>Well Status:</b> Drilling Well	<b>Operator:</b> OXY USA INCORPORATED

**Subsequent Report**

**Sundry ID:** 2709671

**Type of Submission:** Subsequent Report

**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 01/05/2023

**Time Sundry Submitted:** 12:40

**Date Operation Actually Began:** 10/19/2022

**Actual Procedure:** 10/19/22 RU BOP, test @ 250# low 5000# high, test 13-3/8" casing to 1500# for 30 min, good test. RIH & drill new formation to 477', perform FIT test to EMW=19.5ppg, 245psi, good test. 10/19/22 drill 12-1/4" hole to 10118', 10/23/22. RIH & set 9-5/8" 40# HCL-80 BTC csg @ 10098', pump 80bbl spacer then lead cmt w/ 614sx (291bbl) Class H w/ additives 12ppg 2.66 yield, followed by tail cmt w/ 1170sx (283bbl) Class H w/ additives 13.2ppg 1.36 yield, WOC. Bradenhead squeeze 2nd stage lead cmt w/ 1070sx (326bbl) Class C w/ additives 13.3ppg 1.71 yield, followed by tail cmt w/ 323sx (109bbl) Class C w/ additives 13.3ppg 1.9 yield, cmt @ surf, WOC. 10/28/22 Test 9-5/8" casing to 3900psi for 30 min, good test. RIH and drill new formation to 10128', perform FIT to EMW 15ppg, good test. 10/29/22 Drill 8-3/4" pilot hole from 10118' to 11916', POOH. 11/2/22-11/3/22 RUWL RIH w/ logging & coring tools. 11/4/22-11/10/22 continue drilling 8-3/4" pilot hole from 11916' to 14207', POOH. 11/11/22-11/15/22 RUWL RIH w/ logging & coring tools, POOH w/ tools and circ hole clean. 11/16/22 RU cmt lines and pump 1st plug w/ RIH to 14207' pump 35bbls 14.2ppg mudpush then pump 1st plug with 56bbls 15.6ppg cement. POOH to 12826', pump 35bbls 14.2ppg mudpush then pump 2nd plug with 56bbls 15.6ppg cement. POOH to 12826', pump 35bbls 14.2ppg mudpush then pump 3rd plug with 56bbls 15.6ppg cement. POOH to 12131', pump 35bbls 14.2ppg mudpush then pump 4th plug 56bbls 15.6ppg cement. POOH to 11456', pump 35bbls 14.2ppg mud then pump 5th plug with 56bbls 15.6ppg cement. POOH to 10769', pump 31bbls 14.2ppg mudpush then pump 6th plug with 70bbls 17.5ppg cement, WOC, TOC @ ~9900'. RD and RR 11/19/22. 12/2/22, RU BOP, test @ 250# low 10000# high, pressure test 9-5/8" casing to 3900psi for 30 min, good test. RIH & tag cmt @ 9890', drill 8-3/4" sidetrack/curve section from 9890' to 11334'. Kickoff lateral @ ~11334'. 12/05/22-12/13/22 Drill tapered 8-3/4" x 8-1/2" hole to 20760'M 10766'V (8-3/4" hole @ 9890-11548' and 8-1/2" hole @ 11548-20760'M), TD reached on 12/13/22. RIH & set tapered csg string w/ 7" 32# P110 ICY Wedge 461 @ 0-10380' and 5-1/2" 20# P110

**Well Name:** RADIUS CC 6-7 FEDERAL COM

**Well Location:** T24S / R29E / SEC 6 / LOT 4 / 32.2538199 / -104.0281907

**County or Parish/State:** EDDY / NM

**Well Number:** 51H

**Type of Well:** OIL WELL

**Allottee or Tribe Name:**

**Lease Number:** NMNM13996

**Unit or CA Name:**

**Unit or CA Number:**

**US Well Number:** 3001546825

**Well Status:** Drilling Well

**Operator:** OXY USA INCORPORATED

ICY Wedge 461 csg @ 10380-20740'. Pump 160bbl spacer then cmt w/ 2404sx (567bbl) Class H w/ additives @ 13.2ppg 1.36 yield, est. TOC @ 9098', WOC. ND BOP, RD Rel Rig 12/18/22.

**Operator**

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a*

**Operator Electronic Signature:** JANA MENDIOLA

**Signed on:** JAN 05, 2023 12:39 PM

**Name:** OXY USA INCORPORATED

**Title:** Regulatory Coordinator

**Street Address:** PO BOX 50250

**City:** Midland

**State:** TX

**Phone:** (432) 685-5936

**Email address:** Janalyn\_mendiola@oxy.com

**Field**

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

**BLM Point of Contact**

**BLM POC Name:** Jonathon W Shepard

**BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972

**BLM POC Email Address:** jshepard@blm.gov

**Disposition:** Accepted

**Disposition Date:** 01/05/2023

**Signature:** Jonathon Shepard

<b>Well Name:</b> RADIUS CC 6-7 FEDERAL COM	<b>Well Location:</b> T24S / R29E / SEC 6 / LOT 4 / 32.2538199 / -104.0281907	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 51H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM13996	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001546825	<b>Well Status:</b> Drilling Well	<b>Operator:</b> OXY USA INCORPORATED

**Subsequent Report**

**Sundry ID:** 2695649

**Type of Submission:** Subsequent Report


**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 09/29/2022

**Time Sundry Submitted:** 03:39

**Date Operation Actually Began:** 09/23/2022

**Actual Procedure:** Spud 17-1/2" hole 09/23/22, drill to 467' 09/23/22. RIH & set 13-3/8" 54.5# J-55 BTC csg @ 457', pump 30bbl dyed spacer then cmt w/ 535sx (129bbl) Class C w/ additives 14.8ppg 1.34 yield, circ 207sx (50bbl) cmt to surface, WOC. 09/23/22 RD & release rig.



**Well Name:** RADIUS CC 6-7 FEDERAL COM

**Well Location:** T24S / R29E / SEC 6 / LOT 4 / 32.2538199 / -104.0281907

**County or Parish/State:** EDDY / NM

**Well Number:** 51H

**Type of Well:** OIL WELL

**Allottee or Tribe Name:**

**Lease Number:** NMNM13996

**Unit or CA Name:**

**Unit or CA Number:**

**US Well Number:** 3001546825

**Well Status:** Drilling Well

**Operator:** OXY USA INCORPORATED

**Operator**

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a*

**Operator Electronic Signature:** JANA MENDIOLA

**Signed on:** SEP 29, 2022 03:39 PM

**Name:** OXY USA INCORPORATED

**Title:** Regulatory Coordinator

**Street Address:** PO BOX 50250

**City:** Midland

**State:** TX

**Phone:** (432) 685-5936

**Email address:** Janalyn\_mendiola@oxy.com

**Field**

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

**BLM Point of Contact**

**BLM POC Name:** Jonathon W Shepard

**BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972

**BLM POC Email Address:** jshepard@blm.gov

**Disposition:** Accepted

**Disposition Date:** 10/22/2022

**Signature:** Jonathon Shepard

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 191886

**CONDITIONS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 191886
	Action Type: [C-103] Sub. Drilling (C-103N)

**CONDITIONS**

Created By	Condition	Condition Date
smcgrath	None	3/1/2023