

Submit Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-12358
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name WEST DOLLARHIDE DEVONIAN UNIT
8. Well Number 113
9. OGRID Number 16696
10. Pool name or Wildcat DOLLARHIDE; DEVONIAN

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY USA INC. (16696)	
3. Address of Operator PO BOX 4294, HOUSTON, TX 77210	
4. Well Location Unit Letter <u>C</u> : <u>667</u> feet from the <u>NORTH</u> line and <u>1859</u> feet from the <u>WEST</u> line Section _____ Township _____ Range _____ NMPM _____ County _____	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <u>RETURN TO PRODUCTION</u> <input checked="" type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

OXY USA INC. RESPECTFULLY REQUESTS TO RETURN THE WELL TO PRODUCTION.

THE CURRENT WELLBORE, PROPOSED WELLBORE, AND PROCEDURE ARE ATTACHED.

Run PWOT BHT

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephen Janacek TITLE REGULATORY ENGINEER DATE 1/10/2023

Type or print name STEPHEN JANACEK E-mail address: STEPHEN_JANACEK@OXY.COM PHONE: 972-404-3722

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 3/1/23

Conditions of Approval (if any) 575-263-6633



West Dollarhide Unit 113

API#: 30-025-12358

667 FNL x 781 FEL x Section 4 x Township 25S x Range 38E x LEA NM

LAT: +32.16468157, LONG: -103.0667261

DRILLED & COMPLETED: 1952


CURRENT WELLBORE

TA'd Producer

17.25" hole size

12.25" hole size

8.75" hole size



Surface Casing

276'

13.375" H-40 48#

Cemented with 325 sxs

TOC at surface (circulated)

Intermediate Casing

2,899'

9.625" H-40 and J-55 32 & 36#

Cemented with 1850 sxs

TOC at 1185' (temp survey)

Production Casing

7,756'

7.000" N-80 and J-55 23 & 26#

Cemented with 650 sxs

TOC at 5478' (temp survey)

Perforated at 5375', squeezed 800 sxs

TOC at surface (circulated)

Perforations / Open Hole

7739' to 7754'

perforations

7751' to 7965'

open hole

7,690'

CIBP with 10 sxs of cement

7,942'

PBTD

7,965'

TD

Drawing not to scale

Engineer & Date: Tiffany Chiu 11/09/2022



West Dollarhide Unit 113

API#: 30-025-12358

667 FNL x 781 FEL x Section 4 x Township 25S x Range 38E x LEA NM

LAT: +32.16468157, LONG: -103.0667261

DRILLED & COMPLETED: 1952


PROPOSED WELLBORE

Active Producer

17.25" hole size

12.25" hole size

8.75" hole size



Surface Casing

276'

13.375" H-40 48#

Cemented with 325 sxs

TOC at surface (circulated)

Intermediate Casing

2,899'

9.625" H-40 and J-55 32 & 36#

Cemented with 1850 sxs

TOC at 1185' (temp survey)

Production Casing

7,756'

7.000" N-80 and J-55 23 & 26#

Cemented with 650 sxs

TOC at 5478' (temp survey)

Perforated at 5375', squeezed 800 sxs

TOC at surface (circulated)

Perforations / Open Hole

7739' to 7754'

perforations (same)

7751' to 7965'

open hole (same)

7,800'

Production rod pump

7,870'

EOT

7,942'

PBTD

7,965'

TD

Drawing not to scale

Engineer & Date: Tiffany Chiu 11/09/2022

WEST DOLLARHIDE UNIT #113
30-025-12358

RTP PROCEDURE 1/10/2023

1	RUWL, RUN CIL/CBL
2	RUSU, pressure test casing
3	NDWH, NUBOPE, PU bit, drill collars, and work string
4	Drill out CIBP, continue to clean out to PBTD
5	Circulate wellbore clean
6	RU wireline, re-perforate existing zones
7	Run packer, acidize wellbore, and scale squeeze well
8	Run production equipment
9	RDSU

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174860

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174860
	Action Type: [C-103] NOI General Sundry (C-103X)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run PWOT BHT	3/1/2023