

Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-36465
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Special Energy Corporation		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Drawer 369 Stillwater, OK 74076		7. Lease Name or Unit Agreement Name Shelley 36 State
4. Well Location Unit Letter D : 990 feet from the North line and 990 feet from the West line Section 36 Township 19S Range 37E NMPM County Lea		8. Well Number #007
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3598 GR		9. OGRID Number 138008
		10. Pool name or Wildcat [57000] SKAGGS; DRINKARD

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

NOTE : CIBP has only 25' cmt

Last Reported Production 2/1/2019

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Petroleum Engineer DATE 1/31/2023

Type or print name Clark Cunningham E-mail address: clark.cunningham@specialenergycorp.com PHONE: 405-377-1177
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 3/3/23
 Conditions of Approval (if any):

Shelley State 36-7

TA Prog

API: 30-025-36465

Directions: From the Junction of HWY 8 and HWY 42 (Monument, NM), head east on HWY 42 for 2 Miles. Turn South into lease road. Head south on lease road for .4 miles, turn left and go east for 1.25 miles. Turn left and head north for .25 miles. Drive into location.

1. Check Anchor 1 Week prior to Rig up
2. Check surface pressures and blow down well if needed. Kill well with 10# brine if needed.
3. MIRU Pulling Unit
4. Pull Rods and TBG. Be prepared to fish Rods, will need Xylene to clean up
5. RIH w/ Bit and scrapper to 6900'
6. POOH w/ bit and scrapper
7. RU Wireline
8. Set CIBP @ 6900' and cap w/ 25' CMT on top.
9. RD Wireline
10. Load hole w/ fresh water and test to 500# for 15 minutes.
11. Run 100' of kill string in the well and SI well
12. RDMO Pulling Unit
 - a. Send rods and TBG to inventory (MCD)

Cost

Pulling Unit: \$10000

Consultant: \$2500

Wireline: \$6000

MISC: \$4000

Total: \$22,500



KB - 18' above GL

8-5/8" 24# J55 STC @ 1530'; cmted w/640
sx 1 stage to surface

DV Tool @ 4023'

5-1/2" 17# N80 LTC @ 7280'; cmted
w/1260 sx 2 stages to surface

PBTD @ 7220'

TD @ 7280'

Special Energy Corp.**Shelley 36 State 7**

990' FNL & 990' FWL

API: 30-025-36465

Sec. 36, T-19-S, R-37-E, Lea Co., NM

C. Cunningham

1/19/2023

Tubing Detail

Shelley 36 State 7

KB 18

Ran: 4/20/2007


Qty	Description	Length	Depth
205	2-3/8" Tubing	6478.05	6496.05
1	2-3/8" x 5-1/2" TAC	3.00	6499.05
10	2-3/8" Tubing	315.96	6815.01
1	2-3/8" Standard SN	1.10	6816.11
1	2-3/8" Slotted SN	1.10	6817.21
1	2-7/8" x 2-3/8" Change over collar	0.00	6817.21
1	2-7/8" Slotted MJ	30.95	6848.16

Rod Detail

Ran: 4/20/2007

Qty	Description	Length	Depth
1	1-1/4" x 26' PR w/14' Liner	26.00	26.00
2	1" x 18' & 6' Pony	24.00	50.00
104	1" x 3.75' Fiberglass	3900.00	3950.00
111	7/8" Grade D Rods	2775.00	6725.00
1	7/8" x 26K Shear Tool	0.75	6725.75
1	7/8" x 25' Grade D Rod	25.00	6750.75
1	7/8" x 1' Lift Sub	1.00	6751.75
1	2" x 1-1/2" x 26' RHBC HVR	26.00	6777.75

Perfd Drinkard 6930'-6940' w/3 SFP (33 holes)



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 184014

CONDITIONS

Operator: SPECIAL ENERGY CORP P.O. Drawer 369 Stillwater, OK 74076	OGRID: 138008
	Action Number: 184014
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	3/3/2023