

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48759	⁵ Pool Name TRIPLE BONE X; BONE SPRING	⁶ Pool Code 96674
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 103H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	852	SOUTH	1461	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24S	33E	-	26	NORTH	1656	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 11/30/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 5/21/2022	²² Ready Date 11/22/2022	²³ TD 19601'	²⁴ PBTB 19537'	²⁵ Perforations 9368 ft to 19452 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1283'	1130 sks		
12.25"	9.625"	5315'	1380 sks		
8.75"/6.75"	5.5"	19586'	1540 sks		

V. Well Test Data

³¹ Date New Oil 11/30/2022	³² Gas Delivery Date 11/30/2022	³³ Test Date 12/12/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 950
³⁷ Choke Size 50/64	³⁸ Oil 1977	³⁹ Water 6783	⁴⁰ Gas 5260		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 3/10/2023		
Date: 12/15/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48759	² Pool Code 96674	³ Pool Name TRIPLE X; BONE SPRING WEST
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 103H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3549'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	852'	SOUTH	1461'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24-S	33-E	-	26'	NORTH	1656'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

10/21/2022

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

05/11/2022

Date of Survey Signature and Seal of Professional Surveyor

[Signature]
24508
PROFESSIONAL SURVEYOR
Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 103H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3549'

DESCRIPTION 852' FSL & 1461' FEL



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM
103H
PRE-COMPLETION

REVISION:

DATE: 10/13/2022

FILE: C:\PROMETHEUS_STATE_COM_103H

DRAWN BY: LS

SHEET: 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 103H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-48759

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 5266' MD – 19541' MD
Projection to Bit: 19601' MD
Dates Performed: 05/20/2022 – 07/15/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Prometheus State Com 103H**
 Job Number: **ID3438**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 376**

Target KBTVD: **9416.00**
 Target Inclination: **90.50°**
 Declination Correction: **5.98°**
 DF Elevation: **3578.0 ft**

Vertical Section Calculated Along Azimuth: **359.56°**

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	%/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
MWD	1	86	0.21	322.01	86	86.36	0.13	0.12	-0.10	0.24
MWD	2	181	0.33	279.53	94	180.56	0.31	0.31	-0.47	0.24
MWD	3	271	0.38	281.02	90	270.84	0.41	0.41	-1.02	0.06
MWD	4	356	0.29	290.99	85	355.81	0.55	0.54	-1.50	0.13
MWD	5	446	0.20	323.92	91	446.38	0.76	0.75	-1.81	0.18
MWD	6	537	0.21	357.96	91	536.96	1.05	1.04	-1.90	0.13
MWD	7	628	0.30	5.14	91	627.54	1.46	1.44	-1.89	0.11
MWD	8	718	0.41	2.55	91	718.12	2.02	2.00	-1.85	0.12
MWD	9	809	0.45	2.72	91	808.70	2.70	2.68	-1.82	0.04
MWD	10	899	0.50	358.08	91	899.28	3.45	3.43	-1.82	0.07
MWD	11	990	0.54	352.46	91	989.85	4.26	4.25	-1.89	0.07
MWD	12	1080	0.61	354.73	91	1080.43	5.17	5.15	-1.99	0.08
MWD	13	1171	0.40	350.81	91	1171.00	5.96	5.95	-2.08	0.23
MWD	14	1261.61	0.37	339.05	91	1261.58	6.55	6.53	-2.24	0.09
MWD	15	1355.18	0.61	346.74	94	1355.15	7.32	7.30	-2.46	0.27
MWD	16	1449.72	0.74	358.45	95	1449.68	8.42	8.40	-2.59	0.20
MWD	17	1545.12	0.84	3.35	95	1545.07	9.73	9.71	-2.57	0.13
MWD	18	1638.84	0.84	355.06	94	1638.78	11.10	11.08	-2.59	0.13
MWD	19	1733.18	0.90	358.55	94	1733.11	12.53	12.51	-2.67	0.08
MWD	20	1826.88	1.06	13.15	94	1826.80	14.11	14.09	-2.49	0.32
MWD	21	1921.53	0.76	0.00	95	1921.44	15.59	15.57	-2.29	0.38
MWD	22	2015.15	0.46	282.86	94	2015.05	16.30	16.28	-2.65	0.85
MWD	23	2108.89	0.59	275.46	94	2108.79	16.43	16.41	-3.50	0.16
MWD	24	2201.40	0.50	289.47	93	2201.29	16.62	16.59	-4.36	0.17
MWD	25	2295.06	0.78	252.70	94	2294.95	16.57	16.53	-5.35	0.52
MWD	26	2388.80	1.48	214.69	94	2388.67	15.40	15.35	-6.65	1.06
MWD	27	2483.17	2.58	204.06	94	2482.98	12.47	12.41	-8.21	1.23
MWD	28	2576.14	3.71	199.38	93	2575.81	7.73	7.66	-10.06	1.25
MWD	29	2669.35	4.67	193.59	93	2668.77	1.22	1.12	-11.95	1.12
MWD	30	2761.35	5.69	189.44	92	2760.39	-6.91	-7.02	-13.58	1.18
MWD	31	2854.45	5.60	190.43	93	2853.04	-15.92	-16.04	-15.16	0.14
MWD	32	2947.71	5.94	190.99	93	2945.83	-25.12	-25.25	-16.90	0.37
MWD	33	3040.95	7.11	192.91	93	3038.46	-35.46	-35.61	-19.11	1.28
MWD	34	3134.10	7.22	195.35	93	3130.89	-46.70	-46.87	-21.95	0.35
MWD	35	3227.56	6.20	194.61	93	3223.70	-57.23	-57.42	-24.78	1.10
MWD	36	3321.35	6.22	195.79	94	3316.94	-67.00	-67.21	-27.44	0.14
MWD	37	3416.23	7.10	198.47	95	3411.18	-77.48	-77.72	-30.69	0.98
MWD	38	3509.82	6.67	199.84	94	3504.10	-88.05	-88.32	-34.37	0.49
MWD	39	3604.71	6.51	194.94	95	3598.36	-98.41	-98.70	-37.63	0.62
MWD	40	3699.12	7.18	189.81	94	3692.10	-109.37	-109.68	-40.01	0.96
MWD	41	3793.65	6.89	188.36	95	3785.92	-120.79	-121.11	-41.84	0.36
MWD	42	3887.73	5.63	187.52	94	3879.44	-130.94	-131.27	-43.27	1.34
MWD	43	3981.73	6.72	186.76	94	3972.89	-140.96	-141.31	-44.52	1.16
MWD	44	4076.14	8.50	189.79	94	4066.46	-153.31	-153.67	-46.36	1.93
MWD	45	4170.26	8.23	191.38	94	4159.58	-166.75	-167.13	-48.87	0.38
MWD	46	4265.65	7.17	191.66	95	4254.11	-179.25	-179.65	-51.42	1.11
MWD	47	4358.83	6.09	192.64	93	4346.67	-189.75	-190.17	-53.68	1.17

MWD	48	4453.01	5.95	190.19	94	4440.33	-199.41	-199.85	-55.63	0.31
MWD	49	4547.51	6.98	183.62	95	4534.23	-209.96	-210.40	-56.86	1.34
MWD	50	4641.50	7.58	180.05	94	4627.46	-221.85	-222.30	-57.23	0.80
MWD	51	4735.67	6.63	177.24	94	4720.90	-233.50	-233.94	-56.97	1.07
MWD	52	4830.58	7.95	180.12	95	4815.05	-245.53	-245.98	-56.72	1.44
MWD	53	4924.54	8.70	177.35	94	4908.02	-259.13	-259.57	-56.41	0.90
MWD	54	5019.59	8.42	172.32	95	5002.01	-273.22	-273.65	-55.14	0.84
MWD	55	5113.91	7.43	180.78	94	5095.43	-286.17	-286.59	-54.30	1.62
MWD	56	5209.36	6.41	196.38	95	5190.19	-297.44	-297.88	-55.89	2.23
MWD	57	5266.00	6.00	205.20	57	5246.50	-303.13	-303.59	-58.04	1.83
MWD	58	5360.00	5.70	203.47	94	5340.01	-311.83	-312.32	-61.99	0.37
MWD	59	5455.00	7.00	204.05	95	5434.43	-321.41	-321.93	-66.23	1.37
MWD	60	5550.00	7.51	205.27	95	5528.66	-332.27	-332.83	-71.24	0.56
MWD	61	5644.00	7.53	205.25	94	5621.86	-343.36	-343.96	-76.49	0.02
MWD	62	5736.00	7.47	204.62	92	5713.07	-354.21	-354.85	-81.55	0.11
MWD	63	5830.00	7.63	202.18	94	5806.25	-365.50	-366.18	-86.45	0.38
MWD	64	5925.00	7.70	201.52	95	5900.41	-377.23	-377.94	-91.17	0.12
MWD	65	6018.00	8.04	202.40	93	5992.53	-389.00	-389.75	-95.93	0.39
MWD	66	6111.00	7.80	201.66	93	6084.64	-400.84	-401.63	-100.74	0.28
MWD	67	6205.00	7.66	200.91	94	6177.79	-412.59	-413.41	-105.33	0.18
MWD	68	6299.00	7.47	201.13	94	6270.97	-424.10	-424.96	-109.77	0.20
MWD	69	6393.00	7.41	198.22	94	6364.18	-435.53	-436.42	-113.87	0.41
MWD	70	6487.00	7.17	198.60	94	6457.42	-446.82	-447.73	-117.63	0.26
MWD	71	6580.00	7.31	196.89	93	6549.68	-457.95	-458.90	-121.20	0.28
MWD	72	6674.00	7.36	198.84	94	6642.91	-469.34	-470.32	-124.89	0.27
MWD	73	6769.00	7.63	198.48	95	6737.10	-481.05	-482.06	-128.85	0.29
MWD	74	6862.00	7.57	197.90	93	6829.28	-492.71	-493.74	-132.69	0.10
MWD	75	6956.00	7.21	198.07	94	6922.50	-504.18	-505.24	-136.42	0.38
MWD	76	7048.00	6.79	198.63	92	7013.81	-514.79	-515.88	-139.95	0.46
MWD	77	7142.00	6.65	198.49	94	7107.17	-525.19	-526.31	-143.45	0.15
MWD	78	7236.00	6.42	194.91	94	7200.56	-535.41	-536.55	-146.53	0.50
MWD	79	7330.00	6.62	196.07	94	7293.95	-545.67	-546.84	-149.38	0.25
MWD	80	7423.00	7.01	195.48	93	7386.29	-556.27	-557.46	-152.38	0.43
MWD	81	7518.00	6.90	197.56	95	7480.59	-567.27	-568.48	-155.65	0.29
MWD	82	7612.00	7.37	199.03	94	7573.86	-578.33	-579.57	-159.32	0.54
MWD	83	7706.00	7.07	198.94	94	7667.12	-589.47	-590.74	-163.16	0.32
MWD	84	7800.00	6.98	197.68	94	7760.41	-600.35	-601.65	-166.78	0.19
MWD	85	7893.00	5.55	203.98	93	7852.86	-609.82	-611.15	-170.32	1.70
MWD	86	7988.00	4.47	199.97	95	7947.49	-617.47	-618.82	-173.45	1.19
MWD	87	8082.00	4.03	198.25	94	8041.23	-624.03	-625.40	-175.74	0.49
MWD	88	8177.00	3.87	202.45	95	8136.01	-630.15	-631.54	-178.01	0.35
MWD	89	8271.00	3.45	209.56	94	8229.82	-635.52	-636.93	-180.61	0.66
MWD	90	8366.00	3.60	208.00	95	8324.64	-640.62	-642.05	-183.42	0.19
MWD	91	8461.00	2.95	193.03	95	8419.48	-645.62	-647.06	-185.38	1.13
MWD	92	8556.00	2.41	189.65	95	8514.38	-649.96	-651.41	-186.26	0.59
MWD	93	8651.00	2.34	182.15	95	8609.30	-653.87	-655.32	-186.67	0.34
MWD	94	8745.00	2.21	176.64	94	8703.22	-657.59	-659.05	-186.63	0.27
MWD	95	8837.00	2.42	182.17	92	8795.15	-661.31	-662.76	-186.60	0.33
MWD	96	8886.00	2.68	177.67	49	8844.10	-663.49	-664.94	-186.60	0.67
MWD	97	8981.00	3.40	336.24	95	8939.05	-663.12	-664.58	-187.64	6.29
MWD	98	9076.00	15.52	354.88	95	9032.60	-647.80	-649.28	-189.92	12.99
MWD	99	9170.00	22.69	357.65	94	9121.36	-617.11	-618.60	-191.79	7.69
MWD	100	9264.00	34.27	358.28	94	9203.85	-572.38	-573.88	-193.33	12.32
MWD	101	9358.00	46.54	354.70	94	9275.30	-511.69	-513.22	-197.29	13.28
MWD	102	9453.00	53.04	358.19	95	9336.61	-439.30	-440.86	-201.68	7.39
MWD	103	9547.00	60.35	1.09	94	9388.20	-360.80	-362.37	-202.09	8.19
MWD	104	9643.00	73.31	2.55	96	9425.89	-272.81	-274.35	-199.24	13.57
MWD	105	9738.00	86.93	2.62	95	9442.15	-179.57	-181.07	-195.03	14.34
MWD	106	9766.00	89.02	2.19	28	9443.14	-151.62	-153.11	-193.85	7.62
MWD	107	9861.00	93.17	359.68	95	9441.33	-56.69	-58.17	-192.30	5.10
MWD	108	9955.00	93.39	358.85	94	9435.95	37.15	35.67	-193.51	0.91

MWD	109	10049.00	93.73	358.13	94	9430.11	130.95	129.45	-195.98	0.85
MWD	110	10143.00	93.50	359.26	94	9424.18	224.75	223.24	-198.12	1.22
MWD	111	10237.00	93.22	358.80	94	9418.68	318.59	317.06	-199.70	0.57
MWD	112	10332.00	90.46	0.82	95	9415.62	413.52	412.00	-200.02	3.60
MWD	113	10426.00	90.53	1.19	94	9414.81	507.49	505.98	-198.37	0.40
MWD	114	10521.00	90.61	1.02	95	9413.87	602.45	600.96	-196.54	0.20
MWD	115	10614.00	91.02	1.23	93	9412.54	695.41	693.93	-194.71	0.50
MWD	116	10709.00	91.38	0.22	95	9410.56	790.36	788.90	-193.51	1.13
MWD	117	10802.00	91.90	359.21	93	9407.89	883.32	881.86	-193.97	1.22
MWD	118	10898.00	92.31	359.35	96	9404.37	979.26	977.79	-195.18	0.45
MWD	119	10992.00	91.50	357.42	94	9401.24	1073.18	1071.69	-197.82	2.23
MWD	120	11087.00	91.17	359.53	95	9399.03	1168.13	1166.63	-200.35	2.25
MWD	121	11182.00	91.09	2.51	95	9397.15	1263.07	1261.58	-198.66	3.14
MWD	122	11277.00	91.14	1.97	95	9395.31	1357.95	1356.49	-194.95	0.57
MWD	123	11371.00	93.36	2.26	94	9391.62	1451.78	1450.35	-191.48	2.38
MWD	124	11465.00	91.79	1.50	94	9387.39	1545.60	1544.20	-188.40	1.86
MWD	125	11559.00	90.35	359.75	94	9385.64	1639.56	1638.17	-187.38	2.41
MWD	126	11654.00	89.33	358.81	95	9385.90	1734.56	1733.16	-188.57	1.46
MWD	127	11749.00	88.85	358.36	95	9387.41	1829.53	1828.12	-190.92	0.69
MWD	128	11843.00	89.43	357.89	94	9388.82	1923.49	1922.06	-193.99	0.79
MWD	129	11937.00	91.18	358.81	94	9388.32	2017.47	2016.01	-196.70	2.10
MWD	130	12030.00	92.00	358.17	93	9385.74	2110.41	2108.95	-199.15	1.12
MWD	131	12125.00	91.74	356.77	95	9382.64	2205.30	2203.80	-203.34	1.50
MWD	132	12218.00	91.34	0.26	93	9380.14	2298.23	2296.72	-205.75	3.78
MWD	133	12313.00	90.15	0.56	95	9378.91	2393.21	2391.71	-205.07	1.29
MWD	134	12408.00	89.99	0.84	95	9378.79	2488.19	2486.70	-203.91	0.34
MWD	135	12500.00	91.29	3.12	92	9377.76	2580.10	2578.63	-200.73	2.85
MWD	136	12593.00	91.87	3.30	93	9375.20	2672.87	2671.45	-195.52	0.65
MWD	137	12688.00	89.29	0.65	95	9374.24	2767.77	2766.37	-192.25	3.89
MWD	138	12783.00	89.08	0.98	95	9375.59	2862.73	2861.35	-190.90	0.41
MWD	139	12876.00	91.13	4.78	93	9375.42	2955.56	2954.21	-186.23	4.64
MWD	140	12971.00	90.68	1.28	95	9373.92	3050.36	3049.05	-181.21	3.71
MWD	141	13066.00	91.16	0.37	95	9372.39	3145.32	3144.03	-179.84	1.08
MWD	142	13162.00	90.59	359.63	96	9370.92	3241.30	3240.02	-179.84	0.97
MWD	143	13256.00	90.46	358.77	94	9370.06	3335.30	3334.00	-181.15	0.93
MWD	144	13351.00	90.68	358.25	95	9369.12	3430.28	3428.97	-183.62	0.59
MWD	145	13445.00	88.53	357.74	94	9369.77	3524.23	3522.90	-186.91	2.35
MWD	146	13540.00	89.16	359.41	95	9371.68	3619.20	3617.85	-189.27	1.88
MWD	147	13635.00	89.82	359.57	95	9372.53	3714.19	3712.84	-190.12	0.71
MWD	148	13730.00	89.66	359.65	95	9372.96	3809.19	3807.84	-190.77	0.19
MWD	149	13822.00	88.66	358.96	92	9374.31	3901.18	3899.82	-191.88	1.32
MWD	150	13916.00	89.00	359.30	94	9376.23	3995.16	3993.79	-193.31	0.51
MWD	151	14011.00	89.08	359.37	95	9377.82	4090.14	4088.77	-194.41	0.11
MWD	152	14106.00	90.96	358.26	95	9377.78	4185.13	4183.74	-196.38	2.30
MWD	153	14200.00	91.54	357.93	94	9375.73	4279.07	4277.67	-199.50	0.71
MWD	154	14294.00	91.25	358.25	94	9373.45	4373.01	4371.59	-202.63	0.46
MWD	155	14389.00	91.18	357.54	95	9371.43	4467.95	4466.50	-206.12	0.75
MWD	156	14484.00	91.08	357.05	95	9369.56	4562.86	4561.38	-210.60	0.53
MWD	157	14578.00	90.08	356.41	94	9368.61	4656.74	4655.22	-215.97	1.26
MWD	158	14673.00	89.57	358.15	95	9368.90	4751.66	4750.11	-220.47	1.91
MWD	159	14768.00	89.33	0.03	95	9369.81	4846.65	4845.09	-221.98	1.99
MWD	160	14862.00	89.19	359.02	94	9371.02	4940.64	4939.07	-222.76	1.08
MWD	161	14957.00	89.36	359.07	95	9372.22	5035.63	5034.05	-224.34	0.19
MWD	162	15052.00	89.64	359.01	95	9373.05	5130.62	5129.04	-225.94	0.30
MWD	163	15147.00	90.34	359.21	95	9373.07	5225.62	5224.02	-227.41	0.77
MWD	164	15241.00	91.31	359.42	94	9371.72	5319.60	5318.01	-228.54	1.06
MWD	165	15336.00	91.35	359.60	95	9369.51	5414.58	5412.98	-229.35	0.19
MWD	166	15431.00	91.60	359.09	95	9367.07	5509.55	5507.94	-230.43	0.60
MWD	167	15526.00	92.74	359.44	95	9363.47	5604.47	5602.86	-231.65	1.26
MWD	168	15621.00	90.50	358.11	95	9360.78	5699.42	5697.79	-233.68	2.74
MWD	169	15716.00	90.21	358.30	95	9360.20	5794.39	5792.74	-236.66	0.36

MWD	170	15809.00	89.97	357.16	93	9360.05	5887.34	5885.67	-240.34	1.25
MWD	171	15904.00	90.72	359.36	95	9359.48	5982.31	5980.62	-243.23	2.45
MWD	172	15996.00	89.96	1.69	92	9358.93	6074.29	6072.60	-242.38	2.66
MWD	173	16091.00	90.84	1.60	95	9358.27	6169.22	6167.56	-239.65	0.93
MWD	174	16183.00	92.50	3.43	92	9355.59	6261.05	6259.43	-235.62	2.68
MWD	175	16277.00	91.11	1.83	94	9352.63	6354.87	6353.28	-231.31	2.25
MWD	176	16371.00	90.19	1.10	94	9351.56	6448.81	6447.24	-228.91	1.25
MWD	177	16464.00	91.93	2.83	93	9349.84	6541.70	6540.16	-225.72	2.64
MWD	178	16558.00	89.63	2.27	94	9348.56	6635.56	6634.05	-221.54	2.52
MWD	179	16652.00	90.54	2.03	94	9348.42	6729.46	6727.98	-218.01	1.00
MWD	180	16748.00	88.54	358.27	96	9349.19	6825.43	6823.96	-217.76	4.44
MWD	181	16843.00	88.76	358.09	95	9351.43	6920.38	6918.89	-220.78	0.30
MWD	182	16938.00	87.75	357.08	95	9354.32	7015.27	7013.75	-224.78	1.50
MWD	183	17033.00	90.04	356.84	95	9356.15	7110.15	7108.60	-229.81	2.42
MWD	184	17128.00	89.28	355.94	95	9356.72	7205.00	7203.40	-235.80	1.24
MWD	185	17223.00	90.83	356.25	95	9356.63	7299.83	7298.18	-242.27	1.66
MWD	186	17317.00	94.68	359.14	94	9352.11	7393.64	7391.97	-246.04	5.12
MWD	187	17411.00	91.92	359.97	94	9346.70	7487.47	7485.80	-246.77	3.07
MWD	188	17506.00	88.77	359.49	95	9346.13	7582.46	7580.79	-247.22	3.35
MWD	189	17599.00	90.53	359.30	93	9346.69	7675.45	7673.77	-248.20	1.90
MWD	190	17694.00	94.29	1.24	95	9342.70	7770.34	7768.67	-247.76	4.45
MWD	191	17789.00	95.12	1.45	95	9334.91	7864.97	7863.32	-245.53	0.90
MWD	192	17883.00	93.38	1.01	94	9327.94	7958.67	7957.04	-243.52	1.91
MWD	193	17977.00	89.89	0.16	94	9325.26	8052.60	8050.98	-242.56	3.82
MWD	194	18071.00	89.89	0.45	94	9325.44	8146.60	8144.98	-242.06	0.31
MWD	195	18166.00	88.38	359.99	95	9326.87	8241.58	8239.96	-241.70	1.66
MWD	196	18260.00	88.69	0.06	94	9329.28	8335.54	8333.93	-241.66	0.34
MWD	197	18355.00	87.35	358.78	95	9332.56	8430.48	8428.87	-242.62	1.95
MWD	198	18448.00	88.10	358.85	93	9336.25	8523.40	8521.77	-244.54	0.81
MWD	199	18543.00	88.47	359.05	95	9339.09	8618.35	8616.71	-246.28	0.44
MWD	200	18637.00	87.41	357.38	94	9342.47	8712.26	8710.60	-249.21	2.10
MWD	201	18731.00	89.96	359.24	94	9344.63	8806.20	8804.52	-251.98	3.36
MWD	202	18826.00	89.08	358.31	95	9345.43	8901.19	8899.50	-254.01	1.35
MWD	203	18921.00	91.03	357.88	95	9345.33	8996.15	8994.44	-257.16	2.10
MWD	204	19016.00	91.51	357.19	95	9343.23	9091.07	9089.33	-261.25	0.88
MWD	205	19111.00	92.05	357.32	95	9340.28	9185.94	9184.17	-265.80	0.58
MWD	206	19206.00	90.90	359.71	95	9337.83	9280.89	9279.10	-268.26	2.79
MWD	207	19300.00	90.55	359.67	94	9336.64	9374.88	9373.09	-268.77	0.37
MWD	208	19394.00	90.85	359.61	94	9335.50	9468.87	9467.08	-269.36	0.33
MWD	209	19489.00	91.02	0.07	95	9333.94	9563.86	9562.07	-269.62	0.52
MWD	210	19541.00	91.53	0.56	52	9332.79	9615.84	9614.06	-269.34	1.36
PTB	211	19601.00	91.53	0.56	60	9331.19	9675.81	9674.03	-268.75	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48759										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 103H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat TRIPLE X; BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	22	24S	33E	-	852	SOUTH	1461	EAST	LEA
BH:	B	15	24S	33E	-	26	NORTH	1656	EAST	LEA
13. Date Spudded 5/21/2022	14. Date T.D. Reached 7/12/2022		15. Date Rig Released 7/15/2022			16. Date Completed (Ready to Produce) 11/22/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3549 GR		
18. Total Measured Depth of Well 19601 ft			19. Plug Back Measured Depth 19537 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9368 ft to 19452 ft								BONE SPRING		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1283'		17.5"		1130 sks		0
9.625"		40		5315'		12.25"		1380 sks		0
5.5"		20		19586'		8.75"/6.75"		1540 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 9368 ft to 19452 ft, 1 SPF, .55 inch holes with 507 total shots						9368 ft to 19452 ft		39 stage frac with 22,854,078 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 11/30/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 12/12/2022	Hours Tested 24 hrs	Choke Size 50/64	Prod'n For Test Period	Oil - Bbl 1977	Gas - MCF 5260	Water - Bbl. 6783	Gas - Oil Ratio 2661			
Flow Tubing Press. 0	Casing Pressure 950	Calculated 24-Hour Rate	Oil - Bbl. 1977	Gas - MCF 5260	Water - Bbl. 6783	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 12/15/2022	
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	845		Quaternary					
845	1465		Rustler					
1465	4638		Top of Salt					
4638	4857		Base of Salt					
4857	4888		Lamar					
4888	6146		Bell Canyon					
6146	7652		Cherry Canyon					
7652	9176		Brushy Canyon					
9176	9253		Bone Spring					
9253			Avalon					

Section 22



[96674] TRIPLE X; BONE SPRING, WEST
DEFINING WELL

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 167204

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167204
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 167204

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167204
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/10/2023