

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48765	⁵ Pool Name TRIPLE BONE X; BONE SPRING	⁶ Pool Code 96674
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 144H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	823	SOUTH	1461	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24S	33E	-	28	NORTH	1078	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 11/29/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 5/23/2022	²² Ready Date 11/24/2022	²³ TD 20820'	²⁴ PBTB 20759'	²⁵ Perforations 10440 ft to 20676 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1275'	995 sks		
12.25"	9.625"	5301'	1170 sks		
8.75"/6.75"	5.5"	20808'	1535 sks		

V. Well Test Data

³¹ Date New Oil 11/29/2022	³² Gas Delivery Date 11/29/2022	³³ Test Date 12/12/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 900
³⁷ Choke Size 50/64	³⁸ Oil 1167	³⁹ Water 4696	⁴⁰ Gas 1805		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 3/10/2023		
Date: 12/15/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48765	² Pool Code 96674	³ Pool Name TRIPLE X; BONE SPRING WEST
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 144H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3550'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	823'	SOUTH	1461'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24-S	33-E	-	28	NORTH	1078'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Defining	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

10/21/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


05/06/2022

Date of Survey

Signature and Seal of Professional Surveyor

[Signature]
RAMON A. DOMINGUEZ
NEW MEXICO
24508
PROFESSIONAL SURVEYOR

Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 144H
SECTION 22 TWP. 24-S RGE 33-E SURVEY N.M.P.M.
COUNTY LEA STATE NM ELEVATION 3550'
DESCRIPTION 823' FSL & 1461' FEL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

PROMETHEUS STATE COM 144H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE: 10/13/2022			
FILE:C_PROMETHEUS_STATE_COM_144H			
DRAWN BY: LS			
SHEET : 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 144H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-48765

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 81.09' MD – 20,762' MD
Projection to Bit: 20,820' MD
Dates Performed: 05/23/2022 – 06/04/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Prometheus State Com 144H**
 Job Number: **ID3436**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 376**

Target KBTVD: **10405.00**
 Target Inclination: **90.50°**
 Declination Correction: **5.98°**
 DF Elevation: **3578.0 ft**

Vertical Section Calculated Along Azimuth: **359.56°**

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	%/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	81	0.66	208.47	81	81.09	-0.41	-0.41	-0.22	0.81
MWD	2	169	0.83	217.92	88	169.46	-1.36	-1.36	-0.86	0.24
MWD	3	263	0.77	195.03	93	262.58	-2.49	-2.50	-1.44	0.35
MWD	4	353	0.83	179.84	90	352.87	-3.73	-3.74	-1.59	0.24
MWD	5	443	0.91	165.36	91	443.44	-5.08	-5.09	-1.41	0.26
MWD	6	535	0.90	166.32	91	534.81	-6.48	-6.49	-1.05	0.02
MWD	7	626	0.76	158.53	91	626.25	-7.75	-7.75	-0.66	0.20
MWD	8	717	0.50	152.76	91	716.83	-8.66	-8.66	-0.26	0.30
MWD	9	807	0.30	101.48	90	806.98	-9.06	-9.06	0.15	0.43
MWD	10	898	0.35	109.22	91	897.93	-9.20	-9.20	0.65	0.07
MWD	11	989	0.53	145.29	91	988.75	-9.64	-9.64	1.15	0.35
MWD	12	1079	0.64	165.94	91	1079.33	-10.48	-10.47	1.51	0.26
MWD	13	1170	0.59	186.47	90	1169.45	-11.43	-11.42	1.58	0.25
MWD	14	1260	0.58	196.90	91	1260.01	-12.33	-12.32	1.39	0.12
MWD	15	1356	0.63	166.23	96	1355.71	-13.31	-13.30	1.38	0.34
MWD	16	1449	1.11	124.59	93	1449.06	-14.33	-14.31	2.24	0.82
MWD	17	1541	1.97	121.91	92	1541.24	-15.69	-15.65	4.32	0.94
MWD	18	1634	3.21	124.73	93	1634.03	-18.04	-17.98	7.82	1.34
MWD	19	1728	4.86	126.93	94	1727.40	-21.96	-21.86	13.14	1.77
MWD	20	1822	6.70	126.54	94	1821.04	-27.68	-27.52	20.74	1.96
MWD	21	1916	8.14	128.82	94	1914.44	-35.20	-34.97	30.35	1.56
MWD	22	2009	9.45	139.79	93	2006.42	-45.25	-44.94	40.42	2.28
MWD	23	2102	10.44	148.06	93	2098.14	-58.32	-57.94	49.82	1.86
MWD	24	2195	10.45	149.34	93	2189.68	-72.80	-72.36	58.58	0.25
MWD	25	2288	11.31	149.28	93	2280.53	-87.89	-87.37	67.50	0.93
MWD	26	2381	11.84	148.64	93	2371.77	-103.97	-103.38	77.13	0.59
MWD	27	2474	11.43	148.02	93	2463.17	-120.06	-119.40	87.01	0.46
MWD	28	2567	12.31	148.19	93	2553.70	-136.30	-135.55	97.07	0.95
MWD	29	2660	12.91	147.93	93	2644.72	-153.66	-152.83	107.84	0.65
MWD	30	2753	12.38	146.73	93	2735.58	-170.90	-169.99	118.84	0.64
MWD	31	2846	11.88	144.96	93	2826.16	-187.10	-186.11	129.76	0.67
MWD	32	2939	12.95	142.51	93	2916.96	-203.29	-202.21	141.60	1.28
MWD	33	3032	13.62	139.65	93	3007.67	-220.04	-218.86	155.06	1.01
MWD	34	3124	13.68	143.94	92	3097.08	-237.20	-235.91	168.48	1.10
MWD	35	3217	13.69	145.40	93	3187.53	-255.26	-253.88	181.21	0.37
MWD	36	3311	13.34	145.03	93	3278.21	-273.26	-271.78	193.65	0.39
MWD	37	3404	13.79	146.20	93	3368.85	-291.40	-289.83	205.99	0.57
MWD	38	3497	13.31	145.71	93	3459.41	-309.58	-307.91	218.21	0.53
MWD	39	3590	12.51	144.08	93	3550.50	-326.76	-325.00	230.21	0.94
MWD	40	3685	13.03	148.78	94	3642.57	-344.22	-342.38	241.72	1.23
MWD	41	3780	12.63	151.39	95	3735.08	-362.56	-360.63	252.23	0.74
MWD	42	3873	11.77	151.15	93	3826.12	-379.89	-377.89	261.69	0.92
MWD	43	3968	11.26	150.91	95	3919.10	-396.53	-394.46	270.87	0.54
MWD	44	4062	12.52	149.09	94	4011.48	-413.44	-411.30	280.61	1.39
MWD	45	4157	13.12	146.59	95	4103.66	-431.27	-429.05	291.78	0.86
MWD	46	4251	12.56	146.58	94	4195.38	-448.81	-446.50	303.29	0.60
MWD	47	4345	11.65	146.74	94	4287.29	-465.36	-462.97	314.13	0.97

MWD	48	4439	11.72	145.19	94	4379.74	-481.29	-478.81	324.83	0.34
MWD	49	4533	12.13	142.23	94	4471.83	-497.04	-494.47	336.34	0.78
MWD	50	4629	12.32	140.74	95	4565.06	-512.94	-510.28	348.92	0.39
MWD	51	4722	13.83	140.59	93	4655.82	-529.35	-526.58	362.28	1.62
MWD	52	4816	13.55	139.58	94	4747.08	-546.51	-543.63	376.54	0.39
MWD	53	4910	13.79	140.01	95	4838.97	-563.68	-560.70	390.97	0.28
MWD	54	5004	14.00	141.05	94	4930.21	-581.22	-578.12	405.32	0.35
MWD	55	5098	13.23	139.74	94	5021.73	-598.41	-595.20	419.44	0.88
MWD	56	5181	12.68	143.77	83	5102.20	-613.02	-609.73	430.90	1.28
MWD	57	5249	11.82	147.06	68	5168.65	-624.94	-621.59	439.10	1.63
MWD	58	5342	10.43	146.40	93	5259.90	-640.03	-636.60	448.94	1.50
MWD	59	5438	11.37	154.77	96	5354.17	-655.89	-652.40	457.78	1.92
MWD	60	5532	11.87	154.26	94	5446.25	-673.05	-669.49	465.93	0.54
MWD	61	5626	10.76	153.12	94	5538.42	-689.64	-686.02	474.10	1.20
MWD	62	5720	9.77	151.62	94	5630.91	-704.55	-700.87	481.86	1.09
MWD	63	5815	9.00	150.94	95	5724.64	-718.19	-714.45	489.30	0.82
MWD	64	5910	9.06	149.95	95	5818.46	-731.22	-727.42	496.65	0.18
MWD	65	6004	8.58	147.32	94	5911.35	-743.58	-739.73	504.14	0.67
MWD	66	6097	7.44	148.94	93	6003.44	-754.63	-750.73	511.00	1.25
MWD	67	6191	6.42	161.16	94	6096.76	-764.86	-760.92	515.83	1.90
MWD	68	6285	5.21	170.70	94	6190.28	-774.06	-770.10	518.22	1.64
MWD	69	6379	3.40	165.32	94	6284.01	-780.98	-777.01	519.62	1.97
MWD	70	6472	1.90	162.52	93	6376.91	-785.13	-781.15	520.78	1.62
MWD	71	6566	1.35	154.97	94	6470.87	-787.62	-783.64	521.72	0.63
MWD	72	6660	1.13	156.29	94	6564.85	-789.48	-785.49	522.56	0.24
MWD	73	6754	0.18	67.22	94	6658.84	-790.28	-786.28	523.07	1.21
MWD	74	6847	0.52	17.84	93	6751.84	-789.82	-785.83	523.33	0.46
MWD	75	6941	0.50	4.97	94	6845.83	-789.01	-785.01	523.50	0.12
MWD	76	7034	0.82	331.19	93	6938.83	-788.02	-784.02	523.21	0.53
MWD	77	7128	0.96	314.21	94	7032.82	-786.87	-782.88	522.32	0.32
MWD	78	7222	1.01	329.32	94	7126.80	-785.60	-781.62	521.33	0.28
MWD	79	7316	1.17	315.41	94	7220.79	-784.20	-780.23	520.24	0.33
MWD	80	7408	0.83	313.62	92	7312.77	-783.06	-779.10	519.10	0.37
MWD	81	7502	1.09	303.20	94	7406.76	-782.09	-778.14	517.85	0.33
MWD	82	7596	1.20	301.69	94	7500.74	-781.07	-777.13	516.27	0.12
MWD	83	7690	0.90	299.99	94	7594.72	-780.18	-776.25	514.79	0.32
MWD	84	7783	0.86	309.18	93	7687.71	-779.36	-775.44	513.62	0.16
MWD	85	7878	0.54	260.14	95	7782.71	-778.98	-775.07	512.62	0.68
MWD	86	7972	0.56	238.03	94	7876.70	-779.29	-775.39	511.80	0.23
MWD	87	8066	0.65	226.55	94	7970.70	-779.90	-776.00	511.02	0.16
MWD	88	8160	0.42	184.84	94	8064.69	-780.60	-776.71	510.61	0.47
MWD	89	8253	0.56	151.16	93	8157.69	-781.34	-777.44	510.80	0.34
MWD	90	8348	0.73	172.71	95	8252.68	-782.35	-778.45	511.10	0.31
MWD	91	8442	0.57	170.99	94	8346.68	-783.41	-779.51	511.25	0.17
MWD	92	8537	0.84	176.72	95	8441.67	-784.57	-780.67	511.36	0.29
MWD	93	8631	0.65	172.04	94	8535.66	-785.79	-781.88	511.47	0.21
MWD	94	8726	0.55	153.46	95	8630.66	-786.73	-782.83	511.75	0.23
MWD	95	8821	0.66	154.08	95	8725.65	-787.64	-783.73	512.19	0.12
MWD	96	8917	1.02	164.29	96	8821.64	-788.96	-785.05	512.67	0.40
MWD	97	9011	0.86	177.10	94	8915.63	-790.47	-786.56	512.93	0.28
MWD	98	9105	0.79	183.12	94	9009.62	-791.82	-787.91	512.93	0.12
MWD	99	9197	0.61	210.35	92	9101.61	-792.88	-788.96	512.65	0.41
MWD	100	9292	0.66	233.75	95	9196.61	-793.63	-789.72	511.95	0.28
MWD	101	9386	0.59	247.69	94	9290.60	-794.13	-790.23	511.07	0.18
MWD	102	9481	1.16	271.37	95	9385.59	-794.28	-790.39	509.65	0.70
MWD	103	9576	0.69	300.70	95	9480.58	-793.95	-790.07	508.20	0.69
MWD	104	9670	0.65	319.08	94	9574.57	-793.26	-789.38	507.36	0.23
MWD	105	9765	0.96	311.35	95	9669.56	-792.32	-788.45	506.41	0.35
MWD	106	9859	0.76	41.78	94	9763.56	-791.33	-787.46	506.24	1.31
MWD	107	9890	1.14	68.01	31	9794.55	-791.06	-787.20	506.66	1.83
MWD	108	9922	1.37	80.56	32	9826.54	-790.89	-787.01	507.33	1.12

MWD	109	10017	2.31	61.45	95	9921.50	-789.81	-785.91	510.14	1.17
MWD	110	10112	9.97	340.03	95	10015.97	-781.13	-777.25	509.01	10.41
MWD	111	10205	19.28	340.55	93	10105.86	-758.98	-755.15	501.13	10.01
MWD	112	10280	28.01	340.68	75	10174.50	-730.55	-726.80	491.16	11.64
MWD	113	10376	38.24	344.02	96	10254.80	-680.46	-676.83	475.48	10.82
MWD	114	10471	50.37	350.55	95	10322.69	-615.73	-612.21	461.32	13.63
MWD	115	10566	66.28	355.77	95	10372.44	-535.65	-532.20	452.04	17.38
MWD	116	10661	75.01	355.13	95	10403.89	-446.34	-442.94	444.92	9.21
MWD	117	10755	86.18	355.08	94	10419.23	-354.03	-350.68	437.02	11.88
MWD	118	10880	89.59	356.02	125	10423.84	-229.44	-226.17	427.33	2.83
MWD	119	10974	89.43	355.43	94	10424.65	-135.65	-132.43	420.32	0.65
MWD	120	11069	89.90	356.78	95	10425.20	-40.83	-37.65	413.87	1.50
MWD	121	11163	90.36	356.49	94	10424.99	53.05	56.18	408.35	0.58
MWD	122	11257	92.03	358.08	94	10423.03	146.94	150.05	403.90	2.45
MWD	123	11351	92.36	358.54	94	10419.43	240.85	243.94	401.13	0.60
MWD	124	11445	93.12	358.67	94	10414.94	334.73	337.80	398.85	0.82
MWD	125	11540	93.50	358.06	95	10409.45	429.55	432.61	396.14	0.76
MWD	126	11634	91.73	359.35	94	10405.16	523.44	526.48	394.02	2.33
MWD	127	11729	90.78	358.51	95	10403.08	618.41	621.44	392.25	1.33
MWD	128	11822	91.29	0.98	93	10401.40	711.38	714.41	391.83	2.71
MWD	129	11917	91.44	1.59	95	10399.14	806.31	809.36	393.96	0.66
MWD	130	12011	92.09	1.20	94	10396.24	900.22	903.29	396.25	0.81
MWD	131	12106	90.13	0.84	95	10394.40	995.17	998.25	397.94	2.10
MWD	132	12202	90.41	0.61	96	10393.95	1091.15	1094.24	399.15	0.38
MWD	133	12296	89.09	359.67	94	10394.36	1185.14	1188.24	399.38	1.72
MWD	134	12390	89.88	359.49	94	10395.20	1279.13	1282.23	398.69	0.86
MWD	135	12484	90.91	359.29	94	10394.56	1373.13	1376.22	397.69	1.12
MWD	136	12579	89.65	358.14	95	10394.09	1468.11	1471.19	395.56	1.80
MWD	137	12674	90.81	0.68	95	10393.71	1563.10	1566.18	394.59	2.94
MWD	138	12769	89.92	359.57	95	10393.11	1658.09	1661.17	394.79	1.50
MWD	139	12862	91.47	359.76	93	10391.98	1751.08	1754.16	394.25	1.68
MWD	140	12956	90.34	358.11	94	10390.49	1845.06	1848.13	392.50	2.13
MWD	141	13050	92.04	358.53	94	10388.54	1939.02	1942.07	389.75	1.86
MWD	142	13143	88.96	359.33	93	10387.73	2031.99	2035.03	388.01	3.42
MWD	143	13237	88.56	359.38	94	10389.76	2125.97	2129.01	386.95	0.43
MWD	144	13331	87.82	358.78	94	10392.73	2219.92	2222.95	385.44	1.01
MWD	145	13426	91.08	2.72	95	10393.64	2314.86	2317.90	386.69	5.38
MWD	146	13518	91.02	2.38	92	10391.96	2406.72	2409.80	390.78	0.38
MWD	147	13611	90.76	1.77	93	10390.51	2499.62	2502.72	394.15	0.71
MWD	148	13706	91.74	1.94	95	10388.44	2594.52	2597.65	397.22	1.05
MWD	149	13801	93.57	1.90	95	10384.04	2689.34	2692.49	400.40	1.93
MWD	150	13894	91.16	0.61	93	10380.20	2782.21	2785.38	402.43	2.94
MWD	151	13988	91.79	0.65	94	10377.78	2876.16	2879.34	403.47	0.67
MWD	152	14084	89.78	359.38	96	10376.47	2972.14	2975.33	403.49	2.48
MWD	153	14179	89.92	358.69	95	10376.72	3067.14	3070.31	401.89	0.74
MWD	154	14273	88.28	358.86	94	10378.19	3161.11	3164.28	399.88	1.75
MWD	155	14368	88.59	358.96	95	10380.79	3256.07	3259.22	398.08	0.34
MWD	156	14462	87.87	358.49	94	10383.69	3350.01	3353.15	395.99	0.91
MWD	157	14557	90.28	359.96	95	10385.23	3444.99	3448.12	394.70	2.97
MWD	158	14652	91.87	358.59	95	10383.44	3539.97	3543.09	393.50	2.21
MWD	159	14747	92.96	358.13	95	10379.44	3634.86	3637.97	390.78	1.25
MWD	160	14838	89.50	357.87	91	10377.49	3725.79	3728.88	387.61	3.81
MWD	161	14933	89.25	357.37	95	10378.52	3820.73	3823.79	383.67	0.59
MWD	162	15027	91.16	0.04	94	10378.19	3914.71	3917.75	381.54	3.49
MWD	163	15122	91.90	0.79	95	10375.65	4009.66	4012.72	382.23	1.11
MWD	164	15216	90.62	359.28	94	10373.58	4103.63	4106.69	382.29	2.11
MWD	165	15311	90.38	358.71	95	10372.75	4198.62	4201.67	380.62	0.65
MWD	166	15406	89.27	358.07	95	10373.04	4293.60	4296.63	377.95	1.35
MWD	167	15500	89.00	357.98	94	10374.46	4387.56	4390.56	374.71	0.30
MWD	168	15595	89.80	357.63	95	10375.46	4482.51	4485.49	371.07	0.92
MWD	169	15690	89.83	357.01	95	10375.77	4577.43	4580.38	366.63	0.65

MWD	170	15785	90.86	0.06	95	10375.19	4672.40	4675.34	364.20	3.39
MWD	171	15879	89.15	359.40	94	10375.19	4766.40	4769.33	363.76	1.95
MWD	172	15974	89.50	1.04	95	10376.30	4861.38	4864.32	364.12	1.77
MWD	173	16069	88.68	0.52	95	10377.81	4956.35	4959.30	365.42	1.02
MWD	174	16164	92.05	1.30	95	10377.21	5051.30	5054.27	366.93	3.64
MWD	175	16258	92.48	1.23	94	10373.49	5145.19	5148.17	369.00	0.46
MWD	176	16353	91.63	0.91	95	10370.09	5240.09	5243.10	370.77	0.96
MWD	177	16448	91.71	0.67	95	10367.32	5335.03	5338.05	372.08	0.27
MWD	178	16543	90.70	359.64	95	10365.32	5430.00	5433.02	372.34	1.52
MWD	179	16638	88.91	358.33	95	10365.64	5524.99	5528.00	370.66	2.33
MWD	180	16733	92.35	1.25	95	10364.60	5619.96	5622.97	370.31	4.75
MWD	181	16828	93.26	0.79	95	10359.95	5714.81	5717.84	372.00	1.07
MWD	182	16923	92.70	0.15	95	10355.01	5809.67	5812.71	372.77	0.89
MWD	183	17018	88.70	359.59	95	10353.85	5904.65	5907.68	372.56	4.25
MWD	184	17113	88.77	359.26	95	10355.95	5999.62	6002.65	371.61	0.36
MWD	185	17207	88.49	358.86	94	10358.20	6093.59	6096.61	370.06	0.52
MWD	186	17300	90.30	359.89	93	10359.18	6186.58	6189.60	369.05	2.24
MWD	187	17396	89.94	358.63	96	10358.98	6282.58	6285.59	367.81	1.37
MWD	188	17489	91.11	356.28	93	10358.12	6375.50	6378.48	363.68	2.82
MWD	189	17584	91.25	356.57	95	10356.17	6470.34	6473.28	357.76	0.34
MWD	190	17679	89.84	358.26	95	10355.26	6565.26	6568.17	353.47	2.32
MWD	191	17774	91.11	356.98	95	10354.48	6660.20	6663.08	349.53	1.90
MWD	192	17869	88.45	358.74	95	10354.84	6755.15	6758.00	345.98	3.36
MWD	193	17963	89.96	0.39	94	10356.15	6849.13	6851.98	345.27	2.38
MWD	194	18058	90.44	358.03	95	10355.81	6944.12	6946.97	343.96	2.54
MWD	195	18153	90.47	358.50	95	10355.06	7039.09	7041.92	341.08	0.50
MWD	196	18247	92.74	359.80	94	10352.43	7133.05	7135.87	339.69	2.78
MWD	197	18341	92.65	359.76	94	10348.01	7226.94	7229.76	339.33	0.10
MWD	198	18437	91.45	0.77	96	10344.57	7322.87	7325.70	339.77	1.63
MWD	199	18531	93.76	1.67	94	10340.30	7416.73	7419.57	341.77	2.64
MWD	200	18626	90.65	1.64	95	10336.65	7511.58	7514.45	344.51	3.27
MWD	201	18720	90.63	1.70	94	10335.60	7605.51	7608.40	347.25	0.07
MWD	202	18815	91.16	1.57	95	10334.11	7700.44	7703.35	349.96	0.57
MWD	203	18910	91.16	1.50	95	10332.19	7795.36	7798.30	352.51	0.07
MWD	204	19006	92.02	1.19	96	10329.53	7891.28	7894.23	354.76	0.95
MWD	205	19101	90.34	358.86	95	10327.57	7986.24	7989.20	354.80	3.02
MWD	206	19195	88.47	359.33	94	10328.54	8080.23	8083.18	353.31	2.05
MWD	207	19289	88.17	358.97	94	10331.30	8174.19	8177.13	351.92	0.50
MWD	208	19384	88.74	359.22	95	10333.86	8269.15	8272.08	350.42	0.66
MWD	209	19478	88.25	0.35	94	10336.33	8363.11	8366.05	350.07	1.31
MWD	210	19573	89.64	2.15	95	10338.08	8458.05	8461.00	352.14	2.39
MWD	211	19668	92.30	2.13	95	10336.47	8552.93	8555.92	355.69	2.80
MWD	212	19762	89.00	0.48	94	10335.41	8646.87	8649.87	357.83	3.92
MWD	213	19858	92.12	359.98	96	10334.47	8742.84	8745.85	358.21	3.29
MWD	214	19952	90.53	356.81	94	10332.29	8836.78	8839.78	355.58	3.77
MWD	215	20047	90.06	356.51	95	10331.80	8931.66	8934.61	350.05	0.59
MWD	216	20142	89.62	355.71	95	10332.07	9026.49	9029.39	343.60	0.96
MWD	217	20237	90.51	356.82	95	10331.96	9121.33	9124.19	337.41	1.50
MWD	218	20331	90.15	357.47	94	10331.42	9215.24	9218.07	332.73	0.79
MWD	219	20425	92.65	357.81	94	10329.12	9309.15	9311.95	328.86	2.68
MWD	220	20519	93.32	357.33	94	10324.23	9402.97	9405.74	324.88	0.88
MWD	221	20614	92.86	356.97	95	10319.11	9497.75	9500.48	320.16	0.61
MWD	222	20709	92.96	356.32	95	10314.29	9592.50	9595.20	314.61	0.69
MWD	223	20762	93.41	356.47	53	10311.34	9645.34	9648.01	311.28	0.89
PTB	224	20820	93.41	356.47	58	10307.89	9703.15	9705.80	307.72	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
1. WELL API NO. 30-025-48765																		
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN																		
3. State Oil & Gas Lease No.																		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM										
								6. Well Number: 144H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat TRIPLE X; BONE SPRING											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	O	22	24S	33E	-	823	SOUTH	1461	EAST	LEA								
BH:	A	15	24S	33E	-	28	NORTH	1078	EAST	LEA								
13. Date Spudded 5/23/2022	14. Date T.D. Reached 6/4/2022		15. Date Rig Released 6/6/22*correction		16. Date Completed (Ready to Produce) 11/24/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3550 GR										
18. Total Measured Depth of Well 20820 ft			19. Plug Back Measured Depth 20759 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 10440 ft to 20676 ft							BONE SPRING											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		1275'		17.5"		995 sks		0								
9.625"		40		5301'		12.25"		1170 sks		0								
5.5"		20		20808'		8.75"/6.75"		1535 sks		0								
24. LINER RECORD																		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET								
26. Perforation record (interval, size, and number) Perforate from 10440 ft to 20676 ft, 1 SPF, .55 inch holes with 507 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>10440 ft to 20676 ft</td> <td>39 stage frac with 23,192,977 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	10440 ft to 20676 ft	39 stage frac with 23,192,977 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
10440 ft to 20676 ft	39 stage frac with 23,192,977 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 11/29/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 12/12/2022	Hours Tested 24	Choke Size 50/64	Prod'n For Test Period	Oil - Bbl 1167	Gas - MCF 1805	Water - Bbl. 4696	Gas - Oil Ratio 647											
Flow Tubing Press. 0	Casing Pressure 900	Calculated 24-Hour Rate	Oil - Bbl. 1167	Gas - MCF 1805	Water - Bbl. 4696	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments C-102, Directional Survey																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:										
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude				Longitude				NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 12/15/2022									
E-mail Address jtrlica@taprllc.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	832		Quaternary					
832	1452		Rustler					
1452	4625		Top of Salt					
4625	4844		Base of Salt					
4844	4875		Lamar					
4875	6133		Bell Canyon					
6133	7639		Cherry Canyon					
7639	9185		Brushy Canyon					
9185	9617		Bone Spring					
9617	10196		Avalon					
10196			1st Bone Spring Sand					

Prometheus Unit



-  State Acreage
-  Prometheus E2 Unit
-  Prometheus W2 Unit
-  [96674] TRIPLE X; BONE SPRING, WEST
-  [96674] TRIPLE X; BONE SPRING, WEST DEFINING WELL

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 167208

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167208
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 167208

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167208
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/10/2023