

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-50162	⁵ Pool Name TRIPLE BONE X; BONE SPRING	⁶ Pool Code 96674
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 122H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	22	24S	33E	-	834	SOUTH	1905	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	15	24S	33E	-	32	NORTH	2303	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 12/1/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 6/4/2022	²² Ready Date 11/19/2022	²³ TD 21254'	²⁴ PBTB 21193'	²⁵ Perforations 10862 ft to 21109 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1275'	975 sks		
12.25"	9.625"	5249'	1185 sks		
8.75"/6.75"	5.5"	21239'	1475 sks		

V. Well Test Data

³¹ Date New Oil 12/1/2022	³² Gas Delivery Date 12/1/2022	³³ Test Date 12/12/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 925
³⁷ Choke Size 44/64	³⁸ Oil 1036	³⁹ Water 4120	⁴⁰ Gas 1432	⁴¹ Test Method Flowing	
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 3/14/2023		
Date: 12/15/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-50162	² Pool Code 96674	³ Pool Name TRIPLE X; BONE SPRING WEST
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 122H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3543'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	22	24-S	33-E	-	834'	SOUTH	1905'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	15	24-S	33-E	-	32'	NORTH	2303'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

10/21/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


05/06/2022

Date of Survey

Signature and Seal of Professional Surveyor



Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 122H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3543'

DESCRIPTION 834' FSL & 1905' FWL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM
122H
PRE-COMPLETION

REVISION:

INT DATE

DATE: 10/11/22

FILE: C:\PROMETHEUS_STATE_COM_122H

DRAWN BY: EAH

SHEET: 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 122H
County: Lea
State: New Mexico
Rig Name: H&P 388
API: 30-025-50162

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 5260' MD – 21190' MD
Projection to Bit: 21254' MD
Dates Performed: 06/04/2022 – 06/19/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Prometheus State Com 122H**
 Job Number: **ID3457**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 388**

Target KBTVD: **10911.00**
 Target Inclination: **90.20°**
 Declination Correction: **5.98°**
 DF Elevation: **3,569'**

Vertical Section Calculated Along Azimuth: **359.60°**
 Survey Calculation Method: **Minimum Curvature**

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	28.63	0.28	336.56	29	28.63	0.06	0.06	-0.03	0.98
GYRO	2	118.63	0.17	106.28	90	118.63	0.23	0.23	0.01	0.46
GYRO	3	208.63	0.23	289.52	90	208.63	0.25	0.25	-0.03	0.44
GYRO	4	298.63	0.18	62.43	90	298.63	0.38	0.38	-0.08	0.41
GYRO	5	388.63	0.37	282.32	90	388.63	0.50	0.50	-0.24	0.58
GYRO	6	478.63	0.29	288.33	90	478.63	0.64	0.64	-0.74	0.10
GYRO	7	568.63	0.24	241.18	90	568.63	0.62	0.62	-1.12	0.24
GYRO	8	658.63	0.36	337.94	90	658.63	0.80	0.79	-1.39	0.51
GYRO	9	748.63	0.25	295.97	90	748.62	1.15	1.14	-1.67	0.27
GYRO	10	838.63	0.54	284.12	90	838.62	1.34	1.33	-2.26	0.33
GYRO	11	928.63	0.64	250.89	90	928.62	1.29	1.26	-3.15	0.39
GYRO	12	1018.63	0.76	289.73	90	1018.61	1.33	1.30	-4.18	0.53
GYRO	13	1108.63	0.59	278.98	90	1108.60	1.61	1.57	-5.20	0.23
GYRO	14	1202.58	0.71	174.95	94	1202.55	1.11	1.07	-5.63	1.09
GYRO	15	1297.11	1.16	188.41	95	1297.07	-0.42	-0.46	-5.72	0.53
GYRO	16	1392.21	1.17	170.81	95	1392.15	-2.33	-2.37	-5.70	0.37
GYRO	17	1486.80	1.68	150.02	95	1486.71	-4.49	-4.52	-4.86	0.76
GYRO	18	1579.93	2.36	144.46	93	1579.78	-7.25	-7.27	-3.06	0.76
GYRO	19	1673.00	2.99	135.88	93	1672.75	-10.57	-10.57	-0.26	0.80
GYRO	20	1767.44	4.10	134.93	94	1767.01	-14.75	-14.72	3.85	1.18
GYRO	21	1862.55	5.01	134.58	95	1861.82	-20.10	-20.04	9.21	0.96
GYRO	22	1956.59	5.83	134.65	94	1955.44	-26.39	-26.28	15.54	0.87
GYRO	23	2050.66	6.45	135.02	94	2048.97	-33.53	-33.37	22.67	0.66
GYRO	24	2145.42	6.94	140.76	95	2143.08	-41.78	-41.57	30.05	0.87
GYRO	25	2240.52	7.81	145.98	95	2237.39	-51.64	-51.38	37.30	1.15
GYRO	26	2334.47	8.45	148.21	94	2330.40	-62.84	-62.54	44.51	0.76
GYRO	27	2366.43	8.61	147.80	32	2362.01	-66.88	-66.56	47.02	0.54
GYRO	28	2460.35	9.17	144.32	94	2454.80	-78.97	-78.58	55.13	0.83
GYRO	29	2554.77	10.22	144.43	94	2547.87	-91.96	-91.51	64.40	1.11
GYRO	30	2649.89	10.15	145.06	95	2641.49	-105.76	-105.24	74.10	0.14
GYRO	31	2743.67	9.81	144.61	94	2733.85	-119.11	-118.53	83.46	0.37
GYRO	32	2837.81	10.29	146.52	94	2826.55	-132.73	-132.08	92.75	0.62
GYRO	33	2933.01	10.69	153.38	95	2920.16	-147.77	-147.07	101.39	1.38
GYRO	34	3027.01	10.60	155.03	94	3012.54	-163.46	-162.70	108.95	0.34
GYRO	35	3120.72	10.59	149.10	94	3104.66	-178.71	-177.90	117.01	1.16
GYRO	36	3214.87	10.37	149.53	94	3197.23	-193.50	-192.63	125.75	0.25
GYRO	37	3308.79	10.12	149.37	94	3289.66	-207.95	-207.01	134.24	0.27
GYRO	38	3401.12	9.90	145.26	92	3380.58	-221.51	-220.52	142.90	0.81
GYRO	39	3494.69	9.65	144.79	94	3472.79	-234.59	-233.53	152.00	0.28
GYRO	40	3587.71	10.23	146.34	93	3564.42	-247.90	-246.78	161.08	0.69
GYRO	41	3681.95	10.86	146.77	94	3657.07	-262.36	-261.17	170.58	0.67
GYRO	42	3776.99	10.31	146.85	95	3750.49	-277.03	-275.78	180.14	0.58
GYRO	43	3870.18	10.27	144.71	93	3842.18	-290.86	-289.54	189.50	0.41
GYRO	44	3964.68	10.87	144.05	95	3935.08	-305.02	-303.63	199.59	0.65
GYRO	45	4058.76	10.66	144.06	94	4027.50	-319.32	-317.86	209.91	0.22
GYRO	46	4151.68	10.32	144.24	93	4118.87	-333.10	-331.57	219.82	0.37
GYRO	47	4244.78	9.76	144.00	93	4210.54	-346.32	-344.72	229.33	0.60

GYRO	48	4337.61	9.69	142.88	93	4302.04	-358.98	-357.32	238.67	0.22
GYRO	49	4432.60	9.57	143.01	95	4395.69	-371.72	-370.00	248.24	0.13
GYRO	50	4525.21	9.78	140.38	93	4486.98	-384.00	-382.21	257.89	0.53
GYRO	51	4619.50	10.26	140.00	94	4579.83	-396.67	-394.81	268.40	0.51
GYRO	52	4712.83	9.38	139.77	93	4671.79	-408.92	-406.98	278.65	0.94
GYRO	53	4806.44	10.16	145.58	94	4764.05	-421.62	-419.62	288.25	1.34
GYRO	54	4900.44	10.61	147.04	94	4856.51	-435.79	-433.72	297.64	0.55
GYRO	55	4994.70	10.75	146.43	94	4949.14	-450.46	-448.32	307.22	0.19
GYRO	56	5089.38	10.12	145.68	95	5042.25	-464.75	-462.55	316.80	0.68
GYRO	57	5175.47	9.58	145.94	86	5127.07	-476.99	-474.73	325.07	0.63
MWD	58	5260	8.75	146.25	85	5210.52	-488.22	-485.91	332.58	0.98
MWD	59	5354	9.82	145.82	94	5303.29	-500.85	-498.48	341.06	1.14
MWD	60	5448	10.77	147.51	94	5395.77	-514.96	-512.52	350.28	1.06
MWD	61	5540	11.65	148.18	92	5486.02	-530.17	-527.67	359.80	0.97
MWD	62	5635	11.59	148.82	95	5579.07	-546.55	-543.98	369.79	0.15
MWD	63	5729	12.19	149.27	94	5671.05	-563.23	-560.59	379.75	0.65
MWD	64	5824	11.87	150.12	95	5763.97	-580.39	-577.68	389.75	0.39
MWD	65	5918	13.23	146.25	94	5855.72	-597.79	-595.01	400.54	1.70
MWD	66	6013	13.53	146.81	95	5948.14	-616.22	-613.35	412.66	0.34
MWD	67	6107	13.10	144.32	94	6039.62	-634.16	-631.21	424.89	0.76
MWD	68	6201	11.88	145.79	94	6131.39	-650.89	-647.86	436.55	1.34
MWD	69	6296	11.06	151.47	95	6224.49	-667.05	-663.95	446.40	1.47
MWD	70	6390	10.99	149.50	94	6316.76	-682.76	-679.60	455.25	0.41
MWD	71	6484	9.73	150.25	94	6409.23	-697.43	-694.21	463.74	1.35
MWD	72	6577	9.53	149.25	93	6500.91	-710.93	-707.65	471.58	0.28
MWD	73	6672	9.19	150.01	95	6594.65	-724.31	-720.98	479.39	0.38
MWD	74	6767	8.45	154.33	95	6688.53	-737.22	-733.84	486.21	1.04
MWD	75	6862	7.65	153.49	95	6782.59	-749.21	-745.79	492.05	0.85
MWD	76	6956	6.38	148.64	94	6875.89	-759.31	-755.85	497.56	1.49
MWD	77	7050	5.22	153.66	94	6969.40	-767.63	-764.14	502.18	1.35
MWD	78	7144	4.03	154.71	94	7063.10	-774.47	-770.96	505.49	1.27
MWD	79	7236	3.18	150.33	92	7154.91	-779.63	-776.10	508.13	0.97
MWD	80	7330	2.38	158.41	94	7248.80	-783.73	-780.18	510.14	0.95
MWD	81	7423	1.79	148.30	93	7341.74	-786.77	-783.21	511.61	0.75
MWD	82	7518	1.56	147.83	95	7436.70	-789.13	-785.57	513.08	0.24
MWD	83	7610	1.03	119.18	92	7528.68	-790.61	-787.04	514.47	0.89
MWD	84	7705	0.42	135.23	95	7623.67	-791.28	-787.70	515.46	0.67
MWD	85	7799	0.48	120.51	94	7717.67	-791.73	-788.14	516.04	0.14
MWD	86	7893	0.77	167.83	94	7811.66	-792.55	-788.96	516.52	0.60
MWD	87	7987	0.25	146.39	94	7905.66	-793.34	-789.75	516.76	0.58
MWD	88	8082	0.77	339.46	95	8000.65	-792.91	-789.32	516.65	1.07
MWD	89	8177	0.67	325.96	95	8095.65	-791.85	-788.27	516.12	0.21
MWD	90	8271	0.43	55.40	94	8189.64	-791.19	-787.61	516.10	0.84
MWD	91	8364	0.23	12.36	93	8282.64	-790.82	-787.23	516.43	0.33
MWD	92	8457	0.28	113.37	93	8375.64	-790.72	-787.14	516.68	0.42
MWD	93	8552	0.06	249.76	95	8470.64	-790.84	-787.25	516.84	0.34
MWD	94	8647	0.11	161.68	95	8565.64	-790.94	-787.35	516.83	0.13
MWD	95	8742	0.22	341.65	95	8660.64	-790.85	-787.26	516.80	0.35
MWD	96	8837	0.29	239.95	95	8755.64	-790.80	-787.21	516.53	0.42
MWD	97	8932	0.46	215.46	95	8850.64	-791.23	-787.64	516.10	0.24
MWD	98	9027	0.19	291.29	95	8945.64	-791.48	-787.90	515.73	0.48
MWD	99	9121	0.31	290.61	94	9039.64	-791.33	-787.75	515.35	0.13
MWD	100	9215	0.61	326.48	94	9133.63	-790.82	-787.24	514.84	0.43
MWD	101	9309	0.41	340.88	94	9227.63	-790.08	-786.51	514.45	0.25
MWD	102	9404	1.24	292.11	95	9322.62	-789.36	-785.80	513.39	1.07
MWD	103	9499	1.13	304.48	95	9417.60	-788.44	-784.88	511.66	0.29
MWD	104	9593	1.09	264.10	94	9511.58	-787.99	-784.45	510.01	0.82
MWD	105	9688	0.29	209.76	95	9606.58	-788.29	-784.75	508.99	1.00
MWD	106	9781	0.28	45.22	93	9699.58	-788.33	-784.80	509.03	0.61
MWD	107	9874	0.61	20.29	93	9792.57	-787.71	-784.17	509.37	0.40
MWD	108	9968	0.69	45.62	94	9886.57	-786.85	-783.31	509.95	0.31

MWD	109	10063	1.31	15.99	95	9981.55	-785.41	-781.86	510.65	0.83
MWD	110	10157	0.58	0.34	94	10075.54	-783.90	-780.35	510.95	0.82
MWD	111	10251	0.74	266.16	94	10169.54	-783.46	-779.92	510.35	1.04
MWD	112	10346	1.44	255.83	95	10264.52	-783.78	-780.25	508.58	0.76
MWD	113	10369	1.25	232.10	23	10287.51	-784.00	-780.48	508.10	2.54
MWD	114	10393	1.34	235.31	24	10311.51	-784.32	-780.80	507.66	0.48
MWD	115	10487	2.25	283.39	94	10405.46	-784.50	-780.99	504.97	1.79
MWD	116	10582	15.42	333.16	95	10499.19	-772.69	-769.23	497.41	14.81
MWD	117	10678	23.50	336.95	96	10589.63	-743.55	-740.19	484.13	8.51
MWD	118	10772	35.67	339.23	94	10671.23	-700.40	-697.15	467.01	13.00
MWD	119	10866	47.79	345.63	94	10741.28	-640.67	-637.55	448.58	13.65
MWD	120	10957	51.32	350.83	91	10800.33	-572.81	-569.79	434.54	5.83
MWD	121	11052	59.97	358.59	95	10853.94	-494.82	-491.85	427.60	11.32
MWD	122	11147	73.55	358.70	95	10891.34	-407.74	-404.78	425.54	14.30
MWD	123	11241	83.38	357.18	94	10910.11	-315.80	-312.86	422.22	10.58
MWD	124	11335	86.19	356.94	94	10918.66	-222.29	-219.38	417.41	3.00
MWD	125	11373	87.49	356.62	38	10920.75	-184.39	-181.50	415.28	3.52
MWD	126	11467	88.48	356.25	94	10924.06	-90.60	-87.74	409.44	1.12
MWD	127	11561	88.82	356.35	94	10926.27	3.22	6.04	403.38	0.38
MWD	128	11655	89.60	357.20	94	10927.57	97.10	99.88	398.09	1.23
MWD	129	11750	89.68	356.95	95	10928.16	192.00	194.75	393.24	0.28
MWD	130	11842	90.61	357.83	92	10927.93	283.93	286.66	389.05	1.39
MWD	131	11938	91.89	359.59	96	10925.84	379.89	382.60	386.89	2.27
MWD	132	12031	93.12	358.69	93	10921.77	472.80	475.50	385.50	1.64
MWD	133	12127	94.63	357.67	96	10915.28	568.55	571.23	382.46	1.90
MWD	134	12221	94.32	358.31	94	10907.95	662.22	664.88	379.17	0.75
MWD	135	12314	92.33	359.49	93	10902.56	755.05	757.70	377.39	2.49
MWD	136	12408	90.95	0.07	94	10899.87	849.01	851.66	377.03	1.59
MWD	137	12503	89.80	0.51	95	10899.24	944.00	946.66	377.51	1.30
MWD	138	12597	88.52	1.24	94	10900.62	1037.96	1040.63	378.94	1.57
MWD	139	12692	89.20	0.42	95	10902.51	1132.92	1135.60	380.32	1.12
MWD	140	12787	89.53	359.92	95	10903.57	1227.91	1230.60	380.60	0.63
MWD	141	12881	90.62	359.56	94	10903.44	1321.91	1324.59	380.18	1.22
MWD	142	12976	87.75	0.38	95	10904.79	1416.89	1419.57	380.13	3.14
MWD	143	13071	87.81	0.24	95	10908.47	1511.81	1514.50	380.64	0.16
MWD	144	13165	88.42	359.72	94	10911.57	1605.75	1608.45	380.61	0.85
MWD	145	13259	89.16	357.94	94	10913.55	1699.72	1702.40	378.69	2.05
MWD	146	13352	90.24	357.05	93	10914.04	1792.65	1795.31	374.62	1.50
MWD	147	13443	91.34	356.85	91	10912.78	1883.55	1886.17	369.78	1.23
MWD	148	13537	92.23	357.90	94	10909.85	1977.43	1980.03	365.48	1.46
MWD	149	13632	92.57	359.62	95	10905.88	2072.33	2074.92	363.42	1.84
MWD	150	13727	91.79	1.17	95	10902.26	2167.25	2169.84	364.08	1.83
MWD	151	13821	91.14	1.72	94	10899.86	2261.17	2263.78	366.45	0.91
MWD	152	13915	90.19	2.36	94	10898.77	2355.08	2357.71	369.79	1.22
MWD	153	14011	91.08	1.94	96	10897.70	2450.97	2453.64	373.40	1.03
MWD	154	14105	88.72	1.18	94	10897.87	2544.91	2547.60	375.95	2.64
MWD	155	14200	87.65	1.68	95	10900.88	2639.81	2642.52	378.32	1.24
MWD	156	14295	89.89	1.29	95	10902.92	2734.73	2737.46	380.78	2.39
MWD	157	14389	89.22	0.62	94	10903.65	2828.70	2831.44	382.35	1.01
MWD	158	14483	89.98	0.71	94	10904.30	2922.68	2925.43	383.44	0.81
MWD	159	14578	91.09	0.32	95	10903.42	3017.67	3020.42	384.30	1.24
MWD	160	14673	90.65	1.57	95	10901.97	3112.63	3115.40	385.86	1.39
MWD	161	14767	88.89	1.07	94	10902.35	3206.58	3209.37	388.03	1.95
MWD	162	14861	89.83	359.81	94	10903.40	3300.56	3303.36	388.75	1.67
MWD	163	14956	90.69	358.21	95	10902.97	3395.55	3398.34	387.11	1.91
MWD	164	15048	92.03	356.83	92	10900.79	3487.46	3490.22	383.13	2.09
MWD	165	15142	92.98	355.37	94	10896.68	3581.19	3583.91	376.74	1.85
MWD	166	15237.00	92.95	355.08	95	10891.76	3675.79	3678.45	368.85	0.31
MWD	167	15332.00	92.08	355.76	95	10887.59	3770.44	3773.06	361.27	1.16
MWD	168	15427.00	92.23	358.00	95	10884.02	3865.26	3867.84	356.10	2.36
MWD	169	15521.00	91.13	356.81	94	10881.27	3959.15	3961.70	351.85	1.72

MWD	170	15614.00	89.61	358.81	93	10880.67	4052.09	4054.62	348.29	2.70
MWD	171	15709.00	88.48	0.51	95	10882.25	4147.08	4149.60	347.73	2.15
MWD	172	15804.00	87.47	1.34	95	10885.61	4241.99	4244.53	349.26	1.38
MWD	173	15899.00	88.41	0.06	95	10889.02	4336.91	4339.46	350.42	1.67
MWD	174	15994.00	88.31	1.59	95	10891.74	4431.84	4434.41	351.79	1.61
MWD	175	16088.00	88.17	1.41	94	10894.63	4525.75	4528.33	354.25	0.24
MWD	176	16183.00	89.45	1.45	95	10896.60	4620.68	4623.28	356.62	1.35
MWD	177	16277.00	90.43	1.74	94	10896.70	4714.62	4717.24	359.23	1.09
MWD	178	16371.00	91.73	0.83	94	10894.93	4808.56	4811.20	361.34	1.69
MWD	179	16464.00	92.07	0.09	93	10891.84	4901.50	4904.14	362.09	0.88
MWD	180	16557.00	93.50	359.81	93	10887.32	4994.38	4997.03	362.01	1.57
MWD	181	16652.00	92.07	0.38	95	10882.71	5089.26	5091.92	362.17	1.62
MWD	182	16746.00	90.50	0.57	94	10880.60	5183.23	5185.89	362.94	1.68
MWD	183	16840.00	88.63	0.67	94	10881.31	5277.20	5279.87	363.96	1.99
MWD	184	16935.00	89.06	359.40	95	10883.23	5372.18	5374.85	364.02	1.41
MWD	185	17027.00	89.61	358.33	92	10884.30	5464.16	5466.83	362.20	1.31
MWD	186	17122.00	90.04	357.46	95	10884.59	5559.12	5561.76	358.71	1.02
MWD	187	17217.00	90.00	359.22	95	10884.55	5654.09	5656.72	355.96	1.85
MWD	188	17311.00	90.85	359.61	94	10883.86	5748.09	5750.71	355.00	0.99
MWD	189	17406.00	90.94	358.49	95	10882.37	5843.07	5845.68	353.42	1.18
MWD	190	17501.00	91.40	357.30	95	10880.43	5938.01	5940.60	349.93	1.34
MWD	191	17595.00	90.71	359.05	94	10878.70	6031.96	6034.53	346.94	2.00
MWD	192	17690.00	91.22	359.44	95	10877.10	6126.94	6129.51	345.69	0.68
MWD	193	17785.00	92.07	358.74	95	10874.37	6221.90	6224.45	344.18	1.16
MWD	194	17878.00	90.00	358.81	93	10872.70	6314.87	6317.41	342.19	2.23
MWD	195	17973.00	89.21	359.56	95	10873.35	6409.86	6412.40	340.84	1.15
MWD	196	18068.00	89.43	358.82	95	10874.48	6504.85	6507.38	339.50	0.81
MWD	197	18164.00	90.05	358.11	96	10874.91	6600.83	6603.35	336.93	0.98
MWD	198	18259.00	90.65	357.20	95	10874.33	6695.77	6698.26	333.04	1.15
MWD	199	18354.00	89.37	358.50	95	10874.32	6790.73	6793.19	329.48	1.92
MWD	200	18449.00	90.08	359.38	95	10874.77	6885.72	6888.17	327.72	1.19
MWD	201	18542.00	89.63	357.89	93	10875.01	6978.70	6981.14	325.50	1.67
MWD	202	18637.00	89.85	359.69	95	10875.44	7073.69	7076.12	323.50	1.91
MWD	203	18732.00	89.85	359.86	95	10875.69	7168.69	7171.12	323.12	0.18
MWD	204	18827.00	89.98	2.11	95	10875.83	7263.65	7266.10	324.76	2.37
MWD	205	18922.00	90.29	2.38	95	10875.60	7358.55	7361.02	328.48	0.43
MWD	206	19017.00	90.62	3.11	95	10874.85	7453.40	7455.91	333.03	0.84
MWD	207	19111.00	90.92	2.60	94	10873.59	7547.24	7549.78	337.71	0.63
MWD	208	19206.00	90.84	1.69	95	10872.13	7642.14	7644.71	341.26	0.96
MWD	209	19300.00	90.81	0.67	94	10870.77	7736.09	7738.67	343.20	1.09
MWD	210	19394.00	91.01	0.37	94	10869.28	7830.07	7832.66	344.05	0.38
MWD	211	19489.00	91.32	359.78	95	10867.35	7925.04	7927.64	344.18	0.70
MWD	212	19584.00	91.87	359.07	95	10864.71	8020.00	8022.60	343.22	0.95
MWD	213	19679.00	90.65	0.71	95	10862.62	8114.98	8117.57	343.04	2.15
MWD	214	19774.00	90.13	0.21	95	10861.97	8209.96	8212.56	343.81	0.76
MWD	215	19869.00	88.00	1.61	95	10863.52	8304.92	8307.53	345.31	2.68
MWD	216	19964.00	86.97	0.92	95	10867.69	8399.78	8402.41	347.41	1.30
MWD	217	20058.00	87.20	0.12	94	10872.47	8493.65	8496.29	348.26	0.88
MWD	218	20152.00	88.63	0.95	94	10875.89	8587.57	8590.22	349.14	1.76
MWD	219	20245.00	88.10	0.43	93	10878.54	8680.51	8683.17	350.26	0.80
MWD	220	20340.00	90.16	0.56	95	10879.98	8775.49	8778.15	351.08	2.17
MWD	221	20434.00	93.28	0.57	94	10877.16	8869.42	8872.09	352.00	3.32
MWD	222	20529.00	94.52	359.91	95	10870.70	8964.19	8966.87	352.40	1.48
MWD	223	20623.00	93.79	359.27	94	10863.89	9057.94	9060.62	351.73	1.03
MWD	224	20718.00	92.18	0.07	95	10858.94	9152.81	9155.49	351.19	1.89
MWD	225	20812.00	89.44	359.37	94	10857.62	9246.79	9249.47	350.73	3.01
MWD	226	20907.00	88.95	358.59	95	10858.95	9341.78	9344.44	349.03	0.97
MWD	227	21001.00	89.13	357.50	94	10860.53	9435.73	9438.37	345.83	1.18
MWD	228	21096.00	89.61	356.60	95	10861.57	9530.63	9533.24	340.94	1.07
MWD	229	21190.00	90.57	355.59	94	10861.42	9624.45	9627.02	334.54	1.48
PTB	230	21254.00	90.57	355.59	64	10860.79	9688.29	9690.82	329.62	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-50162										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 122H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat TRIPLE X; BONE SPRING			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	22	24S	33E	-	834	SOUTH	1905	WEST	LEA
BH:	C	15	24S	33E	-	32	NORTH	2303	WEST	LEA
13. Date Spudded 6/4/2022	14. Date T.D. Reached 6/18/2022		15. Date Rig Released 6/22/22		16. Date Completed (Ready to Produce) 11/19/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3543 GR		
18. Total Measured Depth of Well 21254 ft			19. Plug Back Measured Depth 21193 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10862 ft to 21109 ft							BONE SPRING			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1275'		17.5"		975 sks		0
9.625"		40		5249'		12.25"		1185 sks		0
5.5"		20		21239'		8.75"/6.75"		1475 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number) Perforate from 10862 ft to 21109 ft, 1 SPF, .55 inch holes with 416 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10862 ft to 21109 ft 32 stage frac with 23,255,307 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 12/1/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 12/12/2022	Hours Tested 24 hrs	Choke Size 44/64	Prod'n For Test Period	Oil - Bbl 1036	Gas - MCF 1432	Water - Bbl. 4120	Gas - Oil Ratio 1382			
Flow Tubing Press. 0	Casing Pressure 925	Calculated 24-Hour Rate	Oil - Bbl. 1036	Gas - MCF 1432	Water - Bbl. 4120	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 12/15/2022	
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	797		Quaternary					
797	1417		Rustler					
1417	4590		Top of Salt					
4590	4809		Base of Salt					
4809	4840		Lamar					
4840	6098		Bell Canyon					
6098	7614		Cherry Canyon					
7614	9160		Brushy Canyon					
9160	9581		Bone Spring					
9581	10138		Avalon					
10138	10859		1st Bone Spring Sand					
10859			2nd Bone Spring Sand					

Section 22



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 167225

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167225
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 167225

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167225
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/14/2023