

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48764	⁵ Pool Name TRIPLE BONE X; BONE SPRING	⁶ Pool Code 96674
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 143H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	828	SOUTH	2460	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24S	33E	-	29	NORTH	2339	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 11/27/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 5/20/2022	²² Ready Date 11/22/2022	²³ TD 20838'	²⁴ PBTB 20777'	²⁵ Perforations 10510 ft to 20693 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1300'	975 sks		
12.25"	9.625"	5302'	1110 sks		
8.75"/6.75"	5.5"	20824'	2150 sks		

V. Well Test Data

³¹ Date New Oil 11/27/2022	³² Gas Delivery Date 11/27/2022	³³ Test Date 12/12/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 870
³⁷ Choke Size 50/64	³⁸ Oil 1833	³⁹ Water 1838	⁴⁰ Gas 4377		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 3/17/2023		
Date: 12/15/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48764	² Pool Code 96674	³ Pool Name TRIPLE X; BONE SPRING WEST
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 143H ⁹ Elevation 3554'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	—	828'	SOUTH	2460'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24-S	33-E	—	29'	NORTH	2339'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.



10/21/2022

Signature _____

Date _____

Jeff Trlica

Printed Name _____

jtrlica@taprk.com

E-mail Address

18 SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

05/06/2022

Date of Survey

Signature and Seal of Professional Surveyor

Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 143H
SECTION 22 TWP. 24-S RGE 33-E SURVEY N.M.P.M.
COUNTY LEA STATE NM ELEVATION 3554'
DESCRIPTION 828' FSL & 2460' FEL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

PROMETHEUS STATE COM 143H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE: 10/14/2022			
FILE: C_PROMETHEUS_STATE_COM_143			
DRAWN BY: SAR			
SHEET : 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 143H
County: Lea
State: New Mexico
Rig Name: H&P 312
API: 30-025-48764

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 5338' MD – 20780' MD
Projection to Bit: 20838' MD
Dates Performed: 05/30/2022 – 07/08/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: *Corrected*Tap Rock Resources, LLC.

Well Name: Prometheus State Com 143H

Job Number: ID3453

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 312

Target KBTVD: 10,462.3'

Target Inclination: 90.40°

Declination Correction: 5.98°

DF Elevation: 3,582'

Vertical Section Calculated Along Azimuth: 359.56°

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	84.51	0.75	279.79	85	84.51	0.10	0.09	-0.55	0.89
GYRO	2	179.61	0.89	280.24	95	179.60	0.35	0.33	-1.89	0.15
GYRO	3	274.71	1.11	296.33	95	274.68	0.90	0.87	-3.44	0.37
GYRO	4	369.81	0.83	302.68	95	369.77	1.69	1.65	-4.84	0.31
GYRO	5	464.91	0.61	326.02	95	464.86	2.49	2.44	-5.71	0.38
GYRO	6	560.01	0.53	338.39	95	559.96	3.32	3.27	-6.15	0.15
GYRO	7	655.11	0.38	355.35	95	655.05	4.04	3.99	-6.34	0.21
GYRO	8	750.21	0.36	348.69	95	750.15	4.65	4.60	-6.42	0.05
GYRO	9	845.31	0.33	343.29	95	845.25	5.21	5.16	-6.56	0.05
GYRO	10	940.41	0.30	324.54	95	940.35	5.67	5.62	-6.78	0.11
GYRO	11	1035.51	0.35	322.00	95	1035.45	6.11	6.05	-7.11	0.05
GYRO	12	1130.61	0.36	326.07	95	1130.55	6.59	6.53	-7.45	0.03
GYRO	13	1225.71	0.28	321.43	95	1225.64	7.02	6.96	-7.76	0.09
GYRO	14	1320.81	0.35	9.36	95	1320.74	7.49	7.43	-7.86	0.28
GYRO	15	1415.91	0.55	95.01	95	1415.84	7.73	7.68	-7.36	0.66
GYRO	16	1511.01	1.68	150.81	95	1510.92	6.47	6.42	-6.22	1.52
GYRO	17	1606.11	2.83	172.82	95	1605.95	2.91	2.87	-5.25	1.49
GYRO	18	1701.30	4.26	170.44	95	1700.96	-2.91	-2.95	-4.37	1.51
GYRO	19	1796.47	5.89	167.43	95	1795.75	-11.18	-11.20	-2.72	1.73
GYRO	20	1891.61	7.58	173.05	95	1890.23	-22.18	-22.19	-0.90	1.90
GYRO	21	1986.83	8.85	168.77	95	1984.47	-35.62	-35.61	1.29	1.48
GYRO	22	2081.97	9.77	165.48	95	2078.36	-50.64	-50.60	4.74	1.12
GYRO	23	2176.50	9.41	165.39	95	2171.57	-65.91	-65.85	8.70	0.38
GYRO	24	2271.88	9.30	163.99	95	2265.68	-80.90	-80.80	12.79	0.26
GYRO	25	2367.09	9.30	163.65	95	2359.64	-95.70	-95.58	17.08	0.06
GYRO	26	2462.05	9.23	164.66	95	2453.36	-110.44	-110.28	21.26	0.19
GYRO	27	2557.24	9.14	165.45	95	2547.33	-125.15	-124.96	25.18	0.16
GYRO	28	2652.88	9.08	164.78	96	2641.76	-139.82	-139.60	29.07	0.13
GYRO	29	2747.97	9.10	166.75	95	2735.66	-154.40	-154.16	32.76	0.33
GYRO	30	2843.59	8.88	167.75	96	2830.10	-169.00	-168.73	36.06	0.28
GYRO	31	3034.87	9.88	163.75	191	3018.83	-199.24	-198.91	43.78	0.62
GYRO	32	3130.69	9.84	163.34	96	3113.23	-215.01	-214.65	48.43	0.08
GYRO	33	3226.20	9.83	165.01	96	3207.34	-230.74	-230.34	52.88	0.30
GYRO	34	3321.87	9.50	167.28	96	3301.65	-246.36	-245.93	56.73	0.53
GYRO	35	3417.30	9.25	167.26	95	3395.80	-261.55	-261.10	60.16	0.26
GYRO	36	3512.88	9.21	166.11	96	3490.15	-276.49	-276.01	63.69	0.20
GYRO	37	3608.18	9.22	168.73	95	3584.22	-291.41	-290.90	67.01	0.44
GYRO	38	3703.66	8.64	172.46	95	3678.54	-306.04	-305.52	69.45	0.86
GYRO	39	3799.10	8.26	173.50	95	3772.94	-319.97	-319.43	71.17	0.43
GYRO	40	3894.77	7.98	170.75	96	3867.66	-333.37	-332.82	73.01	0.50
GYRO	41	3990.15	8.97	165.78	95	3961.99	-347.13	-346.56	75.90	1.29
GYRO	42	4085.81	9.43	164.13	96	4056.42	-361.93	-361.33	79.88	0.55
GYRO	43	4181.20	8.71	166.01	95	4150.62	-376.48	-375.85	83.76	0.82
GYRO	44	4276.59	7.90	163.49	95	4245.01	-389.80	-389.15	87.37	0.93
GYRO	45	4563.33	9.66	159.53	287	4528.38	-431.35	-430.58	101.39	0.65
GYRO	46	4658.81	10.23	160.27	95	4622.43	-446.87	-446.07	107.05	0.61
GYRO	47	4754.29	9.37	160.99	95	4716.51	-462.25	-461.40	112.45	0.91
GYRO	48	4849.53	10.01	156.94	95	4810.39	-477.24	-476.34	118.22	0.98
GYRO	49	4945.01	10.40	155.44	95	4904.36	-492.76	-491.81	125.05	0.49
GYRO	50	5040.53	10.10	158.41	96	4998.36	-508.44	-507.44	131.72	0.64
GYRO	51	5136.11	8.49	165.02	96	5092.68	-523.09	-522.05	136.62	2.02
GYRO	52	5228.14	8.13	165.24	92	5183.75	-535.97	-534.91	140.04	0.39
MWD	53	5338	7.84	162.84	110	5292.54	-550.67	-549.58	144.23	0.40
MWD	54	5434	9.10	160.96	96	5387.49	-564.14	-563.02	148.64	1.34
MWD	55	5530	9.88	157.97	96	5482.18	-579.00	-577.83	154.20	0.96
MWD	56	5625	10.03	164.17	95	5575.75	-594.55	-593.34	159.52	1.14
MWD	57	5721	9.93	167.47	96	5670.30	-610.70	-609.46	163.59	0.60
MWD	58	5816	9.61	164.54	95	5763.92	-626.37	-625.10	167.48	0.63
MWD	59	5912	10.00	162.72	96	5858.52	-642.08	-640.78	172.10	0.52
MWD	60	6007	9.36	169.09	95	5952.17	-657.57	-656.24	176.01	1.31
MWD	61	6102	9.14	169.65	95	6045.94	-672.60	-671.24	178.82	0.25
MWD	62	6197	9.25	165.52	95	6139.72	-687.44	-686.06	182.09	0.71
MWD	63	6293	9.30	162.83	96	6234.46	-702.35	-700.94	186.31	0.45
MWD	64	6387	8.08	172.81	94	6327.39	-716.18	-714.75	189.38	2.06
MWD	65	6481	7.60	170.64	94	6420.51	-728.88	-727.44	191.21	0.60
MWD	66	6576	6.06	179.62	95	6514.83	-740.11	-738.65	192.27	1.97
MWD	67	6672	4.14	188.02	96	6610.45	-748.60	-747.15	191.82	2.14
MWD	68	6767	3.94	191.81	95	6705.22	-755.18	-753.74	190.67	0.35
MWD	69	6862	3.92	191.22	95	6799.99	-761.55	-760.12	189.37	0.05
MWD	70	6957	3.87	190.39	95	6894.77	-767.88	-766.46	188.16	0.08
MWD	71	7052	2.11	200.52	95	6989.64	-772.66	-771.25	186.97	1.92
MWD	72	7146	1.93	209.37	94	7083.58	-775.65	-774.25	185.59	0.38
MWD	73	7240	0.85	257.75	94	7177.56	-777.17	-775.78	184.13	1.60
MWD	74	7336	1.08	303.67	96	7273.54	-776.81	-775.43	182.68	0.81
MWD	75	7431	0.50	181.01	95	7368.54	-776.72	-775.35	181.93	1.49
MWD	76	7526	0.64	118.98	95	7463.53	-777.40	-776.03	182.39	0.63
MWD	77	7622	0.62	115.48	96	7559.53	-777.89	-776.51	183.33	0.05
MWD	78	7717	0.92	93.77	95	7654.52	-778.17	-776.78	184.55	0.43
MWD	79	7813	1.24	102.82	96	7750.50	-778.47	-777.06	186.33	0.38
MWD	80	7908	1.04	119.58	95	7845.48	-779.14	-777.72	188.08	0.40

MWD	81	8003	1.38	121.02	95	7940.46	-780.17	-778.74	189.82	0.36
MWD	82	8098	0.76	194.52	95	8035.45	-781.38	-779.94	190.64	1.45
MWD	83	8193	0.73	214.93	95	8130.44	-782.48	-781.04	190.14	0.28
MWD	84	8288	1.08	189.55	95	8225.43	-783.85	-782.42	189.65	0.56
MWD	85	8383	0.14	226.63	95	8320.42	-784.82	-783.38	189.41	1.03
MWD	86	8478	0.45	280.27	95	8415.42	-784.83	-783.40	188.97	0.40
MWD	87	8574	0.49	256.84	96	8511.42	-784.85	-783.42	188.20	0.20
MWD	88	8669	0.48	228.31	95	8606.42	-785.20	-783.78	187.52	0.25
MWD	89	8765	0.72	205.68	96	8702.41	-786.00	-784.59	186.96	0.35
MWD	90	8955	0.87	239.84	190	8892.39	-787.78	-786.38	185.20	0.26
MWD	91	9051	0.95	310.10	96	8988.38	-787.62	-786.24	183.96	1.09
MWD	92	9147	1.49	323.35	96	9084.36	-786.11	-784.73	182.62	0.63
MWD	93	9242	1.08	18.26	95	9179.34	-784.26	-782.88	182.16	1.30
MWD	94	9338	0.65	327.16	96	9275.33	-782.94	-781.57	182.15	0.88
MWD	95	9433	1.48	318.56	95	9370.31	-781.57	-780.20	181.05	0.89
MWD	96	9529	1.00	10.65	96	9466.29	-779.81	-778.45	180.39	1.22
MWD	97	9624	2.42	49.06	95	9561.25	-777.70	-776.33	182.05	1.84
MWD	98	9719	3.40	38.78	95	9656.13	-774.22	-772.82	185.33	1.16
MWD	99	9815	0.65	351.09	96	9752.06	-771.48	-770.06	187.03	3.12
MWD	100	9910	0.65	302.70	95	9847.06	-770.65	-769.24	186.49	0.56
MWD	101	9984	0.40	334.11	74	9921.06	-770.19	-768.78	186.03	0.50
MWD	102	10009	0.06	41.15	25	9946.06	-770.10	-768.70	186.00	1.52
MWD	103	10104	1.87	354.41	95	10041.04	-768.52	-767.11	185.88	1.93
MWD	104	10199	18.50	2.26	95	10134.22	-751.80	-750.39	186.32	17.52
MWD	105	10295	28.44	9.36	96	10222.18	-713.97	-712.52	190.65	10.75
MWD	106	10390	36.29	2.36	95	10302.39	-663.50	-662.01	195.50	9.15
MWD	107	10486	44.76	354.64	96	10375.34	-601.29	-599.82	193.50	10.24
MWD	108	10581	51.84	353.83	95	10438.49	-530.71	-529.29	186.35	7.48
MWD	109	10677	64.08	3.98	96	10489.41	-449.65	-448.24	185.29	15.55
MWD	110	10772	73.47	10.29	95	10523.80	-362.04	-360.55	196.42	11.66
MWD	111	10868	80.89	2.01	96	10545.12	-269.20	-267.62	206.33	11.43
MWD	112	10945	89.38	359.26	77	10551.65	-192.56	-190.98	207.17	11.58
MWD	113	11038	88.49	356.02	93	10553.37	-99.65	-98.09	203.34	3.61
MWD	114	11130	91.35	355.37	92	10553.50	-7.87	-6.36	196.43	3.19
MWD	115	11223	91.37	355.04	93	10551.30	84.84	86.29	188.66	0.36
MWD	116	11315	91.74	355.00	92	10548.80	176.52	177.91	180.68	0.40
MWD	117	11407	91.29	354.96	92	10546.37	268.19	269.52	172.63	0.49
MWD	118	11500	91.63	357.33	93	10544.00	360.99	362.28	166.38	2.57
MWD	119	11592	91.68	357.01	92	10541.34	452.87	454.13	161.84	0.35
MWD	120	11684	90.36	359.36	92	10539.70	544.82	546.06	158.93	2.93
MWD	121	11777	90.27	359.56	93	10539.19	637.82	639.05	158.05	0.24
MWD	122	11869	90.11	359.54	92	10538.89	729.82	731.05	157.33	0.18
MWD	123	11961	89.73	358.83	92	10539.01	821.82	823.04	156.02	0.88
MWD	124	12054	91.32	358.99	93	10538.16	914.80	916.01	154.25	1.72
MWD	125	12146	92.06	359.43	92	10535.45	1006.76	1007.96	152.98	0.94
MWD	126	12239	92.19	359.17	93	10532.00	1099.70	1100.89	151.85	0.31
MWD	127	12331	92.76	359.80	92	10528.03	1191.61	1192.80	151.02	0.92
MWD	128	12427	90.59	0.07	96	10525.22	1287.56	1288.76	150.91	2.28
MWD	129	12522	91.00	359.69	95	10523.90	1382.55	1383.75	150.71	0.59
MWD	130	12618	91.02	359.61	96	10522.21	1478.53	1479.73	150.13	0.09
MWD	131	12713	92.04	0.28	95	10519.67	1573.50	1574.69	150.04	1.28
MWD	132	12808	88.72	359.16	95	10519.04	1668.48	1669.68	149.57	3.69
MWD	133	12904	88.00	358.37	96	10521.79	1764.43	1765.61	147.50	1.11
MWD	134	13000	90.06	358.69	96	10523.42	1860.39	1861.56	145.04	2.17
MWD	135	13095	90.29	358.35	95	10523.13	1955.38	1956.53	142.59	0.43
MWD	136	13190	90.57	358.08	95	10522.41	2050.35	2051.48	139.63	0.41
MWD	137	13286	90.18	358.06	96	10521.79	2146.31	2147.42	136.40	0.41
MWD	138	13381	90.64	358.75	95	10521.11	2241.29	2242.38	133.75	0.87
MWD	139	13477	90.15	358.96	96	10520.44	2337.28	2338.36	131.83	0.56
MWD	140	13572	90.53	0.46	95	10519.88	2432.28	2433.36	131.35	1.63
MWD	141	13668	91.62	0.37	96	10518.08	2528.25	2529.34	132.05	1.14
MWD	142	13763	91.65	359.83	95	10515.37	2623.20	2624.30	132.21	0.57
MWD	143	13858	89.10	0.20	95	10514.75	2718.19	2719.29	132.24	2.71
MWD	144	13954	89.90	359.68	96	10515.58	2814.18	2815.28	132.14	0.99
MWD	145	14049	91.02	359.79	95	10514.82	2909.18	2910.28	131.70	1.18
MWD	146	14145	90.73	359.45	96	10513.36	3005.17	3006.26	131.06	0.47
MWD	147	14240	91.09	359.44	95	10511.85	3100.16	3101.25	130.14	0.38
MWD	148	14336	89.84	359.96	96	10511.07	3196.15	3197.24	129.64	1.41
MWD	149	14431	90.03	359.48	95	10511.18	3291.15	3292.24	129.18	0.54
MWD	150	14527	90.71	359.31	96	10510.56	3387.15	3388.23	128.16	0.73
MWD	151	14623	90.27	359.71	96	10509.73	3483.14	3484.22	127.34	0.62
MWD	152	14718	90.15	359.67	95	10509.39	3578.14	3579.22	126.83	0.13
MWD	153	14813	90.84	359.00	95	10508.57	3673.14	3674.21	125.72	1.01
MWD	154	14909	90.92	358.42	96	10507.09	3769.11	3770.17	123.56	0.61
MWD	155	15005	91.72	358.32	96	10504.88	3865.07	3866.11	120.83	0.84
MWD	156	15100	89.80	358.60	95	10503.62	3960.04	3961.06	118.28	2.04
MWD	157	15196	90.51	359.21	96	10503.36	4056.03	4057.04	116.45	0.98
MWD	158	15291	89.58	358.64	95	10503.29	4151.02	4152.02	114.66	1.15
MWD	159	15386	90.13	358.84	95	10503.53	4246.01	4247.00	112.58	0.62
MWD	160	15481	89.08	358.29	95	10504.18	4340.99	4341.97	110.20	1.25
MWD	161	15575	89.58	358.45	94	10505.28	4434.97	4435.92	107.52	0.56
MWD	162	15670	90.93	359.62	95	10504.86	4529.96	4530.90	105.92	1.88
MWD	163	15765	90.25	359.77	95	10503.88	4624.95	4625.90	105.42	0.73
MWD	164	15860	89.89	359.42	95	10503.76	4719.95	4720.89	104.75	0.53
MWD	165	15955	89.55	359.05	95	10504.23	4814.95	4815.88	103.48	0.53
MWD	166	16050	89.67	360.00	95	10504.87	4909.94	4910.88	102.69	1.01
MWD	167	16145	90.87	0.32	95	10504.43	5004.94	5005.87	102.95	1.31
MWD	168	16240	92.37	0.23	95	10501.74	5099.89	5100.83	103.41	1.58
MWD	169	16335	90.28	0.29	95	10499.54	5194.85	5195.80	103.84	2.20
MWD	170	16430	89.90	358.81	95	10499.39	5289.85	5290.79	103.10	1.61
MWD	171	16525	89.92	358.63	95	10499.54	5384.84	5385.77	100.97	0.19
MWD	172	16620	90.47	359.23	95	10499.22	5479.83	5480.75	99.20	0.86
MWD	173	16715	91.02	359.52	95	10497.99	5574.82	5575.74	98.16	0.65
MWD	174	16810	91.19	359.57	95	10496.15	5669.80	5670.72	97.41	0.19

MWD	175	16906	91.51	359.77	96	10493.89	5765.78	5766.69	96.86	0.39
MWD	176	17001	91.72	359.43	95	10491.21	5860.74	5861.65	96.19	0.42
MWD	177	17097	90.29	0.35	96	10489.53	5956.72	5957.63	96.01	1.77
MWD	178	17192	88.69	0.47	95	10490.38	6051.70	6052.62	96.69	1.69
MWD	179	17287	89.32	0.80	95	10492.03	6146.67	6147.60	97.74	0.75
MWD	180	17382	89.32	0.84	95	10493.15	6241.64	6242.58	99.10	0.04
MWD	181	17477	90.17	359.76	95	10493.58	6336.63	6337.58	99.60	1.45
MWD	182	17573	91.23	359.29	96	10492.40	6432.62	6433.57	98.80	1.21
MWD	183	17668	92.60	359.16	95	10489.23	6527.56	6528.50	97.52	1.45
MWD	184	17763	93.11	359.44	95	10484.50	6622.44	6623.38	96.36	0.61
MWD	185	17859	92.04	359.50	96	10480.18	6718.34	6719.28	95.47	1.12
MWD	186	17954	91.48	359.38	95	10477.27	6813.30	6814.23	94.54	0.60
MWD	187	18049	89.69	359.91	95	10476.30	6908.29	6909.22	93.96	1.97
MWD	188	18145	89.87	359.46	96	10476.66	7004.29	7005.21	93.43	0.50
MWD	189	18240	89.80	359.59	95	10476.94	7099.29	7100.21	92.64	0.16
MWD	190	18336	89.61	359.33	96	10477.43	7195.29	7196.20	91.74	0.34
MWD	191	18430	89.65	359.09	94	10478.04	7289.28	7290.19	90.44	0.26
MWD	192	18526	89.13	359.04	96	10479.06	7385.27	7386.17	88.87	0.54
MWD	193	18621	89.98	358.71	95	10479.80	7480.26	7481.15	87.01	0.96
MWD	194	18716	90.43	358.67	95	10479.46	7575.25	7576.13	84.84	0.48
MWD	195	18811	89.23	359.12	95	10479.74	7670.24	7671.11	83.00	1.35
MWD	196	18907	88.77	359.00	96	10481.42	7766.22	7767.08	81.43	0.50
MWD	197	19003	89.90	0.01	96	10482.53	7862.21	7863.07	80.60	1.58
MWD	198	19098	90.20	0.15	95	10482.45	7957.21	7958.07	80.73	0.35
MWD	199	19194	90.47	0.34	96	10481.89	8053.20	8054.06	81.14	0.34
MWD	200	19289	90.46	359.27	95	10481.12	8148.20	8149.06	80.82	1.13
MWD	201	19385	89.81	358.76	96	10480.89	8244.19	8245.04	79.17	0.86
MWD	202	19480	90.10	358.10	95	10480.96	8339.17	8340.01	76.57	0.76
MWD	203	19575	91.19	357.65	95	10479.89	8434.12	8434.93	73.04	1.24
MWD	204	19670	91.97	357.54	95	10477.28	8529.03	8529.81	69.06	0.83
MWD	205	19766	90.80	357.47	96	10474.96	8624.94	8625.69	64.88	1.22
MWD	206	19861	92.77	359.58	95	10472.00	8719.87	8720.60	62.44	3.04
MWD	207	19957	92.25	359.16	96	10467.79	8815.77	8816.51	61.38	0.70
MWD	208	20052	90.17	358.98	95	10465.79	8910.74	8911.47	59.84	2.20
MWD	209	20148	89.88	358.68	96	10465.74	9006.74	9007.45	57.88	0.43
MWD	210	20243	90.54	358.61	95	10465.40	9101.72	9102.42	55.63	0.70
MWD	211	20339	90.62	359.77	96	10464.42	9197.71	9198.40	54.28	1.21
MWD	212	20435	89.96	359.67	96	10463.94	9293.71	9294.40	53.81	0.70
MWD	213	20530	90.55	359.25	95	10463.52	9388.71	9389.39	52.91	0.76
MWD	214	20625	90.77	358.86	95	10462.42	9483.70	9484.37	51.35	0.47
MWD	215	20721	91.29	358.56	96	10460.70	9579.67	9580.33	49.19	0.63
MWD	216	20780	91.00	358.61	59	10459.52	9638.65	9639.30	47.73	0.50
PTB	217	20838	91.00	358.61	58	10458.50	9696.64	9697.28	46.32	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48764										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 143H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat TRIPLE X; BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	22	24S	33E	-	828	SOUTH	2460	EAST	LEA
BH:	B	15	24S	33E	-	29	NORTH	2339	EAST	LEA
13. Date Spudded 5/30/2022	14. Date T.D. Reached 7/6/2022		15. Date Rig Released 7/8/22		16. Date Completed (Ready to Produce) 11/22/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3554 GR		
18. Total Measured Depth of Well 20838 ft			19. Plug Back Measured Depth 20777 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10510 ft to 20693 ft								BONE SPRING		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1300'		17.5"		975 sks		0
9.625"		40		5302'		12.25"		1110 sks		0
5.5"		20		20824'		8.75"/6.75"		2150 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
Perforate from 10510 ft to 20693 ft, 1 SPF, .55 inch holes with 507 total shots					10510 ft to 20693 ft		39 stage frac with 25,616,620 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production 11/27/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 12/12/2022	Hours Tested 24 hrs	Choke Size 50/64	Prod'n For Test Period	Oil - Bbl 1833	Gas - MCF 1838	Water - Bbl. 4377	Gas - Oil Ratio 1003			
Flow Tubing Press. 0	Casing Pressure 870	Calculated 24-Hour Rate	Oil - Bbl. 1833	Gas - MCF 1838	Water - Bbl. 4377	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Jeff Trlica			Title Regulatory Analyst			Date 12/15/2022		
E-mail Address jtrlica@taprll+										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	859		Quaternary					
859	1479		Rustler					
1479	4652		Top of Salt					
4652	4871		Base of Salt					
4871	4902		Lamar					
4902	6160		Bell Canyon					
6160	7666		Cherry Canyon					
7666	9185		Brushy Canyon					
9185	9618		Bone Spring					
9618			Avalon					

Prometheus Unit




State Acreage



Prometheus E2 Unit



Prometheus W2 Unit



[96674] TRIPLE X; BONE SPRING, WEST



[96674] TRIPLE X; BONE SPRING, WEST
DEFINING WELL

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 197792

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 197792
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 197792

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 197792
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/17/2023