Submit I Copy To Appropriate District Office District I - (575) 393-6161 Energy, Minerals and Natura District III - (575) 748-1283 811 S. First St., Artesia, NM 88210 District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 District IV - (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUC DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR PROPOSALS.) 1. Type of Well: Oil Well X Gas Well Other 2. Name of Operator BXP Operating, LLC 3. Address of Operator 1515 Calle Sur, Suite 174, Hobbs, NM 88240	NOTIVISION DIVISION DIVI
	line and950feet from theWestline ange26E
TEMPORARILY ABANDON	SUBSEQUENT REPORT OF: REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. P AND A XX CASING/CEMENT JOB OTHER: Trinent details, and give pertinent dates, including estimated date
SEE ATTAC	Approved for plugging of well bore only. Liability u bond is retained pending Location cleanup & recei C-103Q (Subsequent Report of Well Plugging) whice may be found at OCD Web Page, OCD Permitting 6 www.emnrd.state.nm.us
I hereby certify that the information above is true and complete to the best SIGNATURE LACATED Agen	
Type or print name	taff Manager DATE 3/15/23

Plugging Report Everest #3 API 30-015-25844

1/10/2023 Set large matting board. Repaired SE anchor. Rigged up. Moved pumping unit away from the wellhead. Laid down 66 ¾" rods and the pump. Shut in and shut down.

1/11/2023 Nipple down the wellhead and installed the BOP. POOH with 53 joints of tubing. Shut down for high winds.


1/12/2023 Made gauge ring run and set 5.5" CIBP at 1633'. Tagged with tubing and circulated MLF. Tested casing to 500#. Casing good. Spot 25 sx cement with CaCl on CIBP. WOC and tagged at 1394'. POOH to 957' and spot 25 sx cement. POOH and SION

1/13/2023 Tagged cement at 704'. POOH to 255' and circulated cement to surface with 25 sx. Rig down. Dig out and remove the wellhead. Good cement to surface. Installed below ground marker, removed the anchors and cleaned the pit.

Page 7 of 8

BXP Operating, LLC Everest #3

PROPOSED 30-015-25844



INSTALL DRY HOLE MARKER CUT OFF WELLHEAD & VERIFY CMT FILL TO SURFACE W/ CMT POOH TO 250'

8 5/8" 24# @ 898' w/ 560 sx

WOC & TAG SPOT 25 SX CMT POOH TO 950'

SPOT 25 SX CMT ON CIBP SET CIBP AT 1583'

Perfs 1683' - 1690' 5 1/2 "15.5# @ 1749' w/ 450 sx

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 196190

CONDITIONS

Operator:	OGRID:
BXP Operating, LLC	329487
11757 KATY FREEWAY	Action Number:
HOUSTON, TX 77079	196190
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	None	3/15/2023