

District I
1625 N. French Dr., Hobbs, NM 88240
District II

811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 01/25/2023
⁴ API Number 30 - 025-48815	⁵ Pool Name MESA VERDE; BONE SPRING	⁶ Pool Code 96229
⁷ Property Code: 320828	⁸ Property Name: MESA VERDE BONE SPRING UNIT	⁹ Well Number: 45H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	24S	32E		635	SOUTH	1175	WEST	LEA

¹¹ Bottom Hole Location FTP- 141' FSL 1389' FWL LTP- 225' FNL 1362' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	24S	32E		49	NORTH	1349	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G


IV. Well Completion Data

²¹ Spud Date 10/14/22	²² Ready Date 01/25/2023	²³ TD 20004'M 9287'V	²⁴ PBTD 19962'M 9287'V	²⁵ Perforations 9601-19827'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		951'	990
9-7/8"		7-5/8"		8886'	2691
6-3/4"		5-1/2"		19984'	817

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 01/24/2023 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 3/20/2023

RT EXPIRES 4/25/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (505) 748-1283 Fax: (505) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 1, 2011

OIL CONSERVATION DIVISION

Submit one copy to appropriate

District Office

1220 South St. Francis Dr.

Santa Fe, NM 87505

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-48815	² Pool Code 96229	³ Pool Name MESA VERDE; BONE SPRING
⁴ Property Code 320828	Property Name MESA VERDE BS UNIT	⁶ Well Number 45H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3572'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	24S	32E		635	SOUTH	1175	WEST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	24S	32E		49	NORTH	1349	WEST	LEA
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.9990013 Convergence Angle: 0.68792778



Released to Imaging: 3/20/2023 2:31:03 PM

Schlumberger

30-025-48815 - Oxy Mesa Verde BS Unit 45H Gyro+MWD 0' to 20004'MD Survey Geodetic Report (Def Survey)



Report Date: December 29, 2022 - 01:11 PM
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: Oxy Mesa Verde BS Unit Pad / Mesa Verde BS Unit 45H
Well: Mesa Verde BS Unit 45H
Borehole: Mesa Verde BS Unit 45H
UWI / API#: Unknown / Unknown
Survey Name: 30-025-48815 - Oxy Mesa Verde BS Unit 45H Gyro+MWD 0' to 20004'MD
Survey Date: October 18, 2022
Tort / AHD / DDI / ERD Ratio: 278.382 " / 11582.098 ft / 6.835 / 1.227
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 12' 43.23701", W 103° 41' 3.79610"
Location Grid N/E Y/X: N 441469.280 ftUS, E 742040.470 ftUS
CRS Grid Convergence Angle: 0.3459 °
Grid Scale Factor: 0.99995523
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 0.758 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3598.200 ft above MSL
Seabed / Ground Elevation: 3571.700 ft above MSL
Magnetic Declination: 6.500 °
Total Gravity Field Strength: 998.4318mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47612.200 nT
Magnetic Dip Angle: 59.848 °
Declination Date: October 27, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.3500 °
Total Corr Mag North->Grid North: 6.1500 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	441469.28	742040.47	N 32 12 43.24	W 103 41 3.80
SHL	26.50	0.00	0.00	26.50	0.00	0.00	0.00	0.00	0.00	0.00	441469.28	742040.47	N 32 12 43.24	W 103 41 3.80
First Gyro Survey	93.73	0.14	93.53	93.73	0.00	-0.01	0.08	0.21	0.08	93.53	441469.28	742040.55	N 32 12 43.24	W 103 41 3.80
	178.32	0.63	279.83	178.32	0.06	0.07	-0.27	0.91	0.28	283.98	441469.35	742040.20	N 32 12 43.24	W 103 41 3.80
	266.29	0.78	293.12	266.28	0.37	0.39	-1.30	0.25	1.36	286.52	441469.67	742039.17	N 32 12 43.24	W 103 41 3.81
	360.57	0.68	294.36	360.55	0.84	0.87	-2.40	0.11	2.55	289.89	441470.15	742038.07	N 32 12 43.25	W 103 41 3.82
	454.89	0.63	286.83	454.87	1.20	1.25	-3.41	0.11	3.63	290.14	441470.53	742037.06	N 32 12 43.25	W 103 41 3.84
Last Gyro Survey	554.25	0.78	276.21	554.22	1.42	1.48	-4.60	0.20	4.83	287.84	441470.76	742035.87	N 32 12 43.25	W 103 41 3.85
	643.35	0.60	266.96	643.31	1.35	1.43	-5.72	0.20	5.89	284.01	441470.71	742034.75	N 32 12 43.25	W 103 41 3.86
	737.66	0.80	247.93	737.62	1.03	1.14	-6.72	0.14	6.81	279.42	441470.40	742033.75	N 32 12 43.25	W 103 41 3.87
	831.90	0.24	279.17	831.86	0.86	0.96	-7.37	0.44	7.44	277.43	441470.24	742033.10	N 32 12 43.25	W 103 41 3.88
	929.26	0.24	338.90	929.21	1.08	1.18	-7.65	0.25	7.74	278.80	441470.46	742032.82	N 32 12 43.25	W 103 41 3.89
First SLB Survey	1027.00	0.32	341.28	1026.95	1.53	1.63	-7.81	0.08	7.98	281.81	441470.91	742032.66	N 32 12 43.25	W 103 41 3.89
	1120.00	0.17	268.15	1119.95	1.77	1.87	-8.03	0.34	8.25	283.14	441471.16	742032.44	N 32 12 43.26	W 103 41 3.89
	1213.00	0.06	66.84	1212.95	1.78	1.89	-8.12	0.24	8.34	283.09	441471.17	742032.35	N 32 12 43.26	W 103 41 3.89
	1307.00	0.17	25.17	1306.95	1.93	2.04	-8.02	0.14	8.27	284.24	441471.32	742032.45	N 32 12 43.26	W 103 41 3.89
	1399.00	0.14	205.28	1398.95	1.95	2.06	-8.01	0.34	8.27	284.40	441471.34	742032.46	N 32 12 43.26	W 103 41 3.89
Bone Spring Intersection	1492.00	0.14	238.61	1491.95	1.79	1.90	-8.16	0.09	8.37	283.08	441471.18	742032.32	N 32 12 43.26	W 103 41 3.89
	1585.00	0.11	71.70	1584.95	1.76	1.86	-8.17	0.27	8.38	282.86	441471.14	742032.30	N 32 12 43.26	W 103 41 3.89
	1681.00	0.12	139.55	1680.95	1.71	1.82	-8.02	0.13	8.22	282.77	441471.10	742032.46	N 32 12 43.26	W 103 41 3.89
	1775.00	0.11	46.77	1774.95	1.70	1.80	-7.89	0.18	8.09	282.88	441471.08	742032.59	N 32 12 43.26	W 103 41 3.89
	1870.00	0.09	49.46	1869.95	1.81	1.91	-7.76	0.02	8.00	283.85	441471.19	742032.71	N 32 12 43.26	W 103 41 3.89
Actual KOP	1964.00	0.10	281.42	1963.95	1.88	1.98	-7.79	0.18	8.03	284.26	441471.26	742032.68	N 32 12 43.26	W 103 41 3.89
	2058.00	0.08	270.73	2057.95	1.89	2.00	-7.93	0.03	8.18	284.12	441471.28	742032.54	N 32 12 43.26	W 103 41 3.89
	2153.00	0.08	349.30	2152.95	1.96	2.06	-8.01	0.11	8.27	284.43	441471.34	742032.46	N 32 12 43.26	W 103 41 3.89
	2210.00	0.11	125.51	2209.95	1.96	2.07	-7.97	0.31	8.24	284.55	441471.35	742032.50	N 32 12 43.26	W 103 41 3.89
	2247.00	0.09	179.31	2246.95	1.91	2.02	-7.95	0.25	8.20	284.26	441471.30	742032.53	N 32 12 43.26	W 103 41 3.89

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100R)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
100' FSL Crossing	9422.00	46.49	346.35	9275.91	-633.17	-636.37	237.62	11.11	679.29	159.52	440832.84	742278.08	N 32 12 36.93	W 103 41 1.08
	9516.00	55.45	351.11	9335.06	-561.83	-564.83	223.56	10.31	607.47	158.41	440904.47	742264.02	N 32 12 37.63	W 103 41 1.23
	9548.00	58.46	352.35	9352.51	-535.34	-538.29	219.70	9.95	581.40	157.80	440931.01	742260.16	N 32 12 37.90	W 103 41 1.28
	9612.00	64.51	354.60	9383.05	-479.58	-482.45	213.35	9.95	527.52	156.14	440986.85	742253.81	N 32 12 38.45	W 103 41 1.35
	9707.00	74.73	356.59	9416.09	-391.01	-393.78	206.57	10.93	444.67	152.32	441075.52	742247.03	N 32 12 39.33	W 103 41 1.42
	9802.00	84.72	357.97	9433.02	-297.82	-300.53	202.15	10.61	362.19	146.07	441168.77	742242.61	N 32 12 40.25	W 103 41 1.46
	9897.00	92.15	359.06	9435.61	-203.00	-205.66	199.70	7.90	286.66	135.84	441263.63	742240.16	N 32 12 41.19	W 103 41 1.49
	9991.00	90.49	359.00	9433.45	-109.07	-111.70	198.11	1.77	227.43	119.42	441357.58	742238.57	N 32 12 42.12	W 103 41 1.50
	10064.00	90.44	359.44	9432.85	-36.10	-38.71	197.11	0.61	200.88	101.11	441430.57	742237.57	N 32 12 42.84	W 103 41 1.50
	10159.00	89.95	359.12	9432.53	58.87	56.28	195.92	0.62	203.84	73.97	441525.56	742236.38	N 32 12 43.78	W 103 41 1.51
	10254.00	90.38	359.14	9432.26	153.83	151.27	194.48	0.45	246.38	52.12	441620.54	742234.94	N 32 12 44.72	W 103 41 1.52
	10343.00	91.05	359.06	9431.15	242.78	240.25	193.08	0.76	308.22	38.79	441709.52	742233.54	N 32 12 45.60	W 103 41 1.53
	10438.00	90.77	358.92	9429.84	337.73	335.22	191.40	0.33	386.02	29.73	441804.49	742231.96	N 32 12 46.54	W 103 41 1.54
	10533.00	89.10	358.99	9429.74	432.68	430.20	189.67	1.76	470.16	23.79	441899.46	742230.13	N 32 12 47.48	W 103 41 1.56
	10628.00	90.24	358.87	9430.29	527.62	525.18	187.90	1.21	557.78	19.69	441994.44	742228.36	N 32 12 48.42	W 103 41 1.57
	10723.00	89.97	358.49	9430.12	622.56	620.16	185.71	0.49	647.37	16.67	442089.41	742226.17	N 32 12 49.36	W 103 41 1.59
	10816.00	90.80	358.45	9429.49	715.48	713.12	183.22	0.89	736.28	14.41	442182.37	742223.69	N 32 12 50.28	W 103 41 1.61
	10909.00	90.31	358.50	9428.59	808.41	806.08	180.77	0.53	826.10	12.64	442275.33	742221.23	N 32 12 51.20	W 103 41 1.64
	11002.00	90.46	358.71	9427.97	901.34	899.06	178.52	0.26	916.61	11.23	442368.29	742218.98	N 32 12 52.12	W 103 41 1.66
	11096.00	90.61	358.62	9427.09	995.27	993.03	176.33	0.19	1008.56	10.07	442462.26	742216.79	N 32 12 53.05	W 103 41 1.67
Exit Target Box	11286.00	90.46	359.41	9425.31	1185.17	1182.99	173.06	0.42	1195.58	8.32	442552.21	742213.52	N 32 12 54.93	W 103 41 1.70
	11380.00	90.92	1.30	9424.18	1279.16	1276.97	173.64	2.07	1288.73	7.74	442746.20	742214.11	N 32 12 55.86	W 103 41 1.69
	11473.00	90.68	0.24	9422.88	1372.15	1369.96	174.89	1.17	1381.07	7.28	442839.17	742215.36	N 32 12 56.78	W 103 41 1.68
	11565.00	90.15	0.37	9422.22	1464.14	1461.95	175.38	0.59	1472.43	6.84	442931.16	742215.85	N 32 12 57.69	W 103 41 1.65
	11659.00	90.24	0.27	9421.90	1558.14	1555.95	175.91	0.14	1565.86	6.45	443025.16	742216.37	N 32 12 58.62	W 103 41 1.64
	11754.00	89.57	359.74	9422.06	1653.13	1650.95	175.92	0.90	1660.29	6.08	443120.15	742216.38	N 32 12 59.56	W 103 41 1.63
	11848.00	90.68	0.50	9421.85	1747.12	1744.95	176.11	1.43	1753.81	5.76	443214.15	742216.58	N 32 13 0.49	W 103 41 1.62
	11943.00	90.74	0.35	9420.67	1842.11	1839.94	176.82	0.17	1848.41	5.49	443309.13	742217.28	N 32 13 1.43	W 103 41 1.61
	12038.00	90.64	0.32	9419.53	1937.11	1934.93	177.37	0.11	1943.04	5.24	443404.12	742217.84	N 32 13 2.37	W 103 41 1.60
	12133.00	90.34	0.44	9418.72	2032.10	2029.92	178.00	0.34	2037.71	5.01	443499.11	742218.47	N 32 13 3.31	W 103 41 1.58
	12228.00	90.09	0.16	9418.36	2127.10	2124.92	178.50	0.40	2132.40	4.80	443594.10	742218.96	N 32 13 4.25	W 103 41 1.57
	12323.00	90.49	0.19	9417.88	2222.09	2219.92	178.79	0.22	2227.11	4.60	443689.09	742219.25	N 32 13 5.19	W 103 41 1.56
	12418.00	90.77	0.02	9416.63	2317.08	2314.91	178.97	0.34	2321.82	4.42	443784.08	742219.43	N 32 13 6.13	W 103 41 1.55
	12513.00	90.74	359.86	9415.58	2412.06	2409.90	178.87	0.17	2416.53	4.24	443879.07	742219.33	N 32 13 7.07	W 103 41 1.54
	12608.00	90.64	359.55	9414.44	2507.04	2504.90	178.38	0.34	2511.24	4.07	443974.06	742218.84	N 32 13 8.01	W 103 41 1.54
	12703.00	90.58	359.54	9413.43	2602.01	2599.89	177.62	0.06	2605.95	3.91	444069.05	742218.09	N 32 13 8.95	W 103 41 1.55
	12798.00	90.74	359.66	9412.33	2696.98	2694.86	176.94	0.21	2700.68	3.76	444164.03	742217.42	N 32 13 9.89	W 103 41 1.55
	12893.00	91.26	359.59	9410.68	2791.95	2789.86	176.34	0.55	2795.43	3.62	444259.01	742216.80	N 32 13 10.83	W 103 41 1.55
	12988.00	91.29	0.02	9408.55	2886.91	2884.84	176.01	0.45	2890.20	3.49	444353.98	742216.48	N 32 13 11.77	W 103 41 1.54
	13083.00	91.01	359.85	9406.65	2981.88	2979.82	175.91	0.34	2985.01	3.38	444448.96	742216.37	N 32 13 12.71	W 103 41 1.54
Enter Target Box	13178.00	91.08	359.81	9404.92	3076.86	3074.80	175.63	0.08	3079.81	3.27	444543.94	742216.09	N 32 13 13.65	W 103 41 1.54
	13273.00	90.03	358.33	9404.00	3171.81	3169.78	174.08	1.91	3174.56	3.14	444638.91	742214.55	N 32 13 14.59	W 103 41 1.55
	13368.00	90.09	359.54	9403.90	3266.76	3264.76	172.32	1.28	3269.31	3.02	444733.89	742212.78	N 32 13 15.53	W 103 41 1.56
	13463.00	90.86	359.65	9403.11	3361.73	3359.76	171.85	0.82	3364.14	2.82	444828.88	742212.11	N 32 13 16.47	W 103 41 1.56
	13558.00	90.46	0.04	9402.02	3456.75	3454.75	171.39	0.59	3459.20	2.84	444923.87	742211.87	N 32 13 17.41	W 103 41 1.56
	13653.00	90.15	359.68	9401.51	3551.70	3549.75	171.16	0.50	3553.87	2.76	445018.86	742211.62	N 32 13 18.35	W 103 41 1.55
	13748.00	90.27	359.76	9401.17	3646.68	3644.75	170.69	0.15	3648.74	2.68	445113.86	742211.86	N 32 13 19.29	W 103 41 1.55
	13843.00	90.15	359.82	9400.82	3741.67	3739.74	170.34	0.14	3743.62	2.61	445208.85	742210.81	N 32 13 20.23	W 103 41 1.55
	13938.00	90.31	0.01	9400.44	3836.66	3834.74	170.20	0.26	3838.52	2.54	445303.84	742210.67	N 32 13 21.17	W 103 41 1.55
	14033.00	90.31	359.95	9399.92	3931.65	3929.74	170.17	0.06	3933.42	2.48	445398.84	742210.63	N 32 13 22.11	W 103 41 1.54
	14128.00	90.49	359.85	9399.26	4026.64	4024.72	170.00	0.22	4028.33	2.42	445493.83	742210.40	N 32 13 23.05	W 103 41 1.53
	14223.00	90.52	359.73	9398.42	4121.62	4119.74	169.66	0.13	4123.23	2.36	445588.82	742210.12	N 32 13 23.99	W 103 41 1.53
	14318.00	90.46	359.78	9397.61	4216.60	4214.73	169.25	0.08	4218.13	2.30	445683.81	742209.71	N 32 13 24.93	W 103 41 1.53
	14413.00	89.87	359.40	9397.34	4311.58	4309.73	168.57	0.74	4313.02	2.24	445778.81	742209.03	N 32 13 25.87	W 103 41 1.53
	14508.00	89.87	359.85	9397.55	4406.56	4404.72	167.95	0.47	4407.93	2.18	445873.80	742208.41	N 32 13 26.81	W 103 41 1.53
	14603.00	87.47	358.01	9399.76	4501.48	4499.67	166.18	1.18	4502.74	2.12	445968.74	742206.64	N 32 13 27.75	W 103 41 1.55
	14698.00	90.68	359.66	9401.29	4596.38	4594.62	164.25	0.58	4597.56	2.05	446063.69	742204.71	N 32 13 28.69	W 103 41 1.56
	14792.00	91.23	0.10	9399.72	4690.37	4688.55	164.05	0.75	4691.48	2.00	446157.67	742204.51	N 32 13 29.62	W 103 41 1.55
	14888.00	91.26												

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS ("/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
		1	26.500	26.500	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only		Mesa Verde BS Unit 45H / 30-025-48815 - Oxy Mesa Verde BS Unit 45H Gyro+MWD 0' to 20004MD				
		1	26.500	929.260	Act Stns	26.400	26.400	GYD_GC+DROP+OH		Mesa Verde BS Unit 45H / 30-025-48815 - Oxy Mesa Verde BS Unit				
		1	929.260	16506.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS		Mesa Verde BS Unit 45H / 30-025-48815 - Oxy Mesa Verde BS Unit 45H Gyro+MWD 0' to 20004MD				
		1	16506.000	16850.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG		Mesa Verde BS Unit 45H / 30-025-48815 - Oxy Mesa Verde BS Unit				
		1	16850.000	20004.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS		Mesa Verde BS Unit 45H / 30-025-48815 - Oxy Mesa Verde BS Unit 45H Gyro+MWD 0' to 20004MD				

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 179225

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 179225
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 179225

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 179225
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/20/2023