

Well Name: MAXUS B8026 JVP	Well Location: T22S / R34E / SEC 34 / SESE /	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM19143	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002529807	Well Status: Producing Gas Well	Operator: BTA OIL PRODUCERS LLC

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM

NMOCD 3/20/23

X7

Notice of Intent

Type of Submission: Notice of Intent

Type of Action Plug and Abandonment

Date Sundry Submitted: 04/21/2021

Time Sundry Submitted: 09:08

Date proposed operation will begin: 05/23/2021

Procedure Description: MIRU Plugging Crew and Equipment, Blowdown well, NDWH, NUBOPE. RIH and Tag Cement Plug @ 9760' Pressure Test 7" casing to 500 psi. Circulate 9.5# M.L.F Pump 75 SXS CLASS H CMT @ 8650' - 8270' (T/Bone Springs) WOC & TAG Pump 60 SXS CLASS C CMT @ 5500' - 5150' (T/Delaware) WOC & TAG Perforate and squeeze 60 SXS CLASS C CMT @ 4900' - 4750' (9 5/8" CSG SHOE), WOC & TAG Perforate @ 4500'. RIH and set PKR @ 4400', attempt to establish circulation to surface btwn 7" & 9 5/8" Squeeze 250 SXS CLASS C CMT behind 7" WOC & TAG Pump 40 SXS CLASS C CMT @ 3500' - 3250' (T/Yates, B/Salt) WOC & TAG Pump 35 SXS CLASS C CMT @ 1800' - 1600' (T/Salt, T/Anhy) WOC & TAG Perforate and Squeeze 60 SXS CLASS C CMT @ 900' - 600' (13 3/8" Csg Shoe) WOC & TAG Mix & Circ. to Surf. 15 SXS CMT @ 100' - 3', Dig out & Cut off Wellhead 3' below grade. Weld on Steel Plate to CSGS and install Dry Hole Marker

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

- Maxus_B_1___Schematic_Current_20210421090720.pdf
- Maxus_B_1___P_A_Purposed_20210421090658.pdf

Received by OCD: 1/11/2023 2:50:11 PM

Page 2 of 8

Well Name: MAXUS B8026 JVP	Well Location: T22S / R34E / SEC 34 / SESE /	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM19143	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002529807	Well Status: Producing Gas Well	Operator: BTA OIL PRODUCERS LLC

Conditions of Approval

Specialist Review

Maxus_B8026_JVP_P_A_Sundry_ID_2157743_20210506095853.pdf

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: KEVIN JONES	Signed on: APR 21, 2021 09:07 AM
Name: BTA OIL PRODUCERS LLC	
Title: Completion Foreman	
Street Address: 104 S PECOS	
City: MIDLAND	State: TX
Phone: (432) 682-3753	
Email address: KJONES@BTAOIL.COM	

Field Representative

Representative Name: Kevin Jones		
Street Address: 104 South Pecos Street		
City: Midland	State: TX	Zip: 79701
Phone: (432)682-3753		
Email address: kjones@btaoil.com		

BLM Point of Contact

BLM POC Name: LONG VO	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: lvo@blm.gov
Disposition: Approved	Disposition Date: 05/06/2021
Signature: Long Vo	

Well Name: MAXUS B8026 JVP	Well Location: T22S / R34E / SEC 34 / SESE /	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM19143	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002529807	Well Status: Producing Gas Well	Operator: BTA OIL PRODUCERS LLC

Notice of Intent

Type of Submission: Notice of Intent

Type of Action Plug and Abandonment

Date Sundry Submitted: 04/21/2021

Time Sundry Submitted: 09:08

Date proposed operation will begin: 05/23/2021

Procedure Description: MIRU Plugging Crew and Equipment, Blowdown well, NDWH, NUBOPE. RIH and Tag Cement Plug @ 9760' Pressure Test 7" casing to 500 psi. Circulate 9.5# M.L.F Pump 75 SXS CLASS H CMT @ 8650' - 8270' (T/Bone Springs) WOC & TAG Pump 60 SXS CLASS C CMT @ 5500' - 5150' (T/Delaware) WOC & TAG Perforate and squeeze 60 SXS CLASS C CMT @ 4900' - 4750' (9 5/8" CSG SHOE), WOC & TAG Perforate @ 4500'. RIH and set PKR @ 4400', attempt to establish circulation to surface btwn 7" & 9 5/8" Squeeze 250 SXS CLASS C CMT behind 7" WOC & TAG Pump 40 SXS CLASS C CMT @ 3500' - 3250' (T/Yates, B/Salt) WOC & TAG Pump 35 SXS CLASS C CMT @ 1800' - 1600' (T/Salt, T/Anhy) WOC & TAG Perforate and Squeeze 60 SXS CLASS C CMT @ 900' - 600' (13 3/8" Csg Shoe) WOC & TAG Mix & Circ. to Surf. 15 SXS CMT @ 100' - 3', Dig out & Cut off Wellhead 3' below grade. Weld on Steel Plate to CSGS and install Dry Hole Marker

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

- Maxus_B_1___Schematic_Current_20210421090720.pdf
- Maxus_B_1___P_A_Purposed_20210421090658.pdf

Well Name: MAXUS B8026 JVP	Well Location: T22S / R34E / SEC 34 / SESE /	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM19143	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002529807	Well Status: Producing Gas Well	Operator: BTA OIL PRODUCERS LLC

Conditions of Approval

Specialist Review

Maxus_B8026_JVP_P_A_Sundry_ID_2157743_20210506095853.pdf

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.


Operator Electronic Signature: KEVIN JONES	Signed on: APR 21, 2021 09:07 AM
Name: BTA OIL PRODUCERS LLC	
Title: Completion Foreman	
Street Address: 104 S PECOS	
City: MIDLAND	State: TX
Phone: (432) 682-3753	
Email address: KJONES@BTAOIL.COM	

Field Representative

Representative Name: Kevin Jones	
Street Address: 104 South Pecos Street	
City: Midland	State: TX
Phone: (432)682-3753	Zip: 79701
Email address: kjones@btaoil.com	

BLM Point of Contact

BLM POC Name: LONG VO	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: lvo@blm.gov
Disposition: Approved	Disposition Date: 05/06/2021
Signature: Long Vo	



BTA Oil Producers

Plug and Abandonment Purposal					
<u>Tubing Detail</u>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> </div> <div style="width: 50%;"> <p>KB = ? <u>X-Mas Tree Top Conn.</u></p> <p>GL = 2</p> <p>Diff = ?</p> <p>@ 725' - 13-3/8" 48# K-55 Surf. Csg. Cmtd w/ 540 Sx</p> <p>@ 4849' - 9-5/8" # Interm Csg. Cmtd w/ 1975 Sx</p> <p>Long String 2-3/8" cut @ 10,020'</p> <p>Short String 2-3/8" cut @ 9860'</p> <p>1/4" Capillary tubing Tagged w/ WL @ 10,160'</p> <p>@ 11,367' TOL</p> <p>Long String 2-3/8" btwn Pkrs</p> <p>@ 11,722' 7" 23# S-95 (Surf-6563') & 26# S-95 (6563'-11,722')</p> <p>Atoka Perfs</p> <p>12,191 - 196'</p> <p>12,208 - 215'</p> <p>12,225 - 232'</p> <p>12,237 - 244'</p> <p>Baker DB Pkr @ 13,050'</p> <p>Baker DB Pkr @ 13,150'</p> <p>Morrow Perfs</p> <p>13,338 - 342'</p> <p>13,348 - 359'</p> <p>13,395 - 409'</p> <p>13,422 - 428'</p> <p>13,513'</p> <p>13,559' @ 11,367'-13,559' 5" 18# N-80 FL4S</p> </div> </div>				
Revised	Producing Well			Drawn	TJW
RTW 2/1/2021	8026 JV-P Maxus B # 1 Antelope Ridge (Atoka/Morrow) 660' FSL 660' FEL Sec. 34 T22S R34E Lea STATE: New Mexico PRODUCING FORMATION: Atoka / Morrow			3/10/2006	
LEASE:	8026 JV-P Maxus B # 1			Approved	
FIELD:	Antelope Ridge (Atoka/Morrow)			Date	
LOCATION:	660' FSL 660' FEL Sec. 34 T22S R34E				
COUNTY:	Lea				
PRODUCING FORMATION:	Atoka / Morrow				
				BTA Oil Producers	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 175251

COMMENTS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 175251
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	3/21/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 175251

CONDITIONS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 175251
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	3/20/2023