

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: MAXUS B8026 JVP Well Location: T22S / R34E / SEC 34 / County or Parish/State: LEA /

SESW /

Well Number: 02 Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMNM19143 Unit or CA Name: Unit or CA Number:

US Well Number: 300253003200X1 Well Status: Abandoned Operator: BTA OIL

PRODUCERS LLC

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM NMOCD 3/20/23



Subsequent Report

Sundry ID: 2713043

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/30/2023 Time Sundry Submitted: 09:12

Date Operation Actually Began: 12/21/2022

Actual Procedure: MIRU JMR Services. ND WH. NU BOP. Release production packer, POOH 360 jts 2-7/8" and 24 jts 2-3/8" production tubing string. RU WL to run 3.75" gauge ring, stacked out @ 11,361' - roughly top of liner. ROH w/ gauge ring. RIH w/ WL to set 5" CIBP @ 12,020'. RD WL. RIH w/ tubing workstring to tag top of CIBP @ 11,988'. RU pump to displace hole w/ 10 PPG salt gel. Pressure test CIBP to 500 psi - good test. As per BLM rep (Joe Balderez) first approved plug was divided into two plugs. With EOT @ 11,958', spot 120 sx Class H cmt. PU to WOC. TIH to tag TOC @ 11,087'. At 11,087', spot 125 sx Class H cmt. PU to WOC. TIH to tag TOC @ 10,389'. Pressure test plug to 500 psi good test. PU to 8636'. Spot 45 sx Class H cmt. PU to WOC. TIH to tag TOC @ 8384'. PU to 5396'. Spot 45 sx Class C cmt. PU to WOC. TIH to tag TOC @ 5148'. PU tbg. RU WL to perforate @ 4800'. RU pump to establish circulation to surface via 7-5/8" x 10-3/4" annulus. POOH to install 7-5/8" pkr. RIH to set pkr @ 3944'. Squeezed 115 sx Class C cmt. Displace and WOC. Pressure test plug @ 500 PSI - good test. Release pkr and RIH to tag TOC @ 4156'. PU tbg. RU WL to perforate @ 3500'. Establish PIR to surface. Sqzd 90 sx Class C cmt. Displace and WOC. Pressure test plug to 500 psi - good test. Rls pkr and RIH to tag TOC @ 3361'. POOH to LD pkr. TIH to 3232'. Spot 25 sx Class C cmt. POOH to WOC. TIH w/ pkr to 1556'. RU WL to tag TOC @ 3161'. ROH to perforate @ 2182'. RD WL. RU pump to squeeze 130 sx Class C cmt. WOC. Rls pkr and TIH to tag TOC @ 1683'. PU to set pkr @ 407'. RU WL to perforate @ 800'. RD WL. RU pump to establish circulation thru the intermediate csg. Closed intermediate, opened surface and pressured up to 500 psi and held. Notified BLM. Squeezed 60 sx Class C cmt. WOC. Rls pkr and PU to reset pkr w/ 1 jt in hole. Tagged TOC w/WL @ 580'. Perforate @ 100'. RU pump to establish circulation thru intermediate csg. Closed intermediate, opened surface and pressured up to 500 psi and held. Rls pkr. POOH and LD remaining tubing. RD rig floor. ND BOP, Install B1 flange. Circulated cement to surface via all casings with 70 sx Class C cmt. Close well in. ND B1 adapter and verified cement to surface. Rig Down. P&A complete 1/6/2023.

eived by OCD: 2/1/2023 1:04:57 PM Well Name: MAXUS B8026 JVP Well Location: T22S / R34E / SEC 34 /

SESW /

County or Parish/State: LEA? NM

Well Number: 02 Allottee or Tribe Name: Type of Well: CONVENTIONAL GAS

Unit or CA Name: Unit or CA Number: Lease Number: NMNM19143

US Well Number: 300253003200X1 Well Status: Abandoned Operator: BTA OIL

PRODUCERS LLC

SR Attachments

Actual Procedure

WBD_Maxus_B__2_FINAL_PLUGGING_WBD_20230130091219.pdf

Maxus_B_2_Plugging_Summary_20230130091157.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BOB HALL Signed on: JAN 30, 2023 09:12 AM

Name: BTA OIL PRODUCERS LLC

Title: Environmental Manager Street Address: 104 S PECOS

City: MIDLAND State: TX

Phone: (432) 682-3753

Email address: BHALL@BTAOIL.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:


BLM Point of Contact

Signature: James A. Amos

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

Disposition: Accepted **Disposition Date:** 01/31/2023



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 181724

COMMENTS

Operator:	OGRID:
BTA OIL PRODUCERS, LLC	260297
104 S Pecos	Action Number:
Midland, TX 79701	181724
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created B	Comment	Comment Date
plmartin	DATA ENTRY PM	3/21/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 181724

CONDITIONS

Operator:	OGRID:
BTA OIL PRODUCERS, LLC	260297
104 S Pecos	Action Number:
Midland, TX 79701	181724
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	3/20/2023