

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 07/15/2022
⁴ API Number 30 - 015-47207	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8272	⁶ Pool Code 98220
⁷ Property Code: 328295	⁸ Property Name: CORRAL GORGE 12-13 FEDERAL COM	⁹ Well Number: 37H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	12	25S	29E		360	NORTH	225	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 351' FNL 1174' FEL LTP- 183' FSL 1221' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	13	25S	29E		35	SOUTH	1221	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 7/17/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 12/15/21	²² Ready Date 07/15/2022	²³ TD 21032'M 10760'V	²⁴ PBTD 20986'M 10760'V	²⁵ Perforations 10727-20884'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
14-3/4"	10-3/4"		805'		690
9-7/8"	7-5/8"		9912'		2130
6-3/4"	5-1/2"		21012'		853
	2-3/8" tbg		10499'		na

V. Well Test Data

³¹ Date New Oil 7/17/22	³² Gas Delivery Date 7/17/22	³³ Test Date 7/21/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 150
³⁷ Choke Size 128/128	³⁸ Oil 2801	³⁹ Water 6076	⁴⁰ Gas 5358		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 10/13/2022 Phone: 432-685-5036

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 3/30/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (505) 334-6170
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47207	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 328295	Property Name CORRAL GORGE 12-13 FEDERAL COM	⁶ Well Number 37H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC	⁹ Elevation 3164'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	12	25S	29E		360	NORTH	225	EAST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	13	25S	29E		35	SOUTH	1221	EAST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8272						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 666333.67' / Y: 419282.08' B - X: 666348.46' / Y: 416635.65' C - X: 666357.85' / Y: 413973.33' D - X: 666373.41' / Y: 411312.89' E - X: 666388.97' / Y: 408652.45' F - X: 663731.29' / Y: 408628.87' G - X: 663717.53' / Y: 411285.49' H - X: 663703.76' / Y: 413945.11' I - X: 663689.71' / Y: 416604.14' J - X: 663675.71' / Y: 419255.50' CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 625149.00' / Y: 419223.69' B - X: 625163.71' / Y: 416577.31' C - X: 625173.02' / Y: 413915.06' D - X: 625188.51' / Y: 411254.67' E - X: 625204.00' / Y: 408594.28' F - X: 622546.34' / Y: 408570.70' G - X: 622532.65' / Y: 411227.28' H - X: 622518.95' / Y: 413886.82' I - X: 622504.98' / Y: 416545.80' J - X: 622491.05' / Y: 419197.10' SURFACE HOLE LOCATION 360' FNL 225' FEL, SECTION 12 NAD 83, SPCS NM EAST X: 666110.30' / Y: 418919.70' LAT: 32.15104652N / LON: 103.93016404W NAD 27, SPCS NM EAST X: 624925.61' / Y: 418861.32' LAT: 32.15092279N / LON: 103.92967946W KICK OFF POINT 111' FNL 1088' FEL, SECTION 12 10206' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665246.02' / Y: 419160.67' LAT: 32.1517778N / LON: 103.93295377W NAD 27, SPCS NM EAST X: 624061.35' / Y: 419102.28' LAT: 32.15159406N / LON: 103.93246907W FIRST TAKE POINT 351' FNL 1174' FEL, SECTION 12 10727' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665161.91' / Y: 418918.89' LAT: 32.15105402N / LON: 103.93322845W NAD 27, SPCS NM EAST X: 623977.23' / Y: 418860.51' LAT: 32.15093030N / LON: 103.93274377W LAST TAKE POINT 183' FSL 1221' FEL, SECTION 13 20884' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665166.75' / Y: 408824.45' LAT: 32.12330559N / LON: 103.93333393W NAD 27, SPCS NM EAST X: 623981.79' / Y: 408766.28' LAT: 32.12318156N / LON: 103.93285031W BOTTOM HOLE LOCATION 35' FSL 1221' FEL, SECTION 13 21032' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 665167.51' / Y: 408876.47' LAT: 32.12289880N / LON: 103.93333326W NAD 27, SPCS NM EAST X: 623982.54' / Y: 408618.30' LAT: 32.12277476N / LON: 103.93284966W	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: Date: 07/15/22 JANA MENDIOLA Printed Name janalyn_mendiola@oxy.com E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. JULY 15, 2022 Date of Survey Signature and Seal of Professional Surveyor: Certificate Number LLOYD P. SHORT 21653
--	---	---

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978172 Convergence Angle: 00°12'14.64000"

Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Corral Gorge 12_13 Fed Com 37H	Corral Gorge 12_13 Fed Com 37H	NM Eddy County (NAD 83)	Oxy Corral Gorge 12_13 Federal Com_Citadel 3

Gravity & Magnetic Parameters					Surface Location					NAD83 New Mexico State Plane, Eastern Zone, US Feet					Miscellaneous				
Model:	IFR1	Dip:	59.789°	Date:	03-Jun-2022	Lat:	N 32 9 3.77	Northing:	418919.7HUS	Grid Conv:	0.2146°	Slot:	12_13 Fed Com	TVD Ref:	RKB(3187.6ft above MSL)				
MagDec:	6.64°	FS:	47627.3nT	Gravity FS:	998.445mgn (9.80665 Based)	Lon:	W 103 55 48.59	Easting:	666110.3HUS	Scale Fact:	0.99992692	Plan:	Oxy Corral Gorge 12_13 Fed Com 37H Gyro+MWD 0' to 21032'MD						

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	24.00	0.00	210.67	24.00	0.00	0.00	0.00	0.00
First Gyro Survey	103.22	0.22	210.67	103.22	0.14	-0.13	-0.08	0.28
Last Gyro Survey	792.47	0.80	351.79	792.46	-0.15	0.12	0.27	1.11
First 3rd party Survey	907.00	0.02	295.01	906.99	-0.93	0.92	0.14	0.69
Actual KOP	10161.50	9.46	275.22	10078.36	-164.39	242.04	-857.50	10.43
Wolfcamp A Intersection	10676.87	49.75	191.54	10525.60	46.47	37.85	-941.30	8.36
Last 3rd party Survey	11567.00	89.19	179.32	10690.93	895.80	-812.35	-969.58	0.74
First SLB Survey	11667.00	86.30	181.50	10694.87	995.36	-912.26	-970.29	3.62
Exit Target Box	17290.00	89.80	185.49	10725.94	6577.94	-6515.52	-989.94	3.99
Enter Target Box	17787.00	89.69	174.75	10737.13	7072.13	-7011.77	-989.11	2.48
Exit Target Box	19052.00	91.78	173.22	10743.01	8315.10	-8269.37	-881.88	2.94
Enter Target Box	19778.00	88.73	184.08	10745.54	9035.53	-8993.10	-877.34	1.30
100' FSL Crossing	20967.00	91.14	179.83	10760.13	10221.83	-10178.24	-943.48	3.01
Final MWD Survey	21005.00	90.17	179.22	10759.70	10259.64	-10216.23	-943.16	3.01
Proj to TD	21032.00	90.17	179.22	10759.62	10286.50	-10243.23	-942.79	0.00



Schlumberger



Oxy Corral Gorge 12_13 Fed Com 37H Gyro+MWD 0' to 21032 MD Survey

Geodetic Report

(Def Survey)

Report Date: June 09, 2022 - 11:17 AM Client: OXY Field: NM Eddy County (NAD 83) Structure / Slot: Oxy Corral Gorge 12_13 Federal Com_Citadel 3 / Corral Gorge 12_13 Fed Com 37H Well: Corral Gorge 12_13 Fed Com 37H Borehole: Corral Gorge 12_13 Fed Com 37H UWI / API#: Unknown / Unknown Survey Name: Oxy Corral Gorge 12_13 Fed Com 37H Gyro+MWD 0' to 21032 MD Survey Date: May 30, 2022 Tort / AHD / DDI / ERD Ratio: 350.374 " / 11474.888 ft / 6.895 / 1.066 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 9' 3.767477", W 103° 55' 48.59055" Location Grid N/E Y/X: N 418919.700 ftUS, E 666110.300 ftUS CRS Grid Convergence Angle: 0.2146 ° Grid Scale Factor: 0.99992692 Version / Patch: 2.10.829.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 185.130 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3187.600 ft above MSL Seabed / Ground Elevation: 3163.600 ft above MSL Magnetic Declination: 6.640 ° Total Gravity Field Strength: 998.444mgm (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47627.300 nT Magnetic Dip Angle: 59.789 ° Declination Date: June 03, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.2100 ° Total Corr Mag North->Grid North: 6.4300 ° Local Coord Referenced To: Well Head	
--	---	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	418919.70	666110.30	N 32 9 3.77	W 103 55 48.59
SHL	24.00	0.00	210.67	24.00	0.00	0.00	0.00	0.00	0.00	0.00	418919.70	666110.30	N 32 9 3.77	W 103 55 48.59
First Gyro Survey	103.22	0.22	210.67	103.22	0.14	-0.13	-0.08	0.28	0.15	210.67	418919.57	666110.22	N 32 9 3.77	W 103 55 48.59
	193.53	0.25	220.45	193.53	0.45	-0.43	-0.29	0.06	0.52	214.36	418919.27	666110.01	N 32 9 3.76	W 103 55 48.59
	281.35	0.28	203.69	281.35	0.81	-0.77	-0.50	0.09	0.92	213.15	418918.93	666109.80	N 32 9 3.76	W 103 55 48.60
Last Gyro Survey First 3rd party Survey	333.38	0.11	186.99	333.38	0.98	-0.94	-0.56	0.34	1.09	210.90	418918.76	666109.74	N 32 9 3.76	W 103 55 48.60
	373.91	0.22	195.32	373.91	1.10	-1.05	-0.59	0.28	1.20	209.16	418918.65	666109.71	N 32 9 3.76	W 103 55 48.60
	522.27	0.28	35.38	522.27	1.07	-1.03	-0.45	0.33	1.13	203.68	418918.67	666109.85	N 32 9 3.76	W 103 55 48.60
	616.75	0.22	14.54	616.75	0.69	-0.67	-0.27	0.11	0.72	202.25	418919.03	666110.03	N 32 9 3.76	W 103 55 48.59
	711.24	0.38	84.74	711.24	0.45	-0.46	0.08	0.39	0.47	169.64	418919.24	666110.38	N 32 9 3.76	W 103 55 48.59
	792.47	0.80	351.79	792.46	-0.15	0.12	0.27	1.11	0.30	65.63	418919.82	666110.57	N 32 9 3.77	W 103 55 48.59
	907.00	0.02	295.01	906.99	-0.93	0.92	0.14	0.69	0.93	8.60	418920.62	666110.44	N 32 9 3.78	W 103 55 48.59
	1009.00	0.02	107.50	1008.99	-0.93	0.93	0.14	0.94	0.83	418920.63	666110.44	N 32 9 3.78	W 103 55 48.59	
	1103.00	0.05	223.90	1102.99	-0.90	0.89	0.13	0.07	0.90	8.15	418920.59	666110.43	N 32 9 3.78	W 103 55 48.59
	1195.00	0.03	72.28	1194.99	-0.88	0.87	0.12	0.08	0.88	8.04	418920.57	666110.42	N 32 9 3.78	W 103 55 48.59
	1288.00	0.08	337.21	1287.99	-0.94	0.94	0.12	0.09	0.94	7.35	418920.64	666110.42	N 32 9 3.78	W 103 55 48.59
	1381.00	0.04	209.38	1380.99	-0.97	0.97	0.08	0.12	0.97	4.71	418920.67	666110.38	N 32 9 3.78	W 103 55 48.59
	1475.00	0.03	355.35	1474.99	-0.97	0.96	0.06	0.07	0.97	3.66	418920.66	666110.36	N 32 9 3.78	W 103 55 48.59
	1569.00	0.10	27.45	1568.99	-1.07	1.06	0.10	0.08	1.07	5.24	418920.76	666110.40	N 32 9 3.78	W 103 55 48.59
	1663.00	0.05	341.90	1662.99	-1.18	1.17	0.12	0.08	1.18	5.96	418920.87	666110.42	N 32 9 3.78	W 103 55 48.59
	1758.00	0.01	83.73	1757.99	-1.22	1.21	0.12	0.06	1.22	5.55	418920.91	666110.42	N 32 9 3.78	W 103 55 48.59
	1853.00	0.06	178.99	1852.99	-1.17	1.16	0.13	0.06	1.17	6.22	418920.86	666110.43	N 32 9 3.78	W 103 55 48.59
	1948.00	0.04	173.94	1947.99	-1.09	1.08	0.13	0.02	1.09	6.92	418920.78	666110.43	N 32 9 3.78	W 103 55 48.59
	2043.00	0.03	191.84	2042.99	-1.03	1.02	0.13	0.02	1.03	7.22	418920.72	666110.43	N 32 9 3.78	W 103 55 48.59
	2138.00	0.04	269.54	2137.99	-1.00	1.00	0.09	0.05	1.00	5.23	418920.70	666110.39	N 32 9 3.78	W 103 55 48.59
	2232.00	0.04	0.39	2231.99	-1.03	1.03	0.06	0.06	1.03	3.26	418920.73	666110.36	N 32 9 3.78	W 103 55 48.59
	2327.00	0.03	179.07	2326.99	-1.04	1.04	0.06	0.07	1.04	3.27	418920.74	666110.36	N 32 9 3.78	W 103 55 48.59
	2422.00	0.01	140.86	2421.99	-1.01	1.01	0.07	0.02	1.01	3.69	418920.71	666110.37	N 32 9 3.78	W 103 55 48.59
	2517.00	0.01	297.13	2516.99	-1.01	1.01	0.06	0.02	1.01	3.58	418920.71	666110.36	N 32 9 3.78	W 103 55 48.59
	2611.00	0.01	0.39	2610.99	-1.02	1.02	0.06	0.01	1.02	3.13	418920.72	666110.36	N 32 9 3.78	W 103 55 48.59
	2706.00	0.02	176.87	2705.99	-1.01	1.01	0.06	0.03	1.01	3.21	418920.71	666110.36	N 32 9 3.78	W 103 55 48.59
	2801.00	0.03	155.22	2800.99	-0.97	0.97	0.07	0.01	0.97	4.01	418920.67	666110.37	N 32 9 3.78	W 103 55 48.59
	2896.00	0.04	20.14	2895.99	-0.98	0.98	0.09	0.07	0.98	5.24	418920.68	666110.39	N 32 9 3.78	W 103 55 48.59
	2991.00	0.02	127.53	2990.99	-1.01	1.00	0.11	0.05	1.01	6.52	418920.70	666110.41	N 32 9 3.78	W 103 55 48.59
	3085.00	0.03	351.59	3084.99	-1.02	1.02	0.12	0.05	1.02	6.96	418920.72	666110.42	N 32 9 3.78	W 103 55 48.59
3180.00	0.01	65.09	3179.99	-1.05	1.04	0.13	0.03	1.05	6.98	418920.74	666110.43	N 32 9 3.78	W 103 55 48.59	
3274.00	0.06	187.21	3273.99	-1.01	1.01	0.13	0.07	1.01	7.37	418920.70	666110.43	N 32 9 3.78	W 103 55 48.59	
3369.00	0.05	288.37	3368.99	-0.97	0.96	0.08	0.09	0.97	4.96	418920.66	666110.38	N 32 9 3.78	W 103 55 48.59	
3464.00	0.04	282.29	3463.99	-0.98	0.98	0.01	0.01	0.98	0.68	418920.68	666110.31	N 32 9 3.78	W 103 55 48.59	
3559.00	0.04	27.13	3558.99	-1.01	1.02	-0.01	0.01	1.02	359.69	418920.72	666110.29	N 32 9 3.78	W 103 55 48.59	
3653.00	0.03	197.81	3652.99	-1.02	1.02	0.00	0.07	1.02	0.10	418920.72	666110.30	N 32 9 3.78	W 103 55 48.59	
3748.00	0.04	313.69	3747.99	-1.02	1.02	-0.03	0.06	1.02	358.34	418920.72	666110.27	N 32 9 3.78	W 103 55 48.59	
3842.00	0.03	30.10	3841.99	-1.06	1.07	-0.04	0.05	1.07	357.79	418920.77	666110.26	N 32 9 3.78	W 103 55 48.59	
3937.00	0.03	251.61	3936.99	-1.07	1.08	-0.05	0.06	1.08	357.23	418920.78	666110.25	N 32 9 3.78	W 103 55 48.59	
4031.00	0.02	106.14	4030.99	-1.06	1.07	-0.06	0.05	1.07	356.79	418920.77	666110.24	N 32 9 3.78	W 103 55 48.59	
4126.00	0.02	204.24	4125.99	-1.04	1.05	-0.05	0.03	1.05	357.23	418920.75	666110.25	N 32 9 3.78	W 103 55 48.59	
4220.00	0.03	62.87	4219.99	-1.04	1.05	-0.04	0.05	1.05	358.05	418920.75	666110.26	N 32 9 3.78	W 103 55 48.59	
4315.00	0.05	76.08	4314.99	-1.06	1.07	0.03	0.02	1.07	1.44	418920.77	666110.33	N 32 9 3.78	W 103 55 48.59	
4409.00	0.03	299.94	4408.99	-1.09	1.09	0.05	0.08	1.09	2.38	418920.79	666110.35	N 32 9 3.78	W 103 55 48.59	
4504.00	0.04	68.96	4503.99	-1.11	1.11	0.05	0.07	1.11	2.81	418920.81	666110.35	N 32 9 3.78	W 103 55 48.59	
4600.00	0.75	45.99	4599.98	-1.60	1.56	0.54	0.74	1.65	19.01	418921.26	666110.84	N 32 9 3.78	W 103 55 48.58	
4694.00	3.76	38.23	4693.90	-4.65	4.41	2.89	3.21	5.27	33.22	418924.11	666113.19	N 32 9 3.81	W 103 55 48.56	
4789.00	5.18	352.51	4788.64	-11.45	11.11	4.26	3.90	11.90	20.96	418930.81	666114.56	N 32 9 3.88	W 103 55 48.54	
4883.00	7.38	331.75	4882.08	-20.63	20.64	0.85	3.33	20.66	2.35	418940.34	666111.15	N 32 9 3.97	W 103 55 48.58	
4978.00	9.95	321.13	4975.99	-31.63	32.41	-7.19	3.18	33.20	347.48	418952.10	666103.11	N 32 9 4.09	W 103 55 48.67	
5073.00	11.39	316.88	5069.35	-43.78	45.64	-18.76	1.73	49.35	337.66	418965.34	666091.54	N 32 9 4.22	W 103 55 48.61	
5168.00	12.44	308.46	5162.31	-55.65	58.86	-33.18	2.13	67.57	330.59	418978.55	666079.55	N 32 9 4.35	W 103 55 49.07	
5263.00	12.74	299.34	5255.03	-65.57	70.36	-50.33	2.11	86.50	324.42	418990.05	666059.97	N 32 9 4.47	W 103 55 49.17	
5357.00	12.87	283.67	5346.78	-77.85	80.31	-62.31	3.65	119.40	318.32	419017.55	666041.00	N 32 9 4.54	W 103 55 49.27	
5452.00	12.35	277.92	5439.54	-73.37	81.70	-89.42	1.33	121.12	312.42	419031.39	666020.89	N 32 9 4.58	W 103 55 49.63	
5546.00	12.12	277.30	5531.41	-74.24	84.34	-109.16	0.28	137.95	307.69	419004.03	666001.15	N 32 9 4.61	W 103 55 49.86	
5641.00	12.01	277.61	5624.31	-75.04	86.91	-128.85	0.13	155.42	304.00	419006.61	665981.46	N 32 9 4.63	W 103 55 50.09	
5736.00	12.11	278.17	5717.21	-76.00	89.64	-148.51	0.16	173.47	301.11	419009.33	665961.80	N 32 9 4.66	W 103 55 50.31	
5831.00	12.17	277.70	5810.09	-76.98	92.40	-168.30	0.12	191.99	298.77	419012.09	665942.01	N 32 9 4.69	W 103 55 50.54	
5926.00	11.89	277.89	5903.00	-77.90	95.08	-187.92	0.30	210.60	296.84	419014.77	665922.40	N 32 9 4.72	W 103 55 50.77	
6021.00	12.00	277.79	5995.95	-78.83	97.76	-207.39	0.12	229.28	295.24	419017.45	665902.92	N 32 9 4.74	W 103 55 51.00	
6115.00	12.31	278.00	6087.84	-79.78	100.48	-227.00	0.33	248.24	293.88	419020.17	665883.32	N 32 9 4.77	W 103 55 51.23	
6210.00	12.48	630.27	6103.27	-80.72	119.27	-247.67	0.19	267.67	29					

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100R)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Actual KOP	9281.01	9.66	275.25	9214.98	-168.99	231.24	-685.89	2.72	723.82	268.63	419150.93	665424.47	N 32 9 6.06	W 103 55 56.56
	9376.00	11.20	267.65	9308.41	-167.80	231.59	-703.04	2.17	740.21	288.23	419151.28	665407.31	N 32 9 6.08	W 103 55 56.76
	9471.00	12.90	269.48	9401.31	-165.56	231.12	-722.87	1.83	758.92	287.73	419150.80	665387.49	N 32 9 6.08	W 103 55 56.99
	9566.00	12.02	271.78	9494.08	-163.94	231.33	-743.36	1.06	778.52	287.29	419151.01	665367.00	N 32 9 6.08	W 103 55 57.23
	9661.00	11.45	272.02	9587.09	-162.85	231.97	-762.67	0.60	797.17	286.92	419151.65	665347.69	N 32 9 6.09	W 103 55 57.45
	9756.00	11.23	272.53	9680.24	-161.91	232.71	-781.33	0.25	815.25	286.59	419152.39	665329.02	N 32 9 6.10	W 103 55 57.67
	9859.00	11.71	275.38	9732.18	-161.70	233.44	-791.85	1.40	835.54	286.43	419153.12	665318.51	N 32 9 6.11	W 103 55 57.79
	9970.00	11.45	278.63	9889.90	-162.75	237.37	-823.91	0.44	857.42	286.07	419157.05	665296.45	N 32 9 6.15	W 103 55 58.16
	10065.00	9.95	278.65	9983.25	-163.83	240.02	-841.35	1.58	874.92	285.92	419159.70	665269.01	N 32 9 6.17	W 103 55 58.37
	10161.00	9.48	275.51	10077.87	-164.39	242.03	-857.42	0.74	890.92	285.76	419161.71	665252.95	N 32 9 6.19	W 103 55 58.55
	10161.50	9.46	275.22	10078.36	-164.39	242.04	-857.50	10.43	891.00	285.76	419161.72	665252.96	N 32 9 6.19	W 103 55 58.55
	10255.00	10.78	217.79	10170.63	-157.02	235.81	-870.54	10.43	901.91	285.16	419155.49	665239.82	N 32 9 6.13	W 103 55 58.71
	10350.00	18.71	202.28	10262.46	-134.94	214.65	-881.78	9.25	907.53	283.68	419134.33	665228.58	N 32 9 5.92	W 103 55 58.84
	10445.00	29.20	204.34	10349.16	-98.40	179.33	-897.16	11.08	914.90	261.30	419099.02	665213.21	N 32 9 5.58	W 103 55 59.02
	10540.00	38.75	199.26	10427.86	-47.55	130.03	-916.56	10.48	925.74	278.07	419049.72	665193.81	N 32 9 5.09	W 103 55 59.25
Wolfcamp A Intersection	10635.00	46.60	193.60	10497.68	15.54	68.30	-934.52	9.19	937.01	274.18	418987.99	665175.85	N 32 9 4.48	W 103 55 59.46
	10676.87	49.75	191.54	10525.60	46.47	37.85	-941.30	8.36	942.06	272.30	418957.55	665169.08	N 32 9 4.18	W 103 55 59.71
	10729.00	53.71	189.23	10557.88	87.21	-2.40	-948.65	8.36	948.65	269.86	418917.30	665161.72	N 32 9 3.78	W 103 55 59.96
	10823.00	61.78	187.00	10608.01	166.53	-81.03	-959.79	8.82	963.21	265.17	418838.67	665150.58	N 32 9 3.00	W 103 55 59.76
	10918.00	70.98	184.27	10646.04	253.46	-167.56	-968.25	10.03	982.65	260.18	418752.16	665142.12	N 32 9 2.15	W 103 55 59.86
	11011.00	79.46	181.52	10669.75	343.22	-257.27	-972.75	9.56	1006.20	255.19	418662.45	665137.62	N 32 9 1.26	W 103 55 59.92
	11106.00	87.39	181.12	10680.62	437.31	-351.55	-974.92	8.36	1036.37	250.17	418568.18	665135.45	N 32 9 0.32	W 103 55 59.95
	11198.00	89.42	179.92	10683.18	528.97	-443.50	-975.75	2.56	1071.82	245.56	418476.23	665134.62	N 32 8 59.41	W 103 55 59.96
	11291.00	89.27	178.90	10684.24	621.50	-536.49	-974.80	1.11	1112.68	241.17	418383.25	665135.58	N 32 8 58.49	W 103 55 59.95
	11384.00	88.00	178.66	10686.46	713.91	-629.44	-972.82	1.39	1158.69	237.10	418290.31	665137.56	N 32 8 57.57	W 103 55 59.93
	11478.00	86.62	178.99	10692.23	807.30	-723.38	-970.89	0.75	1210.75	233.31	418196.37	665139.48	N 32 8 56.65	W 103 55 59.91
	11567.00	89.19	179.32	10690.53	895.80	-812.35	-969.58	0.74	1264.91	230.04	418107.41	665140.80	N 32 8 55.76	W 103 55 59.90
	11667.00	86.30	181.50	10694.87	995.36	-912.26	-970.29	3.62	1331.79	226.77	418007.51	665140.08	N 32 8 54.78	W 103 55 59.92
	11759.00	88.71	181.98	10698.87	1087.11	-1004.12	-973.08	2.67	1398.27	224.10	417915.66	665137.29	N 32 8 53.87	W 103 55 59.95
	11854.00	88.73	182.16	10700.99	1181.95	-1099.03	-976.51	0.19	1470.19	221.62	417820.75	665133.86	N 32 8 52.93	W 103 55 59.96
Last 3rd party Survey First SLB Survey	11948.00	88.60	182.64	10703.18	1275.82	-1192.93	-980.45	0.53	1544.13	219.42	417726.86	665129.93	N 32 8 52.00	W 103 55 59.93
	12043.00	88.70	180.64	10705.42	1370.61	-1287.86	-983.17	2.11	1620.24	217.36	417631.94	665127.21	N 32 8 51.06	W 103 56 0.08
	12138.00	90.23	178.80	10706.31	1465.17	-1382.84	-982.70	2.52	1696.45	215.40	417536.96	665127.67	N 32 8 50.12	W 103 56 0.08
	12232.00	90.48	176.57	10705.73	1558.37	-1476.76	-978.90	2.39	1771.74	213.54	417443.05	665131.47	N 32 8 49.19	W 103 56 0.04
	12327.00	90.77	174.46	10704.69	1652.03	-1571.46	-971.48	2.24	1847.50	211.72	417348.36	665138.90	N 32 8 48.25	W 103 55 59.96
	12422.00	90.43	174.14	10703.69	1745.33	-1665.98	-962.04	0.49	1923.80	210.00	417253.84	665148.33	N 32 8 47.32	W 103 55 59.85
	12517.00	91.02	175.63	10702.49	1838.81	-1760.59	-953.57	1.69	2002.25	208.44	417159.24	665166.80	N 32 8 46.38	W 103 55 59.76
	12612.00	90.38	176.79	10701.33	1932.65	-1855.38	-947.29	1.39	2083.22	207.05	417064.46	665163.08	N 32 8 45.44	W 103 55 59.69
	12706.00	89.99	178.29	10701.03	2025.82	-1949.29	-943.26	1.65	2165.52	205.82	416970.56	665167.11	N 32 8 44.51	W 103 55 59.65
	12801.00	89.52	180.20	10701.43	2120.31	-2044.27	-942.01	2.07	2250.87	204.74	416875.58	665168.36	N 32 8 43.57	W 103 55 59.64
	12896.00	89.62	181.31	10702.15	2215.03	-2139.26	-943.26	1.17	2337.98	203.79	416780.60	665167.11	N 32 8 42.63	W 103 55 59.65
	12991.00	89.61	183.37	10702.79	2309.91	-2234.17	-947.14	2.17	2426.64	202.97	416685.69	665163.23	N 32 8 41.69	W 103 55 59.70
	13085.00	89.87	184.84	10703.21	2403.90	-2327.93	-953.87	1.59	2515.77	202.28	416591.95	665166.51	N 32 8 40.77	W 103 55 59.79
	13180.00	89.77	185.88	10703.51	2498.89	-2422.51	-962.74	1.10	2606.81	201.67	416497.37	665167.63	N 32 8 39.83	W 103 55 59.89
	13275.00	89.84	184.84	10703.81	2593.89	-2517.09	-971.61	1.10	2698.11	201.11	416402.79	665168.76	N 32 8 38.90	W 103 56 0.00
100' FSL Crossing Final MWD Survey	13370.00	89.80	183.86	10704.08	2688.88	-2611.82	-978.82	1.03	2789.21	200.54	416308.08	665131.55	N 32 8 37.96	W 103 56 0.00
	13465.00	89.42	181.73	10704.73	2783.79	-2706.70	-983.45	2.28	2879.83	199.97	416213.20	665126.92	N 32 8 37.02	W 103 56 0.15
	13560.00	89.89	181.38	10705.30	2878.61	-2801.66	-986.03	0.62	2970.11	199.39	416118.25	665124.34	N 32 8 36.08	W 103 56 0.18
	13655.00	89.53	181.62	10705.78	2973.41	-2896.63	-988.52	0.46	3060.66	198.84	416023.29	665121.86	N 32 8 35.14	W 103 56 0.21
	13750.00	89.87	181.61	10706.28	3068.23	-2991.59	-991.19	0.36	3151.52	198.33	415928.34	665119.18	N 32 8 34.20	W 103 56 0.25
	13845.00	89.92	181.08	10706.45	3163.03	-3086.56	-993.42	0.56	3242.49	197.84	415833.37	665116.08	N 32 8 33.26	W 103 56 0.28
	13939.00	90.22	178.39	10706.34	3256.60	-3180.55	-996.99	2.88	3331.96	197.34	415739.39	665117.39	N 32 8 32.33	W 103 56 0.28
	14034.00	90.23	175.85	10705.97	3350.67	-3275.42	-988.22	2.67	3421.25	196.79	415644.52	665122.16	N 32 8 31.39	W 103 56 0.23
	14129.00	90.20	173.14	10705.61	3444.02	-3369.98	-979.10	2.85	3509.33	196.20	415549.98	665131.27	N 32 8 30.46	W 103 56 0.12
	14224.00	90.04	169.46	10705.41	3536.25	-3463.87	-964.74	3.88	3595.70	195.56	415456.09	665145.64	N 32 8 29.53	W 103 55 59.96
	14318.00	89.92	171.22	10705.44	3627.14	-3556.53	-948.96							

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Proj to TD	21032.00	90.17	179.22	10759.62	10286.50	-10243.23	-942.79	0.00	10286.53	185.26	408677.24	665167.58	N 32° 7' 22.44"	W 103° 56' 0.00"

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	24.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com 37H Gyro+MWD 0' to 21032MD
	1	24.000	24.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com 37H Gyro+MWD 0' to 21032MD
	1	24.000	792.470	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com
	1	792.470	9970.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	37H Gyro+MWD 0' to 21032MD Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com
	1	9970.000	10161.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG	Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com
	1	10161.000	11567.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	37H Gyro+MWD 0' to 21032MD Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com
	1	11567.000	11667.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG	Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com Corral Gorge 12_13 Fed Com 37H / Oxy Corral Gorge 12_13 Fed Com
	1	11667.000	21032.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	37H Gyro+MWD 0' to 21032MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: CORRAL GORGE 12-13 FEDERAL COM	Well Location: T25S / R29E / SEC 12 / NENE / 32.151046 / -103.930164	County or Parish/State: EDDY / NM
Well Number: 37H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547207	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2698076	
Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 10/13/2022	Time Sundry Submitted: 01:18
Date Operation Actually Began: 06/15/2022	

Actual Procedure: RUPU 06/15/22, RIH & clean out to PBTD @ 20986', pressure test casing to 6059# for 30 min, good test. RIH & perf @ 10727-20884' Total 1734 holes. Frac in 51 stages w/ 503043BBL Produced Water + 75318BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 30725951# sand, RD NexTier 07/07/22. Well ready to produce 07/15/22. 09/7/22 RIH with 2-3/8" L80 tbg & gas lift set @ 10499', RD 09/8/22. Formation Tops for this completion are as follows: RUSTLER 265'M 265'V SALADO 863'M 863'V CASTILE 1926'M 1926'V DELAWARE 3404'M 3404'V BELL CANYON 3429'M 3429'V CHERRY CANYON 4346'M 4346'V BRUSHY CANYON 5605'M 5589'V BONE SPRING 7212'M 7164'V 1ST BONE SPRING 8185'M 8129'V 2ND BONE SPRING 9022'M 8958'V 3RD BONE SPRING 10099'M 10017'V WOLFCAMP 10466'M 10367'V

Received by OCD: 2/27/2023 10:27:31 AM

Page 9 of 14

Well Name: CORRAL GORGE 12-13 FEDERAL COM	Well Location: T25S / R29E / SEC 12 / NENE / 32.151046 / -103.930164	County or Parish/State: EDDY / NM
Well Number: 37H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547207	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: OCT 13, 2022 01:17 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 11/09/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-47207			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name CORRAL GORGE 12-13 FEDERAL COM			
8. Name of Operator: OXY USA INC.							6. Well Number: 37H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat PURPLE SAGE WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	12	25S	29E		360	NORTH	225	EAST	EDDY
BH:	P	13	25S	29E		35	SOUTH	1221	EAST	EDDY
13. Date Spudded 12/15/21	14. Date T.D. Reached 06/4/2022		15. Date Rig Released 06/08/2022		16. Date Completed (Ready to Produce) 07/15/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3164' GL			
18. Total Measured Depth of Well 21032'M 10760'V			19. Plug Back Measured Depth 20986'M 10760'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 10727-20884' Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		805'		14.75"		690sx-surf circ		
7.625" HCL80		26.4		9912'		9.875"		2130sx-surf		
5.5" P110CY		20		21012'		6.75"		853sx-TOC@9589'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
							2.375"		10499'	
26. Perforation record (interval, size, and number) 10727-20884' Total 1734 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.						DEPTH INTERVAL				
						AMOUNT AND KIND MATERIAL USED				
						10727-20884'				
						503043BBL Produced Water + 75318BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 30725951# sand				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
07/17/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
07/21/2022	24 hrs.	128/128	Test Period	2801	5358	6076	1913			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	150		2801	5358	6076					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 			Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>10/13/2022</u>	
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 265'	T. Bell Canyon 3429'	T. Ojo Alamo	T. Penn A"
T. Salado 863'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1926'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3404'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4346'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5605'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7212'	T. Todilto	
T. Abo	T. 1 st Bone Springs 8185'	T. Entrada	
T. Wolfcamp 10466'	T. 2 nd Bone Springs 9022'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 10099'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Corral Gorge 12-13 Federal Com 37H
API No. 30-015-47207



2-3/8" tbg w/ gas lift @ 10499'

Perfs @ 10727-20884'

TD- 21032'M 10760'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 190880

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 190880
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 190880

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 190880
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	3/30/2023