

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-49117	⁵ Pool Name JAL; Wolfcamp	⁶ Pool Code 33813
⁷ Property Code 331189	⁸ Property Name Blue Marlin Fed Com	⁹ Well Number 201H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	19	25-S	36-E	-	282'	SOUTH	773'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	18	25-S	36-E	-	32'	NORTH	330'	WEST	LEA
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				
F	F	1/2/2022							


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
8/20/2021	1/2/2022	21985'	21923'	11810' - 21853'	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1286'	1130 sks		
12.25"	9.625"	5444'	1573 sks		
8.75"	7.625"	11051'	417 sks		
6.75"	5.5"	21972'	1259 sks		

V. Well Test Data

³¹ Date New Oil 1/9/2022	³² Gas Delivery Date 1/9/2022	³³ Test Date 2/2/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1600
³⁷ Choke Size 34/64	³⁸ Oil 1569	³⁹ Water 2979	⁴⁰ Gas 2720		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 3/31/2023		
Date: 3/3/2022	Phone: 720-772-5901				

District I
1625 N. French Dr., Hobbs, NM 88420
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49117	² Pool Code 33813	³ Pool Name JAL; WOLFCAMP, WEST
⁴ Property Code 331189	⁵ Property Name BLUE MARLIN FED COM	
⁷ GRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 201H ⁹ Elevation 3073'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	19	25-S	36-E	-	282'	SOUTH	773'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	18	25-S	36-E	—	32'	NORTH	330'	WEST	LEA

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
640			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.



11/24/2021

Signature _____

Date _____

Jeff Trlica

Printed Name _____

jtrlica@taprk.com

E-mail Address


18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

05/05/2020

Date of Survey _____
Signature and Seal of Professional Surveyor _____

Certificate Number

SECTION 18, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

BLUE MARLIN FED COM 201H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 11/11/2021		
FILE: C:\BLUE_MARLIN_FED_COM_201H		
DRAWN BY: IMU		
SHEET: 2 OF 2		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.
Well Name: Blue Marlin Fed Com #201H
County: Lea
State: New Mexico
Rig Name: H&P 264
API: 30-025-49117

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 21,920' MD
Projection to Bit: 21,985' MD
Dates Performed: 08/08/2021 – 10/11/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator:

Well Name:

Job Number:

Survey Company:

Rig Name:

Tap Rock Resources, LLC.

Blue Marlin Fed Com 201H

ID3009

Intrepid Directional Drilling Specialists

H&P 264

Target KBTVD: 11795.00

Target Inclination: 91.00°

Declination Correction: 5.79°

DF Elevation: 3101

Vertical Section Calculated Along Azimuth: 359.45°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	0.22	312.10	176	176.00	0.23	0.23	-0.25	0.13
MWD	2	237	0.31	339.61	61	237.00	0.46	0.46	-0.40	0.25
MWD	3	330	0.53	350.51	93	330.00	1.13	1.12	-0.55	0.25
MWD	4	421	0.57	29.35	91	420.99	1.93	1.93	-0.40	0.40
MWD	5	512	0.48	32.17	91	511.99	2.65	2.65	0.02	0.10
MWD	6	603	0.92	21.18	91	602.98	3.65	3.65	0.49	0.50
MWD	7	694	1.14	31.38	91	693.97	5.09	5.10	1.23	0.31
MWD	8	784	0.88	359.47	90	783.95	6.54	6.56	1.69	0.68
MWD	9	875	0.62	329.24	91	874.95	7.67	7.68	1.43	0.51
MWD	10	966	0.53	320.98	91	965.94	8.42	8.43	0.91	0.13
MWD	11	1056	0.75	60.73	90	1055.94	9.03	9.04	1.16	1.10
MWD	12	1147	1.58	77.61	91	1146.92	9.58	9.60	2.91	0.98
MWD	13	1230	1.85	96.94	83	1229.88	9.64	9.69	5.35	0.76
MWD	14	1335	1.67	113.82	105	1334.83	8.78	8.86	8.44	0.52
MWD	15	1430	1.49	113.20	95	1429.80	7.71	7.82	10.84	0.19
MWD	16	1525	1.32	110.65	95	1524.77	6.82	6.95	13.00	0.19
MWD	17	1618	1.36	109.69	93	1617.74	6.05	6.20	15.04	0.05
MWD	18	1712	0.75	154.42	94	1711.73	5.11	5.27	16.36	1.04
MWD	19	1900	3.30	247.76	188	1899.62	1.99	2.11	11.88	1.82
MWD	20	1995	3.96	254.35	95	1994.43	0.13	0.19	6.19	0.82
MWD	21	2088	3.65	255.94	93	2087.22	-1.40	-1.40	0.22	0.35
MWD	22	2183	3.87	251.89	95	2182.02	-3.07	-3.13	-5.76	0.36
MWD	23	2277	5.36	250.49	94	2275.71	-5.46	-5.58	-12.91	1.59
MWD	24	2371	6.20	251.81	94	2369.23	-8.42	-8.63	-21.87	0.90
MWD	25	2465	5.32	252.33	94	2462.76	-11.24	-11.54	-30.85	0.94
MWD	26	2559	5.58	248.82	94	2556.33	-14.14	-14.51	-39.26	0.45
MWD	27	2654	6.15	244.60	95	2650.84	-17.90	-18.37	-48.16	0.75
MWD	28	2747	6.29	242.93	93	2743.29	-22.27	-22.82	-57.20	0.25
MWD	29	2841	6.51	242.14	94	2836.70	-27.01	-27.65	-66.50	0.25
MWD	30	2935	5.58	238.45	94	2930.18	-31.81	-32.54	-75.10	1.07
MWD	31	3030	6.15	236.07	95	3024.68	-36.99	-37.79	-83.26	0.65
MWD	32	3124	7.38	234.58	94	3118.03	-43.21	-44.10	-92.36	1.32
MWD	33	3219	6.42	232.38	95	3212.34	-49.90	-50.88	-101.54	1.05
MWD	34	3313	5.45	229.66	94	3305.83	-55.93	-56.98	-109.10	1.07
MWD	35	3406	5.85	230.27	93	3398.38	-61.75	-62.87	-116.11	0.43
MWD	36	3501	6.59	236.34	95	3492.82	-67.79	-68.98	-124.38	1.04
MWD	37	3595	6.15	237.83	94	3586.24	-73.37	-74.65	-133.13	0.50
MWD	38	3689	5.67	240.47	94	3679.74	-78.26	-79.62	-141.43	0.59
MWD	39	3783	5.85	244.51	94	3773.27	-82.53	-83.97	-149.79	0.47
MWD	40	3877	6.46	249.08	94	3866.73	-86.39	-87.92	-159.06	0.83
MWD	41	3970	6.15	249.17	93	3959.16	-89.94	-91.56	-168.60	0.33
MWD	42	4064	5.93	249.43	94	4052.64	-93.35	-95.06	-177.85	0.24
MWD	43	4158	5.63	248.11	94	4146.16	-96.69	-98.48	-186.68	0.35
MWD	44	4251	6.15	246.80	93	4238.67	-100.27	-102.15	-195.49	0.58
MWD	45	4345	7.56	246.62	94	4332.00	-104.60	-106.59	-205.79	1.50
MWD	46	4438	7.47	247.50	93	4424.20	-109.24	-111.33	-216.99	0.16
MWD	47	4532	7.38	248.55	94	4517.41	-113.68	-115.87	-228.26	0.17
MWD	48	4627	7.34	250.66	95	4611.63	-117.81	-120.11	-239.66	0.29
MWD	49	4721	7.34	251.54	94	4704.86	-121.59	-124.00	-251.02	0.12
MWD	50	4814	7.25	250.66	93	4797.10	-125.30	-127.83	-262.20	0.15
MWD	51	4909	6.86	249.61	95	4891.39	-129.16	-131.79	-273.17	0.43
MWD	52	5003	6.55	249.96	94	4984.74	-132.86	-135.58	-283.47	0.33
MWD	53	5097	6.37	249.87	94	5078.15	-136.39	-139.21	-293.40	0.19
MWD	54	5191	6.20	244.07	94	5171.58	-140.31	-143.23	-302.86	0.70
MWD	55	5285	6.15	239.41	94	5265.04	-145.01	-148.01	-311.76	0.54
MWD	56	5385	5.58	240.82	100	5364.51	-150.02	-153.11	-320.62	0.59
MWD	57	5461	5.23	244.77	76	5440.17	-153.24	-156.38	-326.98	0.67
MWD	58	5555	5.41	243.98	94	5533.77	-156.93	-160.16	-334.84	0.21
MWD	59	5650	5.41	240.73	95	5628.35	-161.01	-164.31	-342.77	0.32
MWD	60	5745	5.19	238.71	95	5722.94	-165.36	-168.73	-350.35	0.30
MWD	61	5839	5.45	234.76	94	5816.54	-170.07	-173.51	-357.63	0.48
MWD	62	5933	5.58	236.34	94	5910.10	-175.11	-178.62	-365.07	0.21
MWD	63	6027	5.76	229.92	94	6003.64	-180.61	-184.19	-372.49	0.70
MWD	64	6122	6.02	230.36	95	6098.14	-186.78	-190.44	-379.97	0.28
MWD	65	6216	6.02	228.95	94	6191.62	-193.09	-196.82	-387.48	0.16

MWD	66	6310	6.07	225.09	94	6285.10	-199.77	-203.57	-394.72	0.44
MWD	67	6404	6.33	225	94	6378.55	-206.87	-210.74	-401.91	0.28
MWD	68	6498	6.64	222.36	94	6471.95	-214.48	-218.42	-409.23	0.46
MWD	69	6593	5.71	226.49	95	6566.40	-221.73	-225.73	-416.36	1.08
MWD	70	6686	4.84	236.25	93	6659.00	-227.03	-231.10	-422.98	1.34
MWD	71	6780	3.6	248.03	94	6752.75	-230.28	-234.41	-429.01	1.60
MWD	72	6874	2.59	254.44	94	6846.61	-231.91	-236.08	-433.80	1.13
MWD	73	6968	1.71	239.68	94	6940.54	-233.15	-237.36	-437.05	1.10
MWD	74	7063	1.76	226.49	95	7035.50	-234.85	-239.08	-439.33	0.42
MWD	75	7158	1.27	251.72	95	7130.47	-236.16	-240.41	-441.39	0.86
MWD	76	7251	0.66	270.88	93	7223.46	-236.46	-240.73	-442.91	0.73
MWD	77	7345	0.53	280.28	94	7317.45	-236.37	-240.64	-443.88	0.17
MWD	78	7439	0.04	292.68	94	7411.45	-236.28	-240.55	-444.33	0.52
MWD	79	7533	0.26	192.13	94	7505.45	-236.47	-240.75	-444.41	0.29
MWD	80	7628	0.31	99.49	95	7600.45	-236.73	-241.00	-444.20	0.44
MWD	81	7724	0.84	168.75	96	7696.44	-237.46	-241.73	-443.81	0.82
MWD	82	7818	0.97	178.68	94	7790.43	-238.93	-243.20	-443.65	0.22
MWD	83	7912	0.44	201.97	94	7884.42	-240.06	-244.33	-443.77	0.63
MWD	84	8007	0.57	188.61	95	7979.42	-240.87	-245.14	-443.98	0.18
MWD	85	8102	0.7	181.41	95	8074.42	-241.91	-246.19	-444.06	0.16
MWD	86	8196	0.79	174.73	94	8168.41	-243.13	-247.41	-444.02	0.13
MWD	87	8291	0.75	197.58	95	8263.40	-244.38	-248.65	-444.15	0.32
MWD	88	8385	0.79	198.28	94	8357.39	-245.57	-249.85	-444.53	0.04
MWD	89	8479	0.48	151.35	94	8451.38	-246.54	-250.81	-444.55	0.62
MWD	90	8574	0.22	90.88	95	8546.38	-246.89	-251.17	-444.18	0.44
MWD	91	8669	0.79	132.71	95	8641.38	-247.34	-251.61	-443.51	0.68
MWD	92	8763	0.31	112.85	94	8735.37	-247.89	-252.15	-442.80	0.54
MWD	93	8856	0.44	196.17	93	8828.37	-248.33	-252.59	-442.67	0.55
MWD	94	8950	0.62	208.48	94	8922.37	-249.12	-253.39	-443.01	0.23
MWD	95	9045	0.35	30.59	95	9017.37	-249.32	-253.59	-443.11	1.02
MWD	96	9140	0.70	352.79	95	9112.36	-248.50	-252.76	-443.03	0.50
MWD	97	9233	1.14	350.42	93	9205.35	-247.02	-251.29	-443.26	0.47
MWD	98	9327	1.23	15.29	94	9299.33	-245.13	-249.39	-443.15	0.55
MWD	99	9421	1.49	20.92	94	9393.31	-243.02	-247.28	-442.45	0.31
MWD	100	9516	1.67	23.82	95	9488.27	-240.61	-244.86	-441.45	0.21
MWD	101	9610	1.54	15.56	94	9582.23	-238.15	-242.39	-440.55	0.28
MWD	102	9705	1.41	10.11	95	9677.20	-235.77	-240.01	-440.01	0.20
MWD	103	9798	1.27	0.26	93	9770.18	-233.62	-237.85	-439.80	0.29
MWD	104	9893	1.23	358.15	95	9865.15	-231.54	-235.78	-439.83	0.06
MWD	105	9987	1.85	331.96	94	9959.12	-229.19	-233.43	-440.58	0.98
MWD	106	10082	2.07	325.28	95	10054.06	-226.41	-230.67	-442.27	0.33
MWD	107	10177	1.98	320.01	95	10149.01	-223.72	-228.00	-444.31	0.22
MWD	108	10272	1.93	324.40	95	10243.95	-221.15	-225.44	-446.29	0.17
MWD	109	10365	1.93	312.45	93	10336.90	-218.80	-223.11	-448.36	0.43
MWD	110	10459	2.37	290.83	94	10430.83	-217.01	-221.35	-451.34	0.97
MWD	111	10553	2.95	278.70	94	10524.73	-215.91	-220.29	-455.55	0.86
MWD	112	10647	3.21	278.61	94	10618.60	-215.10	-219.53	-460.54	0.28
MWD	113	10741	1.98	257.08	94	10712.50	-215.03	-219.50	-464.73	1.65
MWD	114	10835	3.30	213.93	94	10806.41	-217.61	-222.11	-467.82	2.44
MWD	115	10930	2.64	225.44	95	10901.28	-221.38	-225.91	-470.91	0.93
MWD	116	11025	1.71	258.05	95	10996.21	-223.18	-227.74	-473.85	1.59
MWD	117	11088	1.71	277.65	94	11059.19	-223.24	-227.81	-475.70	0.92
MWD	118	11156	2.59	265.16	68	11127.14	-223.21	-227.81	-478.24	1.46
MWD	119	11250	13.98	340.83	94	11220.13	-212.56	-217.21	-484.11	14.43
MWD	120	11300	17.01	348.48	50	11268.31	-199.65	-204.34	-487.56	7.30
MWD	121	11345	20.13	357.88	45	11310.98	-185.44	-190.14	-489.16	9.59
MWD	122	11392	23.08	0.60	47	11354.67	-168.14	-172.84	-489.36	6.63
MWD	123	11439	26.33	0.52	47	11397.36	-148.50	-153.21	-489.17	6.92
MWD	124	11532	33.63	5.97	93	11477.88	-102.22	-106.90	-486.30	8.37
MWD	125	11625	47.96	8.95	93	11548.11	-42.26	-46.85	-478.21	15.55
MWD	126	11718	53.85	3.24	93	11606.76	29.37	24.85	-470.70	7.92
MWD	127	11813	61.93	358.58	95	11657.23	109.71	105.21	-469.57	9.46
MWD	128	11907	72.31	357.53	94	11693.73	196.17	191.64	-472.54	11.09
MWD	129	11954	78.37	357.70	47	11705.62	241.59	237.05	-474.43	12.90
MWD	130	12001	84.35	356.91	47	11712.68	288.01	283.45	-476.61	12.83
MWD	131	12051	89.85	359.11	50	11715.21	337.91	333.33	-478.34	11.84
MWD	132	12122	93.14	1.31	71	11713.36	408.86	404.29	-478.09	5.57
MWD	133	12217	91.25	2.80	95	11709.72	503.69	499.15	-474.68	2.53
MWD	134	12311	90.99	2.71	94	11707.88	597.51	593.03	-470.16	0.29
MWD	135	12405	90.55	2.36	94	11706.62	691.37	686.92	-466.01	0.60
MWD	136	12500	89.80	2.89	95	11706.33	786.22	781.82	-461.66	0.97
MWD	137	12595	90.24	2.89	95	11706.29	881.05	876.70	-456.87	0.46
MWD	138	12689	88.53	2.19	94	11707.30	974.90	970.60	-452.70	1.97
MWD	139	12783	88.31	2.10	94	11709.89	1068.76	1064.50	-449.18	0.25
MWD	140	12876	88.04	2.10	93	11712.86	1161.62	1157.39	-445.78	0.29
MWD	141	12971	89.41	2.63	95	11714.97	1256.47	1252.28	-441.86	1.55
MWD	142	13067	90.15	2.98	96	11715.34	1352.30	1348.17	-437.16	0.85
MWD	143	13162	89.89	3.33	95	11715.31	1447.10	1443.02	-431.93	0.46
MWD	144	13255	87.96	3.33	93	11717.05	1539.87	1535.84	-426.53	2.08

MWD	145	13350	88.53	1.48	95	11719.96	1634.69	1630.71	-422.55	2.04
MWD	146	13444	88.00	0.17	94	11722.81	1728.62	1724.66	-421.19	1.50
MWD	147	13538	87.38	359.55	94	11726.59	1822.54	1818.58	-421.42	0.93
MWD	148	13632	87.38	359.81	94	11730.89	1916.44	1912.48	-421.95	0.28
MWD	149	13726	87.43	359.37	94	11735.15	2010.34	2006.38	-422.62	0.47
MWD	150	13820	89.41	358.32	94	11737.74	2104.30	2100.32	-424.51	2.38
MWD	151	13914	89.01	358.23	94	11739.04	2198.27	2194.27	-427.34	0.44
MWD	152	14008	91.60	356.83	94	11738.53	2292.20	2288.17	-431.39	3.13
MWD	153	14103	89.54	356.56	95	11737.59	2387.08	2383.00	-436.87	2.19
MWD	154	14197	91.69	356.74	94	11736.58	2480.96	2476.83	-442.36	2.30
MWD	155	14292	91.21	356.30	95	11734.18	2575.81	2571.62	-448.13	0.69
MWD	156	14386	90.11	355.68	94	11733.09	2669.63	2665.38	-454.70	1.34
MWD	157	14479	89.71	357.18	93	11733.24	2762.49	2758.20	-460.49	1.67
MWD	158	14573	90.11	357.53	94	11733.39	2856.43	2852.10	-464.83	0.57
MWD	159	14666	89.41	357.09	93	11733.78	2949.36	2945.00	-469.19	0.89
MWD	160	14760	89.93	357.62	94	11734.32	3043.30	3038.89	-473.53	0.79
MWD	161	14854	90.15	357.97	94	11734.25	3137.26	3132.82	-477.15	0.44
MWD	162	14948	90.90	0.87	94	11733.39	3231.24	3226.80	-478.10	3.19
MWD	163	15042	89.36	0.96	94	11733.18	3325.21	3320.79	-476.60	1.64
MWD	164	15136	87.96	0.43	94	11735.38	3419.16	3414.75	-475.46	1.59
MWD	165	15230	88.97	0.34	94	11737.89	3513.11	3508.72	-474.83	1.08
MWD	166	15325	92.92	0.52	95	11736.33	3608.07	3603.68	-474.11	4.16
MWD	167	15419	92.22	0.52	94	11732.11	3701.96	3697.58	-473.26	0.74
MWD	168	15514	91.60	359.90	95	11728.95	3796.89	3792.53	-472.91	0.92
MWD	169	15608	90.90	359.81	94	11726.90	3890.87	3886.51	-473.15	0.75
MWD	170	15703	89.71	359.46	95	11726.39	3985.86	3981.50	-473.76	1.31
MWD	171	15797	88.53	359.11	94	11727.83	4079.85	4075.48	-474.93	1.31
MWD	172	15890	89.05	358.76	93	11729.80	4172.83	4168.44	-476.66	0.67
MWD	173	15984	90.59	359.02	94	11730.09	4266.82	4262.42	-478.48	1.66
MWD	174	16078	91.21	1.83	94	11728.62	4360.78	4356.40	-477.78	3.06
MWD	175	16173	93.67	1.04	95	11724.57	4455.63	4451.27	-475.40	2.72
MWD	176	16266	92.97	0.43	93	11719.19	4548.45	4544.11	-474.21	1.00
MWD	177	16361	91.78	359.90	95	11715.25	4643.36	4639.03	-473.94	1.37
MWD	178	16455	91.91	359.11	94	11712.22	4737.31	4732.97	-474.75	0.85
MWD	179	16549	91.16	359.11	94	11709.71	4831.28	4826.93	-476.21	0.80
MWD	180	16643	90.46	359.90	94	11708.38	4925.26	4920.91	-477.02	1.12
MWD	181	16736	90.11	0.60	93	11707.91	5018.25	5013.91	-476.62	0.84
MWD	182	16831	90.33	1.04	95	11707.55	5113.23	5108.90	-475.26	0.52
MWD	183	16924	94.59	359.81	93	11703.56	5206.10	5201.79	-474.57	4.77
MWD	184	17017	93.98	359.55	93	11696.61	5298.84	5294.53	-475.09	0.71
MWD	185	17111	93.32	359.55	94	11690.63	5392.65	5388.33	-475.82	0.70
MWD	186	17205	90.33	359.81	94	11687.63	5486.59	5482.27	-476.35	3.19
MWD	187	17299	88.97	0.08	94	11688.21	5580.58	5576.27	-476.44	1.48
MWD	188	17394	87.60	359.11	95	11691.05	5675.54	5671.22	-477.11	1.77
MWD	189	17487	89.45	358.14	93	11693.44	5768.49	5764.16	-479.34	2.25
MWD	190	17582	90.81	356.21	95	11693.23	5863.41	5859.03	-484.02	2.49
MWD	191	17677	90.68	357.79	95	11691.99	5958.31	5953.89	-488.99	1.67
MWD	192	17772	91.47	357.44	95	11690.21	6053.25	6048.79	-492.94	0.91
MWD	193	17866	91.60	357.35	94	11687.69	6147.15	6142.66	-497.22	0.17
MWD	194	17960	91.30	357.70	94	11685.31	6241.07	6236.54	-501.27	0.49
MWD	195	18054	91.43	358.32	94	11683.07	6335.01	6330.46	-504.54	0.67
MWD	196	18149	91.21	357.70	95	11680.89	6429.96	6425.38	-507.83	0.69
MWD	197	18242	90.11	359.46	93	11679.81	6522.93	6518.34	-510.14	2.23
MWD	198	18336	89.23	359.55	94	11680.36	6616.93	6612.33	-510.95	0.94
MWD	199	18430	88.57	359.64	94	11682.16	6710.91	6706.31	-511.62	0.71
MWD	200	18523	89.27	359.73	93	11683.91	6803.90	6799.29	-512.13	0.76
MWD	201	18618	88.70	359.46	95	11685.60	6898.88	6894.27	-512.80	0.66
MWD	202	18712	88.04	359.46	94	11688.27	6992.84	6988.23	-513.68	0.70
MWD	203	18807	91.65	0.17	95	11688.53	7087.82	7083.21	-513.99	3.87
MWD	204	18900	93.63	0.52	93	11684.24	7180.71	7176.11	-513.43	2.16
MWD	205	18995	93.10	0.34	95	11678.67	7275.53	7270.94	-512.72	0.59
MWD	206	19089	92.70	359.99	94	11673.91	7369.40	7364.82	-512.45	0.57
MWD	207	19184	91.65	359.29	95	11670.31	7464.33	7459.75	-513.05	1.33
MWD	208	19279	90.29	359.81	95	11668.70	7559.31	7554.73	-513.79	1.53
MWD	209	19374	91.52	359.29	95	11667.20	7654.30	7649.71	-514.54	1.41
MWD	210	19468	90.24	358.93	94	11665.75	7748.29	7743.69	-516.00	1.41
MWD	211	19562	92.57	359.64	94	11663.45	7842.25	7837.65	-517.17	2.59
MWD	212	19657	92.09	359.37	95	11659.59	7937.17	7932.56	-517.99	0.58
MWD	213	19751	91.56	359.55	94	11656.59	8031.12	8026.51	-518.88	0.60
MWD	214	19844	92.18	359.11	93	11653.56	8124.07	8119.46	-519.96	0.82
MWD	215	19937	91.60	358.50	93	11650.49	8217.01	8212.38	-521.90	0.90
MWD	216	20032	91.96	0.17	95	11647.54	8311.97	8307.33	-523.00	1.80
MWD	217	20126	90.99	0.34	94	11645.12	8405.92	8401.29	-522.59	1.05
MWD	218	20218	94.20	0.34	92	11640.96	8497.81	8493.19	-522.04	3.49
MWD	219	20312	92.70	1.48	94	11635.30	8591.60	8587.00	-520.55	2.00
MWD	220	20407	90.42	1.40	95	11632.71	8686.50	8681.93	-518.16	2.40
MWD	221	20501	89.89	0.87	94	11632.46	8780.46	8775.91	-516.30	0.80
MWD	222	20595	90.55	0.69	94	11632.10	8874.43	8869.90	-515.02	0.73
MWD	223	20689	90.68	0.52	94	11631.09	8968.41	8963.89	-514.03	0.23

MWD	224	20784	90.99	0.69	95	11629.70	9063.38	9058.87	-513.03	0.37
MWD	225	20878	93.01	359.73	94	11626.42	9157.31	9152.81	-512.68	2.38
MWD	226	20973	92.92	359.64	95	11621.51	9252.18	9247.68	-513.20	0.13
MWD	227	21067	92.09	358.85	94	11617.40	9346.09	9341.58	-514.44	1.22
MWD	228	21162	89.32	357.88	95	11616.23	9441.05	9436.52	-517.15	3.09
MWD	229	21257	89.45	358.93	95	11617.25	9536.03	9531.48	-519.79	1.11
MWD	230	21352	93.23	0.87	95	11615.03	9630.98	9626.43	-519.96	4.47
MWD	231	21446	92.04	359.55	94	11610.71	9724.87	9720.33	-519.62	1.89
MWD	232	21540	91.96	359.20	94	11607.43	9818.81	9814.27	-520.64	0.38
MWD	233	21634	90.11	357.70	94	11605.73	9912.78	9908.21	-523.18	2.53
MWD	234	21728	89.49	357.53	94	11606.06	10006.73	10002.13	-527.10	0.68
MWD	235	21821	88.00	356.30	93	11608.10	10099.61	10094.97	-532.10	2.08
MWD	236	21920	88.44	356.91	99	11611.17	10198.44	10193.74	-537.96	0.76
PTB	237	21985	88.44	356.91	65	11612.94	10263.35	10258.63	-541.46	0.00

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / LOT 4 / 32.1093836 / -103.3102209	County or Parish/State: LEA / NM
Well Number: 201H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549117	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2651133	
Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 01/05/2022	Time Sundry Submitted: 09:49
Date Operation Actually Began: 11/28/2021	

Actual Procedure: 11/28/2021: Pressure test casing to 5005 psi for 30 minutes, good test. 11/30/2021 to 12/24/2022: Perforate from 11810 ft to 21853 ft, 1 SPF, .54 inch holes with 507 total shots. 39 stage frac with 27,788,950 lbs of 100 mesh sand. 12/31/2021 to 1/1/2022: Drill out plugs Plug Back Measured depth at 21923 ft MD, 11611 ft TVD. 1/2/2022: Ready to produce

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / LOT 4 / 32.1093836 / -103.3102209	County or Parish/State: LEA / NM
Well Number: 201H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549117	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 05, 2022 09:49 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/19/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-49117										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BLUE MARLIN FED COM		
								6. Well Number: 201H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat JAL; WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	19	25-S	36-E	-	282'	SOUTH	773'	WEST	LEA
BH:	D	18	25-S	36-E	-	32'	NORTH	330'	WEST	LEA
13. Date Spudded 8/20/2021	14. Date T.D. Reached 10/11/2021		15. Date Rig Released 10/13/2021		16. Date Completed (Ready to Produce) 1/2/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3073 GR		
18. Total Measured Depth of Well 21985'			19. Plug Back Measured Depth 21923'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11810 ft to 21853 ft, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1286'		17.5"		1130 SKS		0
9.625"		40		5444"		12.5"		1573 SKS		0
7.625"		29.7		11051'		8.75"		417 SKS		0
5.5"		23		21972'		6.25"		1259 SKS		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
Perforate from 11810 ft to 21853 ft, 1 SPF, .54 inch holes with 507 total shots					11810 ft to 21853 ft		39 stage frac with 27,788,950 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production 1/9/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 2/2/2022	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period	Oil - Bbl 1569	Gas - MCF 2720	Water - Bbl. 2979	Gas - Oil Ratio 577			
Flow Tubing Press. 0	Casing Pressure 1600	Calculated 24-Hour Rate	Oil - Bbl. 1569	Gas - MCF 2720	Water - Bbl. 2979	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments DIRECTIONAL SURVEY, C-102 AS DRILLED										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name Jeff Trlica			Title Regulatory Analyst			Date 3/3/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1232		QUATERNARY					
1232	1372		RUSTLER					
1372	5072		TOP OF SALT					
5072	5172		BASE OF SALT					
5172	5217		DELAWARE					
5217	6176		BELL CANYON					
6176	7243		CHERRY CANYON					
7243	8457		BRUSHY CANYON					
8457	8793		BONE SPRING LIME					
8793	9734		AVALON					
9734	10278		1ST BONE SPRING SAND					
10278	11014		2ND BONE SPRING SAND					
11014	11542		3RD BONE SPRING SAND					
11542			WOLFCAMP					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 137593

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137593
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 137593

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137593
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	3/31/2023