

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-50163	⁵ Pool Name TRIPLE BONE X; BONE SPRING	⁶ Pool Code 96674
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 123H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	858	SOUTH	2435	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24S	33E	-	20	NORTH	1644	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 11/26/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 5/31/2022	²² Ready Date 11/18/2022	²³ TD 21417'	²⁴ PBTB 21355'	²⁵ Perforations 11110 ft to 21271 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1319'	975 sks		
12.25"	9.625"	5343'	1110 sks		
8.75"/6.75"	5.5"	21402'	2185 sks		

V. Well Test Data

³¹ Date New Oil 11/26/2022	³² Gas Delivery Date 11/26/2022	³³ Test Date 12/12/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 820
³⁷ Choke Size 50/64	³⁸ Oil 1331	³⁹ Water 4484	⁴⁰ Gas 1384		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 3/31/2023		
Date: 12/15/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-50163	² Pool Code 96674	³ Pool Name TRIPLE X; BONE SPRING WEST
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 123H ⁹ Elevation 3554'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	—	858'	SOUTH	2435'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24-S	33-E	—	20'	NORTH	1644'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.



10/21/2022

Signature _____

Date _____

Jeff Trlica

Printed Name _____

jtrlica@taprk.com

E-mail Address

18 SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

05/06/2022

Date of Survey

Signature and Seal of Professional Surveyor

Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 123H
SECTION 22 TWP. 24-S RGE 33-E SURVEY N.M.P.M.
COUNTY LEA STATE NM ELEVATION 3554'
DESCRIPTION 858' FSL & 2435' FEL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

PROMETHEUS STATE COM 123H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE: 10/13/2022			
FILE: C_PROMETHEUS_STATE_COM_123			
DRAWN BY: SAR			
SHEET : 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 123H
County: Lea
State: New Mexico
Rig Name: H&P 312
API: 30-025-50163

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 5435' MD – 21359' MD
Projection to Bit: 21417' MD
Dates Performed: 05/31/2022 – 06/15/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: *Corrected*Tap Rock Resources, LLC.

Well Name: Prometheus State Com 123H

Job Number: ID3452

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 312

Target KBTVD: 9,664.3'

Target Inclination: 90.40°

Declination Correction: 5.98°

DF Elevation: 3,582'

Vertical Section Calculated Along Azimuth: 359.56°

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	108.33	0.27	24.36	108	108.33	0.23	0.23	0.11	0.25
GYRO	2	201.00	0.42	44.62	93	201.00	0.67	0.67	0.43	0.21
GYRO	3	294.33	0.45	33.93	93	294.33	1.21	1.22	0.88	0.09
GYRO	4	387.33	0.23	33.49	93	387.32	1.67	1.68	1.19	0.24
GYRO	5	479.33	0.27	79.31	92	479.32	1.86	1.87	1.50	0.22
GYRO	6	572.33	0.48	95.05	93	572.32	1.86	1.88	2.10	0.25
GYRO	7	665.33	0.55	86.95	93	665.32	1.85	1.87	2.94	0.11
GYRO	8	758.33	0.57	72.65	93	758.31	2.00	2.03	3.82	0.15
GYRO	9	851.33	0.33	69.85	93	851.31	2.23	2.26	4.52	0.26
GYRO	10	944.33	0.08	29.45	93	944.31	2.37	2.41	4.80	0.29
GYRO	11	1037.33	0.58	279.49	93	1037.31	2.51	2.54	4.37	0.66
GYRO	12	1130.33	0.66	275.76	93	1130.30	2.65	2.68	3.37	0.10
GYRO	13	1223.33	0.53	267.72	93	1223.30	2.69	2.71	2.41	0.17
GYRO	14	1316.33	0.69	257.52	93	1316.29	2.56	2.57	1.43	0.21
GYRO	15	1409.33	0.87	222.40	93	1409.28	1.93	1.93	0.41	0.54
GYRO	16	1502.49	1.95	181.88	93	1502.42	-0.17	-0.17	-0.12	1.51
GYRO	17	1597.30	3.11	169.33	95	1597.13	-4.32	-4.31	0.30	1.35
GYRO	18	1692.61	4.50	159.16	95	1692.23	-10.37	-10.35	2.11	1.62
GYRO	19	1786.99	5.16	153.46	94	1786.28	-17.65	-17.61	5.33	0.86
GYRO	20	1882.54	6.71	144.40	96	1881.31	-26.07	-25.99	10.50	1.89
GYRO	21	1977.82	8.29	139.24	95	1975.78	-35.86	-35.72	18.22	1.80
GYRO	22	2073.11	9.84	135.34	95	2069.87	-46.93	-46.72	28.43	1.75
GYRO	23	2168.54	10.69	132.80	95	2163.78	-58.84	-58.53	40.66	1.01
GYRO	24	2264.14	10.98	129.83	96	2257.67	-70.80	-70.39	54.15	0.66
GYRO	25	2359.51	11.53	127.58	95	2351.21	-82.54	-82.02	68.68	0.74
GYRO	26	2455.03	11.39	127.25	96	2444.82	-94.19	-93.55	83.76	0.16
GYRO	27	2550.30	11.13	128.68	95	2538.26	-105.74	-104.99	98.42	0.40
GYRO	28	2645.81	11.08	128.54	96	2631.98	-117.33	-116.47	112.80	0.06
GYRO	29	2741.40	10.79	126.88	96	2725.84	-128.53	-127.56	127.14	0.45
GYRO	30	2836.88	11.10	125.52	95	2819.58	-139.35	-138.26	141.77	0.42
GYRO	31	2932.22	11.53	126.85	95	2913.07	-150.51	-149.31	156.86	0.53
GYRO	32	3027.83	11.18	126.06	96	3006.81	-161.81	-160.50	172.00	0.40
GYRO	33	3123.11	10.93	124.84	95	3100.32	-172.53	-171.10	186.88	0.36
GYRO	34	3218.74	11.30	127.45	96	3194.15	-183.52	-181.97	201.76	0.65
GYRO	35	3314.17	11.65	132.90	95	3287.68	-195.87	-194.22	216.24	1.19
GYRO	36	3410.01	11.30	130.34	96	3381.60	-208.65	-206.88	230.49	0.64
GYRO	37	3505.27	10.91	125.61	95	3475.08	-220.05	-218.17	244.93	1.04
GYRO	38	3600.86	10.35	130.67	96	3569.03	-231.02	-229.04	258.80	1.14
GYRO	39	3696.46	10.52	132.21	96	3663.05	-242.58	-240.50	271.78	0.34
GYRO	40	3792.10	10.68	138.40	96	3757.06	-255.16	-252.99	284.13	1.20
GYRO	41	3887.78	9.25	139.96	96	3851.30	-267.76	-265.51	294.96	1.52
GYRO	42	3983.56	9.60	139.95	96	3945.78	-279.85	-277.51	305.06	0.37
GYRO	43	4079.40	11.24	137.49	96	4040.04	-292.94	-290.52	316.51	1.77
GYRO	44	4174.73	12.16	135.83	95	4133.39	-307.09	-304.57	329.78	1.03
GYRO	45	4270.19	12.43	136.11	95	4226.66	-321.82	-319.18	343.91	0.29
GYRO	46	4365.49	11.50	136.76	95	4319.89	-336.23	-333.50	357.53	0.99
GYRO	47	4460.93	10.41	133.63	95	4413.59	-349.21	-346.38	370.29	1.30
GYRO	48	4556.34	10.55	134.86	95	4507.41	-361.42	-358.49	382.72	0.28
GYRO	49	4651.77	11.77	133.51	95	4601.03	-374.38	-371.35	395.97	1.31
GYRO	50	4747.39	10.88	134.21	96	4694.79	-387.49	-384.36	409.51	0.94
GYRO	51	4843.04	12.04	136.80	96	4788.53	-401.16	-397.93	422.81	1.33
GYRO	52	4938.71	13.40	139.99	96	4881.85	-417.03	-413.69	436.77	1.60
GYRO	53	5034.22	13.83	139.36	96	4974.68	-434.28	-430.83	451.32	0.48
GYRO	54	5129.60	12.61	139.04	95	5067.53	-450.91	-447.34	465.57	1.28
GYRO	55	5224.95	11.59	139.37	95	5160.76	-466.13	-462.47	478.63	1.07
GYRO	56	5256.33	11.12	139.37	31	5191.52	-470.85	-467.16	482.66	1.50
MWD	57	5435	10.82	139.05	179	5366.93	-496.77	-492.91	504.87	0.17
MWD	58	5531	11.11	139.07	96	5461.18	-510.65	-506.70	516.84	0.30
MWD	59	5626	11.01	138.61	95	5554.41	-524.47	-520.42	528.83	0.14
MWD	60	5721	10.37	130.00	95	5647.77	-536.86	-532.72	541.38	1.81
MWD	61	5816	10.39	128.22	95	5741.21	-547.76	-543.52	554.66	0.34
MWD	62	5912	11.27	133.12	96	5835.50	-559.64	-555.29	568.31	1.32
MWD	63	6007	11.76	132.81	95	5928.59	-572.66	-568.21	582.19	0.52
MWD	64	6102	12.05	133.63	95	6021.55	-586.19	-581.63	596.46	0.35
MWD	65	6198	11.94	133.30	96	6115.45	-600.02	-595.35	610.94	0.14
MWD	66	6293	10.67	132.74	95	6208.61	-612.84	-608.06	624.55	1.34
MWD	67	6388	10.04	133.43	95	6302.06	-624.59	-619.72	637.02	0.68
MWD	68	6483	10.29	133.96	95	6395.57	-636.26	-631.29	649.14	0.28
MWD	69	6578	10.35	132.84	95	6489.04	-648.04	-642.98	661.50	0.22
MWD	70	6674	10.42	131.62	96	6583.47	-659.77	-654.61	674.31	0.24
MWD	71	6769	10.94	133.13	95	6676.82	-671.74	-666.48	687.31	0.62
MWD	72	6865	11.16	131.90	96	6771.04	-684.28	-678.91	700.87	0.33
MWD	73	6960	11.26	131.88	95	6864.23	-696.71	-691.24	714.62	0.11
MWD	74	7055	10.22	140.21	95	6957.57	-709.47	-703.91	726.92	1.96
MWD	75	7151	9.94	142.26	96	7052.09	-722.65	-717.01	737.44	0.48
MWD	76	7246	10.04	143.50	95	7145.65	-735.87	-730.15	747.39	0.25
MWD	77	7341	10.63	136.68	95	7239.11	-748.99	-743.19	758.33	1.43
MWD	78	7437	10.49	128.55	96	7333.49	-760.98	-755.08	771.24	1.56
MWD	79	7532	9.47	125.58	95	7427.05	-771.02	-765.02	784.36	1.20
MWD	80	7628	7.03	128.45	96	7522.05	-779.35	-773.27	795.39	2.58

MWD	81	7723	5.39	141.86	95	7616.49	-786.54	-780.39	802.70	2.29
MWD	82	7818	5.25	146.10	95	7711.08	-793.70	-787.51	807.88	0.44
MWD	83	7914	4.39	147.61	96	7806.74	-800.48	-794.27	812.30	0.90
MWD	84	8009	2.93	130.08	95	7901.55	-805.15	-798.90	816.11	1.92
MWD	85	8104	2.97	120.60	95	7996.42	-808.00	-801.72	820.09	0.52
MWD	86	8200	1.47	138.72	96	8092.35	-810.22	-803.92	823.05	1.71
MWD	87	8295	1.71	146.32	95	8187.31	-812.33	-806.02	824.64	0.33
MWD	88	8391	1.42	146.75	96	8283.28	-814.52	-808.20	826.09	0.30
MWD	89	8486	0.46	102.40	95	8378.26	-815.59	-809.27	827.10	1.20
MWD	90	8582	0.36	83.32	96	8474.26	-815.65	-809.31	827.77	0.17
MWD	91	8677	0.42	72.34	95	8569.26	-815.51	-809.18	828.40	0.10
MWD	92	8773	0.42	74.69	96	8665.26	-815.32	-808.98	829.07	0.02
MWD	93	8868	0.51	120.94	95	8760.25	-815.45	-809.10	829.77	0.39
MWD	94	8964	0.72	128.22	96	8856.25	-816.05	-809.69	830.61	0.24
MWD	95	9059	0.89	149.76	95	8951.24	-817.06	-810.70	831.45	0.36
MWD	96	9154	0.60	141.07	95	9046.23	-818.09	-811.72	832.13	0.33
MWD	97	9250	0.34	135.10	96	9142.23	-818.69	-812.32	832.65	0.27
MWD	98	9345	0.07	35.75	95	9237.23	-818.84	-812.47	832.89	0.38
MWD	99	9441	0.34	308.88	96	9333.22	-818.61	-812.24	832.70	0.36
MWD	100	9536	1.02	273.08	95	9428.22	-818.38	-812.02	831.64	0.81
MWD	101	9631	1.75	271.67	95	9523.19	-818.28	-811.93	829.34	0.77
MWD	102	9727	1.60	335.80	96	9619.16	-817.00	-810.67	827.32	1.86
MWD	103	9822	2.11	355.14	95	9714.11	-814.03	-807.71	826.63	0.84
MWD	104	9918	1.59	55.00	96	9810.06	-811.52	-805.18	827.57	1.98
MWD	105	10013	0.80	210.10	95	9905.05	-811.34	-805.01	828.31	2.46
MWD	106	10109	1.27	238.99	96	10001.04	-812.46	-806.13	827.07	0.71
MWD	107	10204	1.29	313.06	95	10096.02	-812.26	-805.94	825.38	1.62
MWD	108	10300	1.78	312.40	96	10191.99	-810.50	-804.20	823.49	0.51
MWD	109	10395	1.09	262.06	95	10286.96	-809.61	-803.33	821.51	1.44
MWD	110	10490	1.04	206.32	95	10381.95	-810.50	-804.23	820.23	1.05
MWD	111	10534	0.86	214.69	44	10425.94	-811.13	-804.86	819.87	0.53
MWD	112	10590	0.28	248.82	56	10481.94	-811.52	-805.25	819.50	1.15
MWD	113	10686	6.42	5.50	96	10577.74	-806.26	-799.99	819.80	6.82
MWD	114	10781	18.67	358.43	95	10670.30	-785.71	-779.43	819.89	12.97
MWD	115	10877	28.74	355.54	96	10758.09	-747.22	-740.96	817.67	10.56
MWD	116	10972	35.90	353.84	95	10838.32	-696.65	-690.43	812.90	7.60
MWD	117	11068	43.44	0.60	96	10912.19	-635.53	-629.32	810.22	9.04
MWD	118	11163	59.74	5.12	95	10971.03	-561.51	-555.27	814.25	17.55
MWD	119	11259	69.07	2.98	96	11012.46	-475.29	-469.01	820.29	9.91
MWD	120	11354	77.19	359.32	95	11040.02	-384.51	-378.21	822.05	9.31
MWD	121	11417	83.74	354.84	63	11050.46	-322.49	-316.21	818.86	12.54
MWD	122	11510	87.91	355.87	93	11057.23	-230.01	-223.78	811.36	4.61
MWD	123	11602	90.36	356.73	92	11058.63	-138.18	-131.99	805.43	2.82
MWD	124	11694	90.87	358.24	92	11057.64	-46.24	-40.09	801.39	1.73
MWD	125	11786	91.39	358.46	92	11055.83	45.72	51.85	798.74	0.61
MWD	126	11879	91.83	358.67	93	11053.22	138.67	144.79	796.41	0.53
MWD	127	11971	92.61	358.33	92	11049.66	230.58	236.68	794.01	0.93
MWD	128	12063	91.83	358.26	92	11046.09	322.49	328.57	791.27	0.85
MWD	129	12156	90.62	359.15	93	11044.09	415.45	421.53	789.17	1.62
MWD	130	12248	90.74	358.33	92	11043.00	507.44	513.50	787.15	0.90
MWD	131	12340	90.89	357.86	92	11041.69	599.40	605.44	784.09	0.53
MWD	132	12436	89.62	358.72	96	11041.26	695.37	701.39	781.23	1.60
MWD	133	12531	89.43	358.42	95	11042.05	790.35	796.36	778.86	0.38
MWD	134	12627	90.19	358.29	96	11042.37	886.33	892.32	776.10	0.81
MWD	135	12723	90.34	358.26	96	11041.93	982.30	988.27	773.21	0.16
MWD	136	12818	90.44	358.05	95	11041.29	1077.27	1083.22	770.16	0.25
MWD	137	12913	91.11	359.11	95	11040.01	1172.25	1178.18	767.81	1.31
MWD	138	13009	91.88	358.49	96	11037.51	1268.21	1274.13	765.79	1.03
MWD	139	13104	91.32	358.80	95	11034.86	1363.16	1369.06	763.55	0.67
MWD	140	13199	91.31	358.20	95	11032.68	1458.12	1464.00	761.06	0.63
MWD	141	13294	90.56	359.57	95	11031.14	1553.09	1558.97	759.22	1.64
MWD	142	13389	90.65	359.81	95	11030.13	1648.09	1653.96	758.71	0.28
MWD	143	13484	91.51	0.12	95	11028.34	1743.07	1748.95	758.65	0.95
MWD	144	13578	91.87	359.70	94	11025.58	1837.03	1842.90	758.50	0.59
MWD	145	13673	90.54	359.69	95	11023.58	1932.00	1937.88	757.99	1.40
MWD	146	13769	90.24	359.37	96	11022.93	2028.00	2033.87	757.21	0.45
MWD	147	13863	90.78	359.44	94	11022.10	2122.00	2127.87	756.24	0.58
MWD	148	13935	91.25	359.91	72	11020.82	2193.98	2199.85	755.83	0.92
MWD	149	14030	91.09	358.91	95	11018.89	2288.96	2294.83	754.85	1.06
MWD	150	14125	91.64	359.33	95	11016.63	2383.93	2389.79	753.40	0.73
MWD	151	14220	90.36	359.95	95	11014.97	2478.91	2484.77	752.80	1.49
MWD	152	14315	90.05	359.50	95	11014.63	2573.91	2579.77	752.35	0.58
MWD	153	14410	90.50	359.70	95	11014.17	2668.91	2674.76	751.69	0.51
MWD	154	14505	90.62	359.38	95	11013.25	2763.91	2769.76	750.92	0.36
MWD	155	14601	91.11	359.05	96	11011.80	2859.89	2865.74	749.61	0.62
MWD	156	14695	90.25	0.47	94	11010.68	2953.88	2959.72	749.21	1.76
MWD	157	14790	90.67	0.55	95	11009.92	3048.87	3054.72	750.06	0.44
MWD	158	14885	90.33	1.01	95	11009.09	3143.84	3149.70	751.35	0.60
MWD	159	14980	90.57	1.10	95	11008.35	3238.81	3244.69	753.09	0.27
MWD	160	15076	91.41	1.32	96	11006.69	3334.75	3340.65	755.11	0.91
MWD	161	15171	90.01	0.37	95	11005.52	3429.72	3435.63	756.51	1.78
MWD	162	15266	90.22	0.42	95	11005.32	3524.71	3530.63	757.16	0.23
MWD	163	15361	90.75	359.87	95	11004.51	3619.70	3625.62	757.39	0.80
MWD	164	15457	90.64	359.68	96	11003.35	3715.69	3721.61	757.01	0.23
MWD	165	15552	90.39	359.69	95	11002.50	3810.69	3816.61	756.48	0.27
MWD	166	15647	90.64	359.72	95	11001.65	3905.68	3911.60	755.99	0.27
MWD	167	15742	91.10	359.93	95	11000.21	4000.67	4006.59	755.71	0.53
MWD	168	15837	91.57	0.28	95	10998.00	4095.64	4101.57	755.88	0.62
MWD	169	15933	90.39	0.26	96	10996.36	4191.62	4197.55	756.34	1.23
MWD	170	16028	90.89	359.74	95	10995.31	4286.61	4292.54	756.33	0.76
MWD	171	16123	89.31	359.37	95	10995.14	4381.60	4387.54	755.60	1.70
MWD	172	16218	88.91	359.22	95	10996.61	4476.59	4482.52	754.43	0.45
MWD	173	16313	89.37	358.73	95	10998.03	4571.58	4577.49	752.73	0.71
MWD	174	16408	90.14	359.05	95	10998.44	4666.57	4672.47	750.89	0.88

MWD	175	16494	90.36	359.35	86	10998.06	4752.56	4758.46	749.68	0.43
MWD	176	16525	90.62	359.37	31	10997.80	4783.56	4789.46	749.34	0.86
MWD	177	16620	91.45	359.29	95	10996.08	4878.55	4884.44	748.23	0.88
MWD	178	16715	91.76	358.98	95	10993.42	4973.51	4979.39	746.80	0.46
MWD	179	16810	90.71	359.54	95	10991.37	5068.48	5074.36	745.57	1.25
MWD	180	16906	90.14	359.59	96	10990.65	5164.48	5170.35	744.84	0.60
MWD	181	17001	90.83	359.80	95	10989.84	5259.47	5265.34	744.34	0.76
MWD	182	17096	91.85	0.49	95	10987.62	5354.44	5360.32	744.58	1.29
MWD	183	17192	92.81	0.26	96	10983.72	5450.35	5456.23	745.20	1.03
MWD	184	17288	90.30	0.01	96	10981.11	5546.30	5552.19	745.43	2.62
MWD	185	17383	90.55	359.78	95	10980.41	5641.30	5647.19	745.26	0.35
MWD	186	17479	89.05	359.47	96	10980.74	5737.29	5743.18	744.64	1.59
MWD	187	17575	89.59	359.33	96	10981.88	5833.29	5839.17	743.63	0.57
MWD	188	17670	90.35	359.13	95	10981.93	5928.28	5934.16	742.36	0.83
MWD	189	17766	90.63	359.17	96	10981.11	6024.28	6030.15	740.94	0.29
MWD	190	17861	90.97	359.19	95	10979.79	6119.27	6125.13	739.58	0.35
MWD	191	17956	90.11	358.92	95	10978.89	6214.26	6220.11	738.02	0.94
MWD	192	18052	90.43	358.80	96	10978.44	6310.25	6316.09	736.11	0.35
MWD	193	18147	90.71	358.71	95	10977.50	6405.24	6411.06	734.04	0.31
MWD	194	18243	89.98	359.26	96	10976.93	6501.23	6507.04	732.33	0.95
MWD	195	18339	90.72	359.56	96	10976.34	6597.23	6603.04	731.34	0.83
MWD	196	18434	91.03	359.83	95	10974.89	6692.21	6698.02	730.83	0.43
MWD	197	18529	91.57	359.54	95	10972.74	6787.19	6793.00	730.31	0.64
MWD	198	18625	90.31	359.66	96	10971.16	6883.17	6888.98	729.64	1.31
MWD	199	18720	90.33	358.84	95	10970.63	6978.17	6983.97	728.39	0.87
MWD	200	18816	90.58	358.44	96	10969.86	7074.15	7079.94	726.11	0.49
MWD	201	18912	89.31	359.20	96	10969.95	7170.14	7175.92	724.14	1.54
MWD	202	19007	89.96	359.35	95	10970.55	7265.14	7270.91	722.94	0.70
MWD	203	19102	90.15	359.01	95	10970.45	7360.14	7365.90	721.58	0.42
MWD	204	19198	91.09	358.74	96	10969.41	7456.12	7461.87	719.70	1.02
MWD	205	19293	90.00	358.01	95	10968.50	7551.10	7556.83	717.00	1.38
MWD	206	19389	89.57	359.08	96	10968.87	7647.08	7652.79	714.56	1.20
MWD	207	19484	89.62	358.77	95	10969.54	7742.07	7747.77	712.78	0.34
MWD	208	19580	90.06	358.23	96	10969.80	7838.05	7843.74	710.27	0.72
MWD	209	19675	90.17	358.91	95	10969.61	7933.04	7938.71	707.89	0.72
MWD	210	19771	90.60	358.24	96	10968.97	8029.02	8034.68	705.51	0.82
MWD	211	19867	90.25	359.89	96	10968.27	8125.01	8130.66	703.95	1.76
MWD	212	19962	90.61	359.74	95	10967.56	8220.01	8225.65	703.65	0.41
MWD	213	20058	90.02	0.90	96	10967.03	8316.00	8321.65	704.19	1.35
MWD	214	20153	90.67	0.96	95	10966.46	8410.97	8416.63	705.74	0.69
MWD	215	20248	91.62	0.67	95	10964.55	8505.92	8511.60	707.10	1.05
MWD	216	20344	89.90	1.27	96	10963.28	8601.88	8607.58	708.72	1.90
MWD	217	20439	90.41	1.48	95	10963.02	8696.83	8702.55	711.00	0.57
MWD	218	20534	91.40	1.31	95	10961.52	8791.77	8797.51	713.32	1.06
MWD	219	20630	90.18	0.94	96	10960.20	8887.72	8893.48	715.21	1.33
MWD	220	20725	91.02	0.64	95	10959.20	8982.70	8988.46	716.51	0.94
MWD	221	20820	89.62	1.19	95	10958.66	9077.67	9083.45	718.03	1.59
MWD	222	20915	90.26	0.82	95	10958.76	9172.63	9178.43	719.70	0.78
MWD	223	21009	91.13	0.72	94	10957.62	9266.61	9272.42	720.96	0.94
MWD	224	21104	91.35	359.85	95	10955.56	9361.58	9367.39	721.44	0.94
MWD	225	21200	92.26	359.28	96	10952.53	9457.53	9463.34	720.71	1.12
MWD	226	21295	92.66	359.08	95	10948.45	9552.44	9558.24	719.35	0.47
MWD	227	21359	93.10	358.65	64	10945.24	9616.35	9622.15	718.08	0.96
PTB	228	21417	93.10	358.65	58	10942.10	9674.26	9680.05	716.72	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM											
								6. Well Number: 123H											
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																			
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat TRIPLE X; BONE SPRING											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County									
Surface:	O	22	24S	33E	-	858	SOUTH	2435	EAST	LEA									
BH:	B	15	24S	33E	-	20	NORTH	1644	EAST	LEA									
13. Date Spudded 5/31/2022	14. Date T.D. Reached 6/13/2022		15. Date Rig Released 6/15/22			16. Date Completed (Ready to Produce) 11/18/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3554 GR										
18. Total Measured Depth of Well 21417 ft			19. Plug Back Measured Depth 21355 ft			20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 11110 ft to 21271 ft								BONE SPRING											
23. CASING RECORD (Report all strings set in well)																			
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED									
13.375"		54.5		1319'		17.5"		975 sks		0									
9.625"		40		5343'		12.25"		1110 sks		0									
5.5"		20		21402'		8.75"/6.75"		2185 sks		0									
24. LINER RECORD						25. TUBING RECORD													
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET										
26. Perforation record (interval, size, and number) Perforate from 11110 ft to 21271 ft, 1 SPF, .55 inch holes with 416 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>11110 ft to 21271 ft</td> <td>32 stage frac with 23,026,700 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	11110 ft to 21271 ft	32 stage frac with 23,026,700 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																		
11110 ft to 21271 ft	32 stage frac with 23,026,700 lbs of 100 mesh sand																		
28. PRODUCTION																			
Date First Production 11/26/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing													
Date of Test 12/12/2022	Hours Tested 24 hrs	Choke Size 80/64	Prod'n For Test Period	Oil - Bbl 1331	Gas - MCF 1384	Water - Bbl. 4484	Gas - Oil Ratio 1040												
Flow Tubing Press. 0	Casing Pressure 820	Calculated 24-Hour Rate	Oil - Bbl. 1331	Gas - MCF 1384	Water - Bbl. 4484	Oil Gravity - API - (Corr.)													
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By											
31. List Attachments C-102, Directional Survey																			
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																			
Latitude				Longitude				NAD83											
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																			
Signature		Printed Name		Title		Regulatory Analyst		Date		12/15/2022									
		Jeff Trlica																	
E-mail Address jtrlica@tapr																			

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology
0	828		Quaternary
828	1448		Rustler
1448	4621		Top of Salt
4621	4840		Base of Salt
4840	4871		Lamar
4871	6129		Bell Canyon
6129	7626		Cherry Canyon
7626	9198		Brushy Canyon
9198	9629		Bone Spring
9629	10186		Avalon
10186	10917		1st Bone Spring Sand
10917			2nd Bone Spring Sand

Prometheus Unit




State Acreage



Prometheus E2 Unit



Prometheus W2 Unit



[96674] TRIPLE X; BONE SPRING, WEST



[96674] TRIPLE X; BONE SPRING, WEST
DEFINING WELL

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 167213

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167213
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 167213

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 167213
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/31/2023