

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-30775
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. V-5503
7. Lease Name or Unit Agreement Name SDX State
8. Well Number #1
9. OGRID Number 229137
10. Pool name or Wildcat Morrow, Turkey Track, North

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other	
2. Name of Operator COG Operating, LLC	
3. Address of Operator 2208 W. Main Street Artesia, NM 88210	
4. Well Location Unit Letter N : 990 feet from the S line and 1980 feet from the W line Section 36 Township 18S Range 28E NMPM County EDDY	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3401' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: ☐
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Set 4 ½ CIBP @ 19,766'. Circ hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 10766- 10416'.
- Spot 25 sx cmt @ 10016-9666'. WOC & Tag (Strawn & DV TOOL)
- Perf & Sqz 30 sx cmt @ 6645-6445'. (Bone Spring)
- Perf & Sqz 30 sx cmt @ 3262-3063'. WOC & Tag (8 5/8 Shoe)
- Perf & Sqz 50 sx cmt @ 710-370'. WOC & Tag (B Salt, 13 3/8 Shoe, & T/Salt)
- Perf & Sqz 30 sx cmt @ 200' to surface.
- Cut off well head, verify cmt @ surface, weld on DHM.

APPROVED

See Conditions of Approval Below

Spud Date:

Rig Release Date:

Run CBL to confirm TOC @7800,
 perf & sqz 50/50 plug to TOC
 Add Wolfcamp plug 8750'-8550'

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ruth Shockency TITLE Regulatory Coordinator DATE 3/20/2023

Type or print name Ruth Shockency E-mail address: ruth.shockency@conocophillips.com PHONE: 575-703-8321

For State Use Only


APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 4/5/23

Conditions of Approval (if any):

COG		CURRENT	
Author:	Abby BCM	Well No.	#1
Well Name	SDX STATE	API #:	30-015-30775
Field/Pool	Morrow ,Turkey Tract Nth	Location:	Sec 36, T18S, R28E
County	Eddy		990 FSL & 1980 FWL
State	NM	GL:	3402
Spud Date	11/12/1999		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	K55	54.5#	420	17 1/2	450	0
Inter Csg	8 5/8	H95/N80	24# &32#	3,212	12 1/4	700	0
Prod Csg	4 1/2	N80	11.6#	11,325	7 7/8	780	7,800


Formation	Top
T/Salt	400
B/Salt	660
Queen	1700
San Andres	2518
Bone Sp	6493
Wolfcamp	8600
Cisco	9482
Strawn	9957
Atoka	10255
Morrow	10685



32.7000237
-104.1322861

COG		PROPOSED	
Author:	Abby BCM	Well No.	#1
Well Name	SDX STATE	API #:	30-015-30775
Field/Pool	Morrow ,Turkey Tract Nth	Location:	Sec 36, T18S, R28E
County	Eddy		990 FSL & 1980 FWL
State	NM	GL:	3402
Spud Date	11/12/1999		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	K55	54.5#	420	17 1/2	450	0
Inter Csg	8 5/8	H95/N80	24# &32#	3,212	12 1/4	700	0
Prod Csg	4 1/2	N80	11.6#	11,325	7 7/8	780	7,800



6. Perf & Sqz 30 sx cmt @ 200' to surface.

13 3/8 54.5# CSG @ 420
5. Perf & Sqz 50 sx cmt @ 710-370'. WOC & Tag (B Salt, 13 3/8 Shoe, & T/Salt)

8 5/8 24# &32# CSG @ 3,212
4. Perf & Sqz 30 sx cmt @ 3262-3063'. WOC & Tag (8 5/8 Shoe)

3. Perf & Sqz 30 sx cmt @ 6645-6445'. (Bone Spring)

DVT @ 9966'
2. Spot 25 sx cmt @ 10016-9666'. WOC & Tag (Strawn & DV TOOL)
1.Set 4 ½ CIBP @ 19,766'. Circ hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 10766- 10416'.

Perfs @ 10816-10836'
2 3/8 TB @ 10800'
Arrow set 1 PKR @ 10880'

Perfs @ 10964-10986'
4 1/2 11.6# CSG @ 11,325

TDPB @
TD @ 11325

Formation	Top
T/Salt	400
B/Salt	660
Queen	1700
San Andres	2518
Bone Sp	6493
Wolfcamp	8600
Cisco	9482
Strawn	9957
Atoka	10255
Morrow	10685

32.7000237
-104.1322861

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 198615

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 198615
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	Please run CBL to confirm TOC (est 7800') and perf & squeeze 50/50 plug. Please add a plug covering the top of the Wolfcamp - 8750' - 8550'	4/5/2023