

# Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: CARSON Well Location: T25N / R12W / SEC 21 / County or Parish/State: SAN

Well Number: 615H Type of Well: COALBED NATURAL Allottee or Tribe Name:

GAS WELL

Lease Number: NMNM051013, Unit or CA Name: Unit or CA Number:

NMNM51013

US Well Number: 3004535878 Well Status: Drilling Well Operator: DJR OPERATING LLC

## **Subsequent Report**

**Sundry ID: 2701849** 

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 11/08/2022 Time Sundry Submitted: 09:24

**Date Operation Actually Began:** 11/03/2022

Actual Procedure: Liner Casing & Cement / Depths adjusted for 26' KB of production rig. Please note: DJR spudded this well with Mo-Te using GL depths. Drilled, cored, ran 7" casing using AD 920 with 14' KB depth adjustment. H&P 443 to finish lateral with 26' KB depth adjustment. -11/3/22: PT 7" 26# J55 LTC casing L250 H3000 for 30 min. Test good & recorded on chart. BLM onsite to witness. -11/4/22: Drill 6.125" hole from 5172' to 7884'. -11/5/22: Drill 6.125" hole to 11795'. -11/6/22: Drill 6.125" hole to 12197' TD. TOH. RU CRTs. RIH with 177 jts of 4.5" 11.6# P110 LTC production casing set from TOL: 4800' BOL: 12192'. CTH hanger & packer at 4822'. Marker jts at 4837' – 5353' – 5964' – 8961' – 11951'. FC at 12169'. Alpha Sleeve at 12135'. -11/7/22: RU to cement. 5k test on lines, test good. Cement: Class G, 196 bbls (725 sx), 13.3 ppg, 1.52 yield, 7.53 gps. Land plug 1340 FCP, pressure up to 2378 psi & hold for 5 min. Check floats, floats held. 34 bbls good cement back to surface. TOC: 4800' BOC: 12192'. RD cementers. Install packoff & PT to 5k, test good. ND BOP. Install BPV & well cap. Rig H&P 443 released on 11/07/22. Please note: PT of 4.5" casing will be provided on next report.

reived by OCD: 11/12/2022 12:43:03 PM Well Name: CARSON

Well Location: T25N / R12W / SEC 21 /

SWSW / 36.3812697 / -108.1234262

County or Parish/State: SAN 200 JUAN / NM

Allottee or Tribe Name:

Type of Well: COALBED NATURAL **GAS WELL** 

Zip:

Well Number: 615H

Lease Number: NMNM051013,

NMNM51013

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3004535878** 

Well Status: Drilling Well

Operator: DJR OPERATING LLC

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: NOV 08, 2022 09:22 AM Operator Electronic Signature: SHAW-MARIE FORD

Name: DJR OPERATING LLC Title: Regulatory Specialist Street Address: 1 Road 3263

State: NM City: Aztec

Phone: (505) 632-3476

Email address: sford@djrllc.com

### **Field**

**Representative Name:** 

**Street Address:** 

City: State:

Phone:

**Email address:** 

#### **BLM Point of Contact**

**BLM POC Name: KENNETH G RENNICK BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742 BLM POC Email Address: krennick@blm.gov

**Disposition:** Accepted **Disposition Date: 11/10/2022** 

Signature: Kenneth Rennick

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 158273

#### **CONDITIONS**

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	158273
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created	by Condition	Condition Date
gramir	PT details for the 4.5" casing must be submitted on the next drilling sundry.	1/29/2023