

Submit a Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-28401
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name WEST DOLLARHIDE DEVONIAN UNIT
8. Well Number 120
9. OGRID Number 16696
10. Pool name or Wildcat DOLLARHIDE; DEVONIAN

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

OXY USA INC. (16696)

3. Address of Operator

PO BOX 4294, HOUSTON, TX 77210

4. Well Location

Unit Letter E : 1368 feet from the NORTH line and 1228 feet from the WEST line

Section 4 Township 25S Range 38E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☒  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well is plugged. Job start: 3/21/23 Job complete: 3/27/23. See the attached daily job details and plugged wellbore diagram for reference. CBL efiled on OCD website 4/6/2023.

**APPROVED**

Reclamation Due  
4/14/2024

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves

TITLE REGULATORY MANAGER

DATE 4/6/2023

Type or print name LESLIE REEVES

E-mail address: LESLIE\_REEVES@OXY.COM

PHONE: 713-497-2492

**For State Use Only**

APPROVED BY:

TITLE Petroleum Specialist

DATE 04/14/2023

Conditions of Approval (if any):

WEST DOLLARHIDE DEVONIAN UNIT #120  
30-025-28401 PA SR – JOB SUMMARY

3/21/23 MIRU. LOGGED F/ 7600' TO SURFACE, CBL. RD LOGGERS.

3/22/23 MIRU. RIH WITH TUBING TO 5718'. CONFIRMED PATH FORWARD WITH KERRY FORTNER, OCD.

3/23/23 CONT'D TO RIH TO 7624' TAGGED EXISTING CIBP/CMT. CIRC WELL. PSI TESTED TO 500PSI, GOOD TEST. PUMPED 15SX CL C CMT ON TOP. WOC. PULLED UP, EOT @ 6100'. PUMPED 50SX CL C CMT. WOC. NO TAG PER CBL RESULTS. PULLED UP, EOT @ 5242'. PUMPED 50SX CL C CMT. WOC. RIH, SET PKR @ 3670'. TAGGED TOC @ 4712'. PERF'D @ 4200'. NO EST RATE. CALLED OCD TO CONFIRM PATH FORWARD.

3/24/23 MOVED PKR TO 4254'. PUMPED 25SX CL C CMT. WOC. RIH AND TAGGED TOC @ 3994'. PKR @ 2488', PERF'D @ 2950'. EST RATE. SQUEEZED 50SX CL C CMT. WOC.

3/27/23 MOVED PKR TO 70'. RIH AND TAGGED TOC @ 2660'. PERF'D @ 1000'. EST RATE. SQUEEZED 290SX CL C CMT TO SURFACE. VERFIED. RDMO.



West Dollarhide Unit 120

API#: 30-025-28401  
1368 FNL x 1228 FWL x Section 4 x Township 25S x Range 38E x LEA NM  
LAT: +32.16267812, LONG: -103.06952354  
DRILLED & COMPLETED: 1984

PLUGGED WBD

17.25" hole size

PERF'D @ 1000'. SQZD 1000SX CL C CMT TO SURFACE. VERIFIED.

12.25" hole size to 2610'  
11.00" hole size to 4130'

PERF'D @ 2950'. SQZD 50SX CL C CMT. WOC. TAGGED TOC @ 2660'.


EOT @ 4254'. PUMPED 25SX CL C CMT. WOC. TAGGED TOC @ 3994'.

EOT @ 5242'. PUMPED 50SX CL C CMT. WOC. TAGGED TOC @ 4712'.

EOT @ 6100'. PUMPED 50SX CL C CMT. WOC.

TAGGED EXISTING @ 7624'. PSI TESTED. PUMPED 15SX CL C CMT.

7.875" hole size  
Drawing not to scale



**Surface Casing**  
326' 13.375" K-55 H-40, 54.5 & 48#  
Cemented with 350 sxs  
TOC at surface (circulated)

**Intermediate Casing**  
4,130' 8.625" K-55, 24 & 32#  
Cemented with 2100 sxs  
TOC at surface (circulated)

**Production Casing**  
8,000' 5.500" K-55, 15.5#  
Cemented with 750 sxs  
TOC at 3250' (temp survey)

**Perforations / Open Hole**  
7684' to 7704' squeezed in 1984  
7856' to 7884' perforations  
  
7,634' CIBP with 35' cement on top  
7,959' PBTD  
8,000' TD

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 204787

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 204787
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	4/14/2023