

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48774	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 206H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	848	SOUTH	1566	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24S	33E	-	34	NORTH	1241	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/16/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 11/19/2021	²² Ready Date 4/24/2022	²³ TD 22915'	²⁴ PBTB 22854'	²⁵ Perforations 12554' - 22771'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1270'	670 sks		
9.875"/8.75"	7.625"	9786'/11969'	1180 sks		
6.75"	5.5"	22903'	1165 sks		

V. Well Test Data

³¹ Date New Oil 5/16/2022	³² Gas Delivery Date 5/16/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1848	³⁶ Csg. Pressure 63
³⁷ Choke Size 40/64	³⁸ Oil 1910	³⁹ Water 4843	⁴⁰ Gas 4831		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/17/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48774		² Pool Code 98135		³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP	
⁴ Property Code 330700		⁵ Property Name PROMETHEUS STATE COM			⁶ Well Number 206H
⁷ OGRID No. #372043		⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3549'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	848'	SOUTH	1564'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24-S	33-E	-	34'	NORTH	1241'	EAST	LEA


¹² Dedicated Acres 640	¹³ Joint or Infill Defining	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 1204 FEL Section 22

LTP: 100' FNL; 1239 FEL Section 15





1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM 206H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
	GJU	03/30/22	
DATE: 03/17/22			
FILE: C:\PROMETHEUS_STATE_COM_206H_REV1			
DRAWN BY: SAR			
SHEET : 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 206H
County: Lea
State: New Mexico
Rig Name: H&P 261
API: 30-025-48774

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 22,839' MD
Projection to Bit: 22,915' MD
Dates Performed: 11/29/2020 – 2/1/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources LLC.

Well Name: Prometheus State Com 206H

Job Number: ID3136

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 261

Target KBTVD: 12607.00

Target Inclination: 91.00°

Declination Correction: 5.90°

KB Elevation: 3578

Vertical Section Calculated Along Azimuth: 359.56°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	1.01	319.07	176	175.99	1.18	1.17	-1.02	0.57
MWD	2	205	1.01	330.24	29	204.99	1.60	1.59	-1.31	0.68
MWD	3	297	0.79	305.10	92	296.98	2.67	2.66	-2.23	0.49
MWD	4	387	0.57	333.58	90	386.97	3.44	3.41	-2.94	0.44
MWD	5	478	0.70	325.14	91	477.96	4.30	4.27	-3.46	0.18
MWD	6	568	0.88	337.00	90	567.96	5.39	5.36	-4.04	0.27
MWD	7	658	0.48	296.40	90	657.95	6.20	6.17	-4.65	0.67
MWD	8	746	0.40	2.05	88	745.95	6.67	6.64	-4.97	0.55
MWD	9	838	0.62	342.98	92	837.94	7.47	7.43	-5.10	0.30
MWD	10	930	0.35	354.41	92	929.94	8.23	8.19	-5.28	0.31
MWD	11	1020	0.57	347.11	90	1019.94	8.94	8.90	-5.40	0.25
MWD	12	1111	0.44	329.18	91	1110.93	9.68	9.64	-5.68	0.22
MWD	13	1207	0.40	349.84	96	1206.93	10.33	10.29	-5.93	0.16
MWD	14	1328	0.44	32.81	121	1327.93	11.14	11.09	-5.75	0.26
MWD	15	1424	0.09	312.66	96	1423.93	11.50	11.45	-5.61	0.45
MWD	16	1517	0.70	21.74	93	1516.92	12.07	12.03	-5.45	0.72
MWD	17	1612	0.44	110.33	95	1611.92	12.48	12.44	-4.90	0.86
MWD	18	1706	2.29	157.62	94	1705.89	10.61	10.58	-3.84	2.15
MWD	19	1801	3.60	145.31	95	1800.77	6.38	6.37	-1.42	1.52
MWD	20	1896	4.84	152.79	95	1895.51	0.34	0.36	2.11	1.43
MWD	21	1991	5.80	153.84	95	1990.10	-7.56	-7.52	6.06	1.02
MWD	22	2086	6.29	148.13	95	2084.57	-16.33	-16.24	10.92	0.82
MWD	23	2180	7.08	148.13	94	2177.93	-25.66	-25.54	16.70	0.84
MWD	24	2275	7.21	147.69	95	2272.19	-35.72	-35.55	22.98	0.15
MWD	25	2369	8.13	154.37	94	2365.35	-46.75	-46.53	29.00	1.36
MWD	26	2464	8.48	157.00	95	2459.35	-59.30	-59.03	34.65	0.54
MWD	27	2558	8.40	153.49	94	2552.34	-71.86	-71.55	40.42	0.55
MWD	28	2653	8.09	152.43	95	2646.36	-84.05	-83.69	46.61	0.36
MWD	29	2748	7.87	149.62	95	2740.44	-95.63	-95.23	52.99	0.47
MWD	30	2842	7.82	154.37	94	2833.56	-106.99	-106.54	59.02	0.69
MWD	31	2936	7.78	153.40	94	2926.69	-118.49	-118.00	64.63	0.15
MWD	32	3030	7.96	156.74	94	3019.80	-130.20	-129.67	70.05	0.52
MWD	33	3125	8.31	161.49	95	3113.85	-142.79	-142.22	74.83	0.80
MWD	34	3220	8.00	157.80	95	3207.89	-155.46	-154.85	79.50	0.64
MWD	35	3314	7.47	153.75	94	3301.03	-167.03	-166.39	84.68	0.81
MWD	36	3408	8.18	157.09	94	3394.16	-178.71	-178.03	89.98	0.90
MWD	37	3503	8.44	157.71	95	3488.16	-191.43	-190.70	95.26	0.29
MWD	38	3598	8.40	153.66	95	3582.14	-204.14	-203.37	100.98	0.63
MWD	39	3691	7.78	153.31	93	3674.21	-215.90	-215.09	106.82	0.67
MWD	40	3786	8.00	158.50	95	3768.31	-227.84	-226.98	112.13	0.78
MWD	41	3880	8.18	159.03	94	3861.38	-240.20	-239.31	116.93	0.21
MWD	42	3974	7.96	159.73	94	3954.45	-252.59	-251.66	121.57	0.26
MWD	43	4068	7.74	159.99	94	4047.57	-264.67	-263.71	125.99	0.24
MWD	44	4162	7.34	159.64	94	4140.75	-276.28	-275.29	130.25	0.43
MWD	45	4256	7.30	157.71	94	4233.99	-287.47	-286.45	134.60	0.27
MWD	46	4351	8.48	154.10	95	4328.09	-299.40	-298.33	139.95	1.35
MWD	47	4445	8.79	151.29	94	4421.02	-311.98	-310.87	146.43	0.56
MWD	48	4539	8.57	147.69	94	4513.94	-324.26	-323.09	153.62	0.62
MWD	49	4633	8.62	145.31	94	4606.89	-336.03	-334.80	161.38	0.38
MWD	50	4728	8.09	144.70	95	4700.88	-347.40	-346.11	169.29	0.57
MWD	51	4822	8.75	152.17	94	4793.87	-359.17	-357.83	176.45	1.36
MWD	52	4916	9.36	150.06	94	4886.70	-372.17	-370.78	183.61	0.74
MWD	53	5010	9.49	153.58	94	4979.43	-385.79	-384.34	190.87	0.63
MWD	54	5104	9.01	157.44	94	5072.21	-399.58	-398.08	197.14	0.83
MWD	55	5199	8.26	155.86	95	5166.13	-412.72	-411.17	202.78	0.83
MWD	56	5293	7.38	155.77	94	5259.26	-424.43	-422.84	208.02	0.94
MWD	57	5388	7.16	155.69	95	5353.49	-435.42	-433.80	212.97	0.23
MWD	58	5482	6.95	156.13	94	5446.78	-446.00	-444.34	217.68	0.23
MWD	59	5577	6.99	156.21	95	5541.08	-456.58	-454.89	222.34	0.04
MWD	60	5671	7.30	155.42	94	5634.35	-467.28	-465.55	227.13	0.35
MWD	61	5765	8.09	159.55	94	5727.50	-478.95	-477.18	231.92	1.03
MWD	62	5859	8.04	159.99	94	5820.57	-491.35	-489.55	236.48	0.08
MWD	63	5953	8.00	158.06	94	5913.65	-503.63	-501.80	241.18	0.29
MWD	64	6048	7.78	158.32	95	6007.75	-515.78	-513.90	246.02	0.23
MWD	65	6142	7.43	156.21	94	6100.93	-527.29	-525.38	250.82	0.48

MWD	66	6237	7.21	153.22	95	6195.15	-538.27	-536.32	255.99	0.46
MWD	67	6331	6.95	151.47	94	6288.44	-548.57	-546.58	261.36	0.36
MWD	68	6425	7.69	153.14	94	6381.67	-559.22	-557.19	266.92	0.82
MWD	69	6519	8.13	152.43	94	6474.77	-570.77	-568.69	272.84	0.48
MWD	70	6614	8.18	153.84	95	6568.81	-582.84	-580.71	278.93	0.22
MWD	71	6708	8.04	152.26	94	6661.87	-594.71	-592.53	284.93	0.28
MWD	72	6803	8.13	153.40	95	6755.93	-606.64	-604.42	291.03	0.19
MWD	73	6897	7.87	153.49	94	6849.02	-618.38	-616.12	296.88	0.28
MWD	74	6991	7.34	152.87	94	6942.19	-629.53	-627.23	302.49	0.57
MWD	75	7085	6.73	150.41	94	7035.48	-639.71	-637.36	307.95	0.72
MWD	76	7179	7.30	150.85	94	7128.78	-649.75	-647.36	313.58	0.61
MWD	77	7273	7.52	150.94	94	7221.99	-660.39	-657.96	319.48	0.23
MWD	78	7367	7.30	151.82	94	7315.21	-671.08	-668.60	325.29	0.26
MWD	79	7461	7.43	151.91	94	7408.43	-681.75	-679.22	330.97	0.14
MWD	80	7555	6.95	151.2	94	7501.69	-692.13	-689.57	336.57	0.52
MWD	81	7649	7.56	151.29	94	7594.94	-702.58	-699.98	342.28	0.65
MWD	82	7743	7.65	153.4	94	7688.11	-713.65	-710.99	348.05	0.31
MWD	83	7838	7.12	153.84	95	7782.32	-724.63	-721.93	353.48	0.56
MWD	84	7932	6.64	154.28	94	7875.65	-734.79	-732.06	358.41	0.51
MWD	85	8026	6.07	152.79	94	7969.07	-744.14	-741.37	363.04	0.63
MWD	86	8121	6.07	153.4	95	8063.54	-753.13	-750.33	367.58	0.07
MWD	87	8215	5.71	152.26	94	8157.04	-761.75	-758.92	371.98	0.40
MWD	88	8308	4.40	157.97	93	8249.68	-769.18	-766.32	375.48	1.51
MWD	89	8402	4.22	160.26	94	8343.41	-775.80	-772.92	378.00	0.26
MWD	90	8496	3.34	155.51	94	8437.20	-781.56	-778.66	380.30	0.99
MWD	91	8591	2.11	149.8	95	8532.10	-785.61	-782.69	382.33	1.32
MWD	92	8685	2.20	154.54	94	8626.03	-788.74	-785.82	383.97	0.21
MWD	93	8781	2.15	154.19	96	8721.96	-792.04	-789.10	385.55	0.05
MWD	94	8876	1.98	147.51	95	8816.90	-795.04	-792.09	387.21	0.31
MWD	95	8972	1.54	149.18	96	8912.85	-797.56	-794.60	388.76	0.46
MWD	96	9066	1.58	150.59	94	9006.82	-799.78	-796.81	390.04	0.06
MWD	97	9161	1.10	136.17	95	9101.79	-801.59	-798.61	391.32	0.61
MWD	98	9255	1.27	145.75	94	9195.77	-803.11	-800.12	392.53	0.28
MWD	99	9349	1.14	151.47	94	9289.75	-804.80	-801.80	393.56	0.19
MWD	100	9444	1.14	124.40	95	9384.73	-806.18	-803.17	394.79	0.56
MWD	101	9539	1.10	125.98	95	9479.72	-807.26	-804.24	396.31	0.05
MWD	102	9634	1.19	131.43	95	9574.70	-808.46	-805.43	397.79	0.15
MWD	103	9730	1.27	125.28	96	9670.67	-809.74	-806.70	399.40	0.16
MWD	104	9824	1.05	144.08	94	9764.65	-811.05	-808.00	400.76	0.46
MWD	105	9918	1.23	133.98	94	9858.64	-812.46	-809.40	401.99	0.29
MWD	106	10013	0.62	178.89	95	9953.62	-813.69	-810.62	402.73	0.95
MWD	107	10107	0.53	274.69	94	10047.62	-814.16	-811.09	402.31	0.91
MWD	108	10202	0.48	266.43	95	10142.62	-814.14	-811.08	401.47	0.09
MWD	109	10296	0.79	302.29	94	10236.61	-813.81	-810.76	400.53	0.52
MWD	110	10390	1.19	318.11	94	10330.60	-812.73	-809.69	399.33	0.51
MWD	111	10483	1.19	310.20	93	10423.58	-811.38	-808.34	397.95	0.18
MWD	112	10577	1.41	312.13	94	10517.55	-809.96	-806.94	396.35	0.24
MWD	113	10672	1.98	313.45	95	10612.51	-808.03	-805.03	394.29	0.60
MWD	114	10766	2.29	324.70	94	10706.45	-805.36	-802.38	392.03	0.55
MWD	115	10860	1.89	326.98	94	10800.38	-802.52	-799.54	390.10	0.43
MWD	116	10955	1.05	323.64	95	10895.35	-800.49	-797.53	388.73	0.89
MWD	117	11049	1.10	319.87	94	10989.34	-799.10	-796.15	387.63	0.09
MWD	118	11144	1.85	297.98	95	11084.30	-797.67	-794.73	385.69	0.97
MWD	119	11239	1.27	286.38	95	11179.27	-796.63	-793.71	383.33	0.69
MWD	120	11333	1.32	266.87	94	11273.25	-796.38	-793.48	381.25	0.47
MWD	121	11427	0.92	228.99	94	11367.23	-796.92	-794.03	379.60	0.87
MWD	122	11521	1.14	203.15	94	11461.21	-798.27	-795.39	378.66	0.54
MWD	123	11615	0.62	191.02	94	11555.20	-799.63	-796.75	378.19	0.58
MWD	124	11709	0.57	52.33	94	11649.20	-799.84	-796.96	378.47	1.18
MWD	125	11804	0.66	2.84	95	11744.20	-799.01	-796.13	378.87	0.55
MWD	126	11899	0.57	347.99	95	11839.19	-798.00	-795.12	378.80	0.19
MWD	127	11996	0.92	340.08	97	11936.18	-796.80	-793.91	378.43	0.38
MWD	128	12023	1.10	327.67	27	11963.18	-796.37	-793.49	378.22	1.05
MWD	129	12117	2.64	295.68	94	12057.13	-794.65	-791.79	375.79	1.92
MWD	130	12212	5.89	336.98	95	12151.87	-789.18	-786.35	371.91	4.50
MWD	131	12307	16.57	356.76	95	12244.94	-771.10	-768.28	369.23	11.79
MWD	132	12401	28.40	356.23	94	12331.64	-735.26	-732.47	366.99	12.59
MWD	133	12495	39.91	353.68	94	12409.30	-682.77	-680.01	362.18	12.34
MWD	134	12590	52.79	353.60	95	12474.74	-614.54	-611.84	354.58	13.56
MWD	135	12684	66.81	352.28	94	12521.91	-534.06	-531.43	344.55	14.96
MWD	136	12779	77.45	351.57	95	12551.02	-444.57	-442.04	331.86	11.22
MWD	137	12873	84.92	350.96	94	12565.41	-352.72	-350.29	317.75	7.97
MWD	138	12968	92.48	358.17	95	12567.57	-258.24	-255.87	308.78	10.99
MWD	139	13062	87.52	359.22	94	12567.57	-164.28	-161.93	306.64	5.39
MWD	140	13157	92.26	2.30	95	12567.75	-69.34	-66.97	307.90	5.95
MWD	141	13251	92.26	0.27	94	12564.04	24.54	26.92	310.01	2.16
MWD	142	13346	90.64	353.24	95	12561.64	119.34	121.68	304.63	7.59
MWD	143	13440	91.96	353.24	94	12559.50	212.74	215.00	293.57	1.40
MWD	144	13534	93.80	356.94	94	12554.78	306.31	308.51	285.53	4.39

MWD	145	13556	93.14	357.02	22	12553.45	328.25	330.44	284.38	3.02
MWD	146	13650	90.95	359.40	94	12550.09	422.15	424.33	281.44	3.44
MWD	147	13745	91.16	3.61	95	12548.34	517.06	519.26	283.94	4.44
MWD	148	13839	89.45	3.18	94	12547.84	610.84	613.09	289.50	1.88
MWD	149	13934	89.05	3.26	95	12549.09	705.64	707.93	294.84	0.43
MWD	150	14028	89.67	3.26	94	12550.14	799.44	801.77	300.19	0.66
MWD	151	14122	89.85	3.35	94	12550.53	893.24	895.61	305.60	0.21
MWD	152	14217	89.23	1.68	95	12551.29	988.10	990.51	309.77	1.88
MWD	153	14311	89.71	0.19	94	12552.16	1082.07	1084.49	311.31	1.67
MWD	154	14405	89.58	358.34	94	12552.74	1176.06	1178.48	310.10	1.97
MWD	155	14500	91.91	358.96	95	12551.51	1271.04	1273.44	307.86	2.54
MWD	156	14594	92.66	359.22	94	12547.76	1364.96	1367.35	306.37	0.84
MWD	157	14688	92.88	358.87	94	12543.22	1458.84	1461.23	304.81	0.44
MWD	158	14783	90.59	358.25	95	12540.34	1553.78	1556.15	302.42	2.50
MWD	159	14877	90.64	357.81	94	12539.33	1647.74	1650.09	299.19	0.47
MWD	160	14971	91.12	0.54	94	12537.89	1741.72	1744.06	297.84	2.95
MWD	161	15066	91.12	1.77	95	12536.03	1836.66	1839.02	299.75	1.29
MWD	162	15160	90.46	0.10	94	12534.74	1930.62	1932.99	301.28	1.91
MWD	163	15255	90.20	359.84	95	12534.19	2025.62	2027.99	301.23	0.39
MWD	164	15349	89.49	359.40	94	12534.44	2119.62	2121.99	300.61	0.89
MWD	165	15444	91.34	0.98	95	12533.76	2214.60	2216.98	300.93	2.56
MWD	166	15538	92.13	1.68	94	12530.91	2308.51	2310.91	303.11	1.12
MWD	167	15632	89.58	0.01	94	12529.51	2402.47	2404.88	304.49	3.24
MWD	168	15727	89.58	359.75	95	12530.20	2497.46	2499.87	304.29	0.27
MWD	169	15821	89.98	0.10	94	12530.56	2591.46	2593.87	304.17	0.57
MWD	170	15915	89.54	359.92	94	12530.96	2685.45	2687.87	304.19	0.51
MWD	171	16010	89.23	359.57	95	12531.98	2780.45	2782.86	303.76	0.49
MWD	172	16105	87.69	357.29	95	12534.53	2875.39	2877.78	301.16	2.90
MWD	173	16199	89.89	355.62	94	12536.52	2969.22	2971.57	295.35	2.94
MWD	174	16293	90.51	356.41	94	12536.19	3063.04	3065.35	288.82	1.07
MWD	175	16387	89.27	352.10	94	12536.37	3156.61	3158.85	279.41	4.77
MWD	176	16481	89.45	352.01	94	12537.42	3249.80	3251.94	266.42	0.21
MWD	177	16527	90.20	356.06	46	12537.56	3295.58	3297.68	261.64	8.95
MWD	178	16576	91.38	357.81	49	12536.88	3344.52	3346.60	259.02	4.31
MWD	179	16624	90.90	357.64	48	12535.93	3392.48	3394.56	257.12	1.06
MWD	180	16670	91.82	356.76	46	12534.84	3438.43	3440.49	254.87	2.77
MWD	181	16717	90.42	356.06	47	12533.92	3485.35	3487.39	251.93	3.33
MWD	182	16764	90.95	357.11	47	12533.36	3532.28	3534.30	249.13	2.50
MWD	183	16811	93.63	0.63	47	12531.48	3579.23	3581.24	248.20	9.41
MWD	184	16858	93.93	3.35	47	12528.38	3626.08	3628.10	249.83	5.81
MWD	185	16952	92.48	2.74	94	12523.12	3719.76	3721.82	254.81	1.67
MWD	186	17046	91.96	3.09	94	12519.48	3813.52	3815.63	259.59	0.67
MWD	187	17141	91.52	3.26	95	12516.60	3908.29	3910.44	264.85	0.50
MWD	188	17236	89.89	1.77	95	12515.43	4003.15	4005.34	269.02	2.32
MWD	189	17276	87.30	359.84	40	12516.41	4043.12	4045.31	269.58	8.07
MWD	190	17330	87.03	0.54	54	12519.08	4097.05	4099.25	269.76	1.39
MWD	191	17425	91.60	4.23	95	12520.22	4191.89	4194.12	273.71	6.18
MWD	192	17518	92.66	2.38	93	12516.76	4284.62	4286.89	279.07	2.29
MWD	193	17613	92.18	1.86	95	12512.75	4379.44	4381.74	282.58	0.74
MWD	194	17707	90.99	0.71	94	12510.15	4473.36	4475.68	284.69	1.76
MWD	195	17802	89.36	358.43	95	12509.86	4568.35	4570.67	283.97	2.95
MWD	196	17849	86.99	356.76	47	12511.35	4615.29	4617.60	282.00	6.17
MWD	197	17896	87.30	356.67	47	12513.70	4662.18	4664.46	279.31	0.69
MWD	198	17990	87.52	358.61	94	12517.94	4756.02	4758.28	275.45	2.07
MWD	199	18085	88.75	357.73	95	12521.04	4850.94	4853.18	272.41	1.59
MWD	200	18181	89.19	358.08	96	12522.76	4946.89	4949.10	268.91	0.59
MWD	201	18275	93.45	359.31	94	12520.60	5040.83	5043.03	266.77	4.72
MWD	202	18369	93.93	358.43	94	12514.55	5134.63	5136.81	264.92	1.06
MWD	203	18463	93.80	358.43	94	12508.21	5228.39	5230.56	262.35	0.14
MWD	204	18557	92.44	359.22	94	12503.09	5322.24	5324.40	260.42	1.67
MWD	205	18651	89.93	0.10	94	12501.15	5416.22	5418.37	259.86	2.83
MWD	206	18745	89.14	0.19	94	12501.91	5510.21	5512.37	260.10	0.85
MWD	207	18839	89.10	0.19	94	12503.36	5604.19	5606.35	260.41	0.04
MWD	208	18933	89.98	359.48	94	12504.11	5698.18	5700.35	260.14	1.20
MWD	209	19028	90.20	359.48	95	12503.96	5793.18	5795.35	259.28	0.23
MWD	210	19123	92.97	3.09	95	12501.33	5888.08	5890.26	261.41	4.79
MWD	211	19217	89.63	2.03	94	12499.20	5981.91	5984.13	265.60	3.73
MWD	212	19311	92.97	3.70	94	12497.07	6075.71	6077.97	270.30	3.97
MWD	213	19406	90.95	2.12	95	12493.82	6170.49	6172.78	275.12	2.70
MWD	214	19500	91.74	1.94	94	12491.61	6264.38	6266.70	278.45	0.86
MWD	215	19595	89.98	357.37	95	12490.19	6359.34	6361.66	277.87	5.15
MWD	216	19689	86.33	357.55	94	12493.21	6453.21	6455.50	273.71	3.89
MWD	217	19784	86.68	358.52	95	12499.00	6548.00	6550.27	270.46	1.08
MWD	218	19831	88.97	359.57	47	12500.79	6594.96	6597.22	269.68	5.36
MWD	219	19879	90.46	2.30	48	12501.03	6642.94	6645.21	270.46	6.48
MWD	220	19926	89.93	359.92	47	12500.87	6689.92	6692.20	271.37	5.19
MWD	221	19973	90.55	1.68	47	12500.67	6736.90	6739.19	272.03	3.97
MWD	222	20020	92.00	2.12	47	12499.62	6783.85	6786.15	273.59	3.22
MWD	223	20067	91.69	1.42	47	12498.11	6830.79	6833.10	275.04	1.63

MWD	224	20161	90.86	0.10	94	12496.02	6924.74	6927.07	276.28	1.66
MWD	225	20256	90.33	354.65	95	12495.03	7019.63	7021.93	271.93	5.76
MWD	226	20350	91.56	351.75	94	12493.48	7113.03	7115.24	260.81	3.35
MWD	227	20429	89.63	349.20	79	12492.66	7191.02	7193.14	247.74	4.05
MWD	228	20444	89.67	349.73	15	12492.75	7205.79	7207.89	244.99	3.54
MWD	229	20491	90.95	351.57	47	12492.50	7252.22	7254.26	237.36	4.77
MWD	230	20539	93.71	353.60	48	12490.55	7299.82	7301.81	231.17	7.14
MWD	231	20586	94.81	354.03	47	12487.06	7346.45	7348.41	226.12	2.51
MWD	232	20633	94.15	353.86	47	12483.38	7393.08	7395.00	221.18	1.45
MWD	233	20680	93.10	355.97	47	12480.41	7439.83	7441.72	217.02	5.01
MWD	234	20729	93.10	359.04	49	12477.76	7488.72	7490.60	214.89	6.26
MWD	235	20776	93.67	0.71	47	12474.99	7535.64	7537.51	214.79	3.75
MWD	236	20822	93.01	2.65	46	12472.31	7581.53	7583.41	216.13	4.45
MWD	237	20869	90.42	3.18	47	12470.90	7628.42	7630.32	218.52	5.62
MWD	238	20916	88.84	3.26	47	12471.20	7675.32	7677.25	221.16	3.37
MWD	239	21010	88.09	2.91	94	12473.72	7769.11	7771.08	226.22	0.88
MWD	240	21104	90.20	3.09	94	12475.12	7862.93	7864.93	231.14	2.25
MWD	241	21200	90.51	5.02	96	12474.53	7958.62	7960.69	237.93	2.04
MWD	242	21294	92.97	5.11	94	12471.68	8052.14	8054.27	246.22	2.62
MWD	243	21389	91.38	1.86	95	12468.07	8146.83	8149.01	251.99	3.81
MWD	244	21483	91.34	1.51	94	12465.84	8240.74	8242.94	254.75	0.37
MWD	245	21577	92.31	1.51	94	12462.84	8334.64	8336.86	257.23	1.03
MWD	246	21671	92.35	1.24	94	12459.02	8428.51	8430.76	259.48	0.29
MWD	247	21765	92.40	0.98	94	12455.13	8522.40	8524.66	261.30	0.28
MWD	248	21859	93.01	1.07	94	12450.69	8616.26	8618.54	262.98	0.66
MWD	249	21954	91.38	0.63	95	12447.05	8711.17	8713.45	264.39	1.78
MWD	250	22048	91.16	0.63	94	12444.97	8805.13	8807.42	265.42	0.23
MWD	251	22143	89.14	359.92	95	12444.72	8900.11	8902.42	265.88	2.25
MWD	252	22237	89.14	358.96	94	12446.13	8994.10	8996.40	264.96	1.02
MWD	253	22332	91.25	359.84	95	12445.81	9089.09	9091.39	263.97	2.41
MWD	254	22425	91.34	359.75	93	12443.71	9182.07	9184.36	263.63	0.14
MWD	255	22520	91.34	359.22	95	12441.49	9277.04	9279.33	262.78	0.56
MWD	256	22614	90.33	358.96	94	12440.12	9371.03	9373.31	261.29	1.11
MWD	257	22708	89.36	357.46	94	12440.37	9465.00	9467.26	258.35	1.90
MWD	258	22802	91.34	358.17	94	12439.80	9558.95	9561.19	254.77	2.24
MWD	259	22839	91.21	357.46	37	12438.97	9595.92	9598.15	253.36	1.95
PTB	260	22915	91.21	357.46	76	12437.37	9671.85	9674.06	249.99	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48774											
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN											
3. State Oil & Gas Lease No.											
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM			
								6. Well Number: 206H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	O	22	24S	33E	-	848	SOUTH	1566	EAST	LEA	
BH:	A	15	24S	33E	-	34	NORTH	1241	EAST	LEA	
13. Date Spudded 11/19/2021	14. Date T.D. Reached 2/1/2022		15. Date Rig Released 2/5/2022			16. Date Completed (Ready to Produce) 4/24/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3552 GR		
18. Total Measured Depth of Well 22915 ft			19. Plug Back Measured Depth 22854 ft			20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12554' - 22771'								WOLFCAMP			
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
10.75"		45.5		1270'		13.5"		670 sks		0	
7.625"		29.7		9786'/11969'		9.875"/8.75"		1180 sks		0	
5.5"		20		22903'		6.75"		1165 sks		0	
24. LINER RECORD											
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD				
							SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
Perforate from 12554 ft to 22771 ft, 1 SPF, .55 inch holes with 598 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
						12554' - 22771'		46 stage frac with 25,733,991 lbs of 100 mesh sand			
28. PRODUCTION											
Date First Production 5/16/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing					Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 1910	Gas - MCF 4831	Water - Bbl. 4843	Gas - Oil Ratio 2529				
Flow Tubing Press. 1848	Casing Pressure 63	Calculated 24-Hour Rate	Oil - Bbl. 1910	Gas - MCF 4831	Water - Bbl. 4843	Oil Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By			
31. List Attachments C-102, Directional Survey											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature 		Printed Name Jeff Trlica				Title Regulatory Analyst			Date 5/25/2022		
E-mail Address jtrlica@taprllc.com											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	920		Quaternary					
922	1540		Rustler					
1540	4713		Top of Salt					
4713	4932		Base of Salt					
4932	4963		Lamar					
4963	6221		Bell					
6221	7651		Cherry Canyon					
7651	9182		Brushy Canyon					
9182	9625		Bonespring					
9625	10172		Avalon					
10172	10904		1st Bone Spring Sand					
10904	11960		2nd Bone Spring Sand					
11960	12292		3rd Bone Spring Sand					
12292			Wolfcamp A					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well

Prometheus Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111205

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111205
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111205

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111205
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/17/2023