

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-49196	⁵ Pool Name JAL; Wolfcamp	⁶ Pool Code 33813
⁷ Property Code 331189	⁸ Property Name Blue Marlin Fed Com	⁹ Well Number 212H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	19	25-S	36-E	-	285'	SOUTH	2223'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	25-S	36-E	-	29'	NORTH	2498'	WEST	LEA
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number			¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	
F	F	12/31/2021							

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
8/22/2021	12/31/2021	22422'	22389'	12210 ft to 22289 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1302'	1130 sks		
12.25"	9.625"	5438'	1574 sks		
8.75"	7.625"	11533'	611 sks		
6.75"	5.5"	22407'	907 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
1/9/2022	1/9/2022	2/2/2022	24 hrs	0	1400
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
34/64	1175	3574	1479		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/18/2023		
Date: 3/3/2022		Phone: 720-772-5901			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As-Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49196	² Pool Code 33813	³ Pool Name JAL; WOLFCAMP, WEST
⁴ Property Code 331189	⁵ Property Name BLUE MARLIN FED COM	⁶ Well Number 212H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3062'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	19	25-S	36-E	-	285'	SOUTH	2223'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	25-S	36-E	-	29'	NORTH	2498'	WEST	LEA

¹² Dedicated Acres 639.04	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 18, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: BLUE MARLIN FED COM 212H

SECTION 18 TWP 25-S RGE 36-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3062'

DESCRIPTION 285' FSL & 2223' FWL



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

BLUE MARLIN FED COM 212H PRE-COMPLETION	REVISION:		NOTES:
	INT	DATE	
DATE: 11/11/2021			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE: C:\BLUE_MARLIN_FED_COM_212H			
DRAWN BY: IMU			
SHEET: 2 OF 2			

S:\SURVEY\TAPROCK\BLUE_MARLIN\FINAL_PRODUCT\TAPROCK_BLUE_MARLIN_FED_COM_212H.DWG 3/14/2022 1:14:32 PM kmatheny



Operator: Tap Rock Resources, LLC.
Well Name: Blue Marlin Fed Com #212H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-49196

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 173' MD – 22,357' MD
Projection to Bit: 22,422' MD
Dates Performed: 08/22/2021 – 10/22/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
Well Name: Blue Marlin Fed Com 212H
Job Number: ID3013
Survey Company: Intrepid Directional Drilling Specialists
Rig Name: H&P 376

Target KBTVD: 12194.00
Target Inclination: 92.00°
Declination Correction: 5.80°
DF Elevation: 3088

Vertical Section Calculated Along Azimuth: 359.45°

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	173	0.44	67.85	173	173.00	0.24	0.25	0.62	0.25
MWD	2	331	0.13	277.56	158	331.00	0.49	0.50	1.00	0.35
MWD	3	423	0.44	262.97	92	423.00	0.47	0.47	0.55	0.34
MWD	4	514	0.53	310.60	91	513.99	0.71	0.70	-0.12	0.44
MWD	5	605	1.10	282.57	91	604.98	1.18	1.17	-1.29	0.75
MWD	6	697	1.10	279.14	92	696.97	1.53	1.50	-3.03	0.07
MWD	7	789	0.88	289.51	92	788.95	1.92	1.88	-4.56	0.31
MWD	8	881	1.23	306.56	92	880.94	2.76	2.70	-6.02	0.51
MWD	9	972	1.63	292.59	91	971.91	3.86	3.78	-8.00	0.58
MWD	10	1064	1.45	286.52	92	1063.88	4.71	4.61	-10.33	0.26
MWD	11	1155	1.49	42.01	91	1154.86	5.92	5.82	-10.64	2.73
MWD	12	1247	3.52	53.26	92	1246.77	8.47	8.40	-7.58	2.26
MWD	13	1348	3.30	65.30	101	1347.59	11.49	11.47	-2.45	0.74
MWD	14	1443	2.59	85.96	95	1442.47	12.74	12.76	2.18	1.33
MWD	15	1538	2.29	113.99	95	1537.38	12.08	12.14	6.05	1.28
MWD	16	1632	2.95	119.27	94	1631.29	10.10	10.20	9.88	0.75
MWD	17	1726	3.87	117.51	94	1725.12	7.41	7.55	14.80	0.98
MWD	18	1822	3.25	124.45	96	1820.93	4.32	4.51	19.92	0.79
MWD	19	1917	3.47	119.18	95	1915.77	1.35	1.59	24.65	0.40
MWD	20	2012	4.18	113.11	95	2010.56	-1.47	-1.17	30.34	0.86
MWD	21	2105	4.79	107.58	93	2103.27	-4.03	-3.68	37.16	0.80
MWD	22	2200	6.11	112.76	95	2197.84	-7.27	-6.83	45.61	1.48
MWD	23	2294	6.42	125.24	94	2291.28	-12.32	-11.80	54.51	1.48
MWD	24	2389	5.49	131.13	95	2385.77	-18.45	-17.85	62.27	1.17
MWD	25	2484	5.14	130.69	95	2480.36	-24.28	-23.62	68.92	0.37
MWD	26	2578	4.97	122.69	94	2574.00	-29.29	-28.56	75.54	0.77
MWD	27	2672	5.85	139.66	94	2667.59	-35.20	-34.41	82.07	1.93
MWD	28	2767	6.07	142.21	95	2762.07	-42.92	-42.07	88.28	0.36
MWD	29	2861	5.71	131.40	94	2855.58	-50.00	-49.09	94.84	1.24
MWD	30	2956	5.85	131.13	95	2950.10	-56.38	-55.40	102.03	0.15
MWD	31	3050	5.63	124.10	94	3043.63	-62.19	-61.14	109.45	0.78
MWD	32	3145	5.41	124.98	95	3138.18	-67.44	-66.32	116.98	0.25
MWD	33	3239	4.57	118.21	94	3231.83	-71.81	-70.63	123.91	1.09
MWD	34	3333	4.44	121.73	94	3325.54	-75.56	-74.31	130.31	0.32
MWD	35	3427	5.14	127.62	94	3419.21	-80.11	-78.80	136.74	0.91
MWD	36	3523	4.88	132.36	96	3514.84	-85.54	-84.17	143.16	0.51
MWD	37	3617	5.10	133.59	94	3608.49	-91.17	-89.75	149.14	0.26
MWD	38	3711	5.32	134.21	94	3702.10	-97.15	-95.67	155.29	0.24
MWD	39	3805	5.49	135.26	94	3795.68	-103.45	-101.90	161.58	0.21
MWD	40	3898	5.36	130.69	93	3888.26	-109.50	-107.89	168.01	0.49
MWD	41	3992	4.57	127.70	94	3981.91	-114.71	-113.04	174.30	0.88
MWD	42	4087	4.48	132.98	95	4076.62	-119.61	-117.89	180.01	0.45
MWD	43	4179	5.23	136.76	92	4168.29	-125.17	-123.39	185.51	0.89
MWD	44	4273	5.19	132.80	94	4261.90	-131.23	-129.40	191.56	0.38
MWD	45	4369	5.76	133.59	96	4357.46	-137.57	-135.67	198.24	0.60
MWD	46	4463	6.68	134.30	94	4450.90	-144.71	-142.74	205.57	0.98
MWD	47	4558	6.59	136.32	95	4545.27	-152.59	-150.55	213.29	0.26
MWD	48	4652	6.55	132.36	94	4638.65	-160.17	-158.06	220.97	0.48
MWD	49	4748	6.20	130.34	96	4734.06	-167.29	-165.10	228.97	0.43
MWD	50	4843	5.89	135.18	95	4828.53	-174.14	-171.88	236.32	0.63
MWD	51	4938	5.49	133.24	95	4923.06	-180.78	-178.45	243.06	0.47
MWD	52	5031	5.54	138.43	93	5015.63	-187.24	-184.86	249.28	0.54
MWD	53	5126	5.32	136.67	95	5110.21	-193.94	-191.49	255.35	0.29
MWD	54	5220	5.10	139.92	94	5203.82	-200.36	-197.86	261.03	0.39
MWD	55	5314	4.57	138.51	94	5297.48	-206.41	-203.86	266.20	0.58
MWD	56	5384	4.70	137.37	70	5367.25	-210.64	-208.06	269.99	0.23
MWD	57	5477	4.40	135.88	93	5459.96	-216.06	-213.43	275.05	0.35
MWD	58	5572	4.22	131.04	95	5554.69	-221.02	-218.34	280.23	0.43
MWD	59	5666	3.74	134.03	94	5648.47	-225.46	-222.74	285.04	0.56
MWD	60	5760	3.91	128.85	94	5742.26	-229.65	-226.88	289.74	0.41
MWD	61	5854	2.77	129.46	94	5836.09	-233.15	-230.33	293.99	1.21
MWD	62	5948	2.59	127.00	94	5929.99	-235.90	-233.06	297.44	0.23
MWD	63	6043	2.24	126.74	95	6024.91	-238.33	-235.46	300.64	0.37
MWD	64	6138	2.46	119.35	95	6119.83	-240.47	-237.57	303.91	0.39
MWD	65	6232	1.45	134.82	94	6213.77	-242.33	-239.39	306.51	1.20
MWD	66	6327	1.45	126.65	95	6308.74	-243.91	-240.96	308.32	0.22
MWD	67	6421	1.49	131.75	94	6402.71	-245.45	-242.48	310.19	0.15
MWD	68	6515	1.58	127.97	94	6496.68	-247.08	-244.09	312.12	0.14
MWD	69	6608	0.84	46.58	93	6589.66	-247.41	-244.41	313.63	1.80
MWD	70	6701	0.53	40.78	93	6682.65	-246.63	-243.62	314.41	0.34

MWD	71	6795	0.66	50.45	94	6776.65	-245.96	-242.95	315.11	0.17
MWD	72	6889	0.84	30.67	94	6870.64	-245.03	-242.01	315.88	0.33
MWD	73	6985	0.62	24.61	96	6966.63	-243.96	-240.93	316.45	0.24
MWD	74	7079	0.75	41.66	94	7060.63	-243.04	-240.01	317.07	0.26
MWD	75	7174	0.84	33.13	95	7155.62	-242.00	-238.96	317.87	0.16
MWD	76	7269	0.75	35.33	95	7250.61	-240.92	-237.87	318.61	0.10
MWD	77	7364	0.62	42.36	95	7345.60	-240.04	-236.98	319.31	0.16
MWD	78	7458	0.92	50.71	94	7439.59	-239.19	-236.13	320.24	0.34
MWD	79	7553	1.49	43.15	95	7534.57	-237.82	-234.75	321.67	0.62
MWD	80	7647	0.40	329.24	94	7628.56	-236.66	-233.57	322.34	1.52
MWD	81	7742	0.31	356.22	95	7723.56	-236.11	-233.03	322.16	0.20
MWD	82	7837	0.57	20.74	95	7818.56	-235.42	-232.33	322.31	0.33
MWD	83	7932	0.62	29.09	95	7913.55	-234.53	-231.44	322.72	0.11
MWD	84	8025	0.62	42.01	93	8006.55	-233.72	-230.63	323.30	0.15
MWD	85	8120	1.05	58.97	95	8101.53	-232.90	-229.80	324.39	0.52
MWD	86	8214	0.84	350.42	94	8195.52	-231.78	-228.67	325.02	1.15
MWD	87	8310	1.27	0.79	96	8291.51	-230.03	-226.92	324.91	0.49
MWD	88	8405	0.48	271.84	95	8386.50	-228.96	-225.85	324.53	1.42
MWD	89	8500	0.48	315.53	95	8481.50	-228.65	-225.55	323.86	0.38
MWD	90	8594	0.79	28.74	94	8575.49	-227.80	-224.71	323.89	0.85
MWD	91	8687	1.19	19.34	93	8668.48	-226.34	-223.23	324.52	0.46
MWD	92	8782	0.88	265.08	95	8763.47	-225.46	-222.36	324.12	1.84
MWD	93	8877	1.98	250.22	95	8858.44	-226.06	-222.98	321.85	1.21
MWD	94	8971	2.42	251.98	94	8952.37	-227.19	-224.15	318.43	0.47
MWD	95	9066	2.20	253.92	95	9047.29	-228.28	-225.27	314.77	0.25
MWD	96	9160	2.33	261.83	94	9141.22	-229.02	-226.04	311.15	0.36
MWD	97	9256	2.51	262.26	96	9237.13	-229.54	-226.60	307.13	0.19
MWD	98	9348	2.29	280.37	92	9329.05	-229.44	-226.54	303.33	0.85
MWD	99	9442	2.59	288.37	94	9422.97	-228.40	-225.54	299.47	0.48
MWD	100	9534	2.77	295.31	92	9514.87	-226.76	-223.93	295.48	0.40
MWD	101	9628	2.68	281.60	94	9608.76	-225.30	-222.52	291.28	0.70
MWD	102	9725	2.20	296.37	97	9705.68	-223.98	-221.23	287.39	0.81
MWD	103	9819	0.88	275.01	94	9799.64	-223.10	-220.37	285.05	1.51
MWD	104	9914	0.40	90.00	95	9894.64	-223.03	-220.31	284.66	1.35
MWD	105	10009	1.19	66.53	95	9989.63	-222.65	-219.91	285.89	0.88
MWD	106	10103	1.45	57.13	94	10083.60	-221.63	-218.88	287.79	0.36
MWD	107	10198	1.63	46.32	95	10178.57	-220.07	-217.29	289.77	0.36
MWD	108	10292	1.89	35.33	94	10272.52	-217.90	-215.11	291.64	0.45
MWD	109	10385	1.10	64.16	93	10365.49	-216.27	-213.47	293.33	1.15
MWD	110	10479	0.26	108.90	94	10459.49	-215.96	-213.14	294.34	0.99
MWD	111	10572	0.70	232.47	93	10552.48	-216.37	-213.56	294.09	0.94
MWD	112	10667	0.84	229.83	95	10647.48	-217.16	-214.36	293.10	0.15
MWD	113	10762	0.70	213.57	95	10742.47	-218.09	-215.29	292.25	0.27
MWD	114	10857	1.80	150.64	95	10837.45	-219.87	-217.07	292.66	1.69
MWD	115	10951	3.03	139.31	94	10931.36	-223.07	-220.25	295.00	1.40
MWD	116	11044	0.92	153.02	93	11024.30	-225.61	-222.77	296.94	2.31
MWD	117	11139	0.31	119.09	95	11119.30	-226.43	-223.58	297.51	0.72
MWD	118	11232	0.09	3.51	93	11212.30	-226.48	-223.63	297.74	0.39
MWD	119	11327	0.22	342.07	95	11307.29	-226.23	-223.38	297.69	0.15
MWD	120	11422	0.48	287.40	95	11402.29	-225.93	-223.09	297.25	0.42
MWD	121	11516	0.79	278.70	94	11496.29	-225.71	-222.87	296.23	0.34
MWD	122	11568	0.84	283.09	52	11548.28	-225.56	-222.73	295.51	0.15
MWD	123	11652	2.02	332.40	84	11632.26	-224.09	-221.28	294.22	1.91
MWD	124	11746	14.68	1.14	94	11725.09	-210.66	-207.85	293.69	13.77
MWD	125	11841	27.78	357.98	95	11813.45	-176.34	-173.54	293.15	13.84
MWD	126	11935	32.75	354.73	94	11894.62	-129.07	-126.29	290.04	5.57
MWD	127	12030	41.41	357.19	95	11970.34	-71.96	-69.21	286.13	9.25
MWD	128	12124	53.71	4.13	94	12033.69	-2.82	-0.07	287.34	14.16
MWD	129	12218	62.46	359.91	94	12083.36	76.79	79.57	290.01	10.06
MWD	130	12312	66.24	355.17	94	12124.06	161.43	164.18	286.32	6.07
MWD	131	12407	72.84	356.75	95	12157.25	250.22	252.92	280.08	7.12
MWD	132	12501	85.89	359.47	94	12174.56	342.37	345.05	277.08	14.17
MWD	133	12596	91.30	359.38	95	12176.89	437.31	439.98	276.13	5.70
MWD	134	12690	92.97	0.35	94	12173.39	531.23	533.91	275.91	2.05
MWD	135	12784	89.58	1.93	94	12171.30	625.15	627.85	277.78	3.98
MWD	136	12879	89.27	0.35	95	12172.25	720.10	722.82	279.67	1.69
MWD	137	12974	88.66	0.97	95	12173.97	815.07	817.80	280.76	0.92
MWD	138	13069	90.46	0.18	95	12174.70	910.04	912.79	281.72	2.07
MWD	139	13163	91.08	2.46	94	12173.43	1003.97	1006.75	283.88	2.51
MWD	140	13258	88.40	0.18	95	12173.86	1098.91	1101.71	286.07	3.70
MWD	141	13352	87.74	358.86	94	12177.03	1192.85	1195.65	285.28	1.57
MWD	142	13446	90.59	358.86	94	12178.40	1286.83	1289.61	283.41	3.03
MWD	143	13540	87.43	0.61	94	12180.02	1380.80	1383.58	282.98	3.84
MWD	144	13634	87.16	357.27	94	12184.46	1474.67	1477.44	281.24	3.56
MWD	145	13729	89.36	356.40	95	12187.35	1569.53	1572.25	276.00	2.49
MWD	146	13823	91.25	0.61	94	12186.85	1663.49	1666.19	273.55	4.91
MWD	147	13917	93.32	0.79	94	12183.10	1757.38	1760.10	274.69	2.21
MWD	148	14011	88.18	1.84	94	12181.87	1851.29	1854.04	276.85	5.58
MWD	149	14105	92.62	1.58	94	12181.21	1945.19	1947.97	279.65	4.73
MWD	150	14199	90.77	2.28	94	12178.43	2039.06	2041.87	282.82	2.10
MWD	151	14294	89.27	2.28	95	12178.40	2133.94	2136.79	286.60	1.58
MWD	152	14387	89.32	2.02	93	12179.54	2226.83	2229.72	290.09	0.28
MWD	153	14482	88.22	2.11	95	12181.58	2321.71	2324.63	293.51	1.16
MWD	154	14577	87.65	2.11	95	12185.01	2416.54	2419.51	297.00	0.60

MWD	155	14672	88.18	0.88	95	12188.46	2511.42	2514.41	299.48	1.41
MWD	156	14766	88.48	0.35	94	12191.20	2605.36	2608.36	300.49	0.65
MWD	157	14860	90.73	359.82	94	12191.85	2699.35	2702.36	300.63	2.46
MWD	158	14955	90.33	359.65	95	12190.97	2794.34	2797.35	300.19	0.46
MWD	159	15050	88.22	358.24	95	12192.17	2889.32	2892.32	298.44	2.67
MWD	160	15142	89.36	357.98	92	12194.12	2981.27	2984.25	295.41	1.27
MWD	161	15237	92.31	357.89	95	12192.73	3076.22	3079.16	291.98	3.11
MWD	162	15332	92.88	357.36	95	12188.43	3171.07	3173.98	288.05	0.82
MWD	163	15427	92.26	357.01	95	12184.17	3265.90	3268.77	283.39	0.75
MWD	164	15521	92.57	358.24	94	12180.21	3359.77	3362.61	279.50	1.35
MWD	165	15616	92.04	358.68	95	12176.39	3454.68	3457.50	276.95	0.72
MWD	166	15711	90.99	359.38	95	12173.88	3549.64	3552.45	275.34	1.33
MWD	167	15805	90.33	359.38	94	12172.79	3643.63	3646.43	274.32	0.70
MWD	168	15899	90.46	359.30	94	12172.15	3737.63	3740.43	273.24	0.16
MWD	169	15994	86.95	0.00	95	12174.29	3832.59	3835.39	272.66	3.77
MWD	170	16090	86.77	0.00	96	12179.55	3928.44	3931.24	272.66	0.19
MWD	171	16184	89.58	359.91	94	12182.54	4022.38	4025.18	272.59	2.99
MWD	172	16279	90.99	359.56	95	12182.07	4117.38	4120.18	272.15	1.53
MWD	173	16374	91.52	358.42	95	12179.99	4212.35	4215.14	270.47	1.32
MWD	174	16469	91.74	359.47	95	12177.29	4307.31	4310.08	268.72	1.13
MWD	175	16564	91.74	358.94	95	12174.40	4402.26	4405.03	267.41	0.56
MWD	176	16659	89.32	359.03	95	12173.53	4497.25	4500.00	265.72	2.55
MWD	177	16754	87.60	358.42	95	12176.08	4592.20	4594.94	263.61	1.92
MWD	178	16849	88.53	357.71	95	12179.29	4687.12	4689.83	260.41	1.23
MWD	179	16943	88.88	357.10	94	12181.41	4781.03	4783.71	256.15	0.75
MWD	180	17039	88.57	356.66	96	12183.55	4876.91	4879.55	250.93	0.56
MWD	181	17132	88.26	358.94	93	12186.12	4969.83	4972.43	247.36	2.47
MWD	182	17224	88.26	0.18	92	12188.91	5061.79	5064.39	246.65	1.35
MWD	183	17319	89.10	359.74	95	12191.10	5156.76	5159.36	246.59	1.00
MWD	184	17432	93.10	1.84	113	12188.93	5269.68	5272.30	248.14	4.00
MWD	185	17526	92.35	1.32	94	12184.46	5363.50	5366.16	250.73	0.97
MWD	186	17622	93.45	1.84	96	12179.61	5459.31	5462.00	253.37	1.27
MWD	187	17716	91.43	2.11	94	12175.60	5553.13	5555.85	256.61	2.17
MWD	188	17810	90.55	1.93	94	12173.98	5647.02	5649.78	259.92	0.96
MWD	189	17904	88.35	1.23	94	12174.88	5740.95	5743.73	262.51	2.46
MWD	190	17998	87.82	1.05	94	12178.02	5834.85	5837.66	264.38	0.60
MWD	191	18093	87.30	0.97	95	12182.07	5929.73	5932.56	266.06	0.55
MWD	192	18188	88.40	359.47	95	12185.63	6024.65	6027.49	266.42	1.96
MWD	193	18283	88.48	359.38	95	12188.22	6119.62	6122.45	265.47	0.13
MWD	194	18377	88.44	358.68	94	12190.74	6213.58	6216.40	263.88	0.75
MWD	195	18472	90.11	358.51	95	12191.95	6308.56	6311.36	261.55	1.77
MWD	196	18567	91.74	357.54	95	12190.41	6403.51	6406.29	258.28	2.00
MWD	197	18659	89.80	356.04	92	12189.18	6495.40	6498.13	253.12	2.67
MWD	198	18755	91.78	356.92	96	12187.85	6591.25	6593.93	247.23	2.26
MWD	199	18849	92.79	357.89	94	12184.11	6685.12	6687.76	242.98	1.49
MWD	200	18944	92.48	357.63	95	12179.74	6779.97	6782.58	239.27	0.43
MWD	201	19039	94.42	357.98	95	12174.02	6874.76	6877.34	235.64	2.07
MWD	202	19134	93.93	358.07	95	12167.11	6969.48	6972.03	232.37	0.52
MWD	203	19227	93.67	357.89	93	12160.94	7062.24	7064.77	229.10	0.34
MWD	204	19321	92.97	359.21	94	12155.50	7156.07	7158.58	226.73	1.59
MWD	205	19415	92.84	359.30	94	12150.73	7249.95	7252.45	225.51	0.17
MWD	206	19509	93.27	359.47	94	12145.72	7343.81	7346.31	224.50	0.49
MWD	207	19602	93.32	0.70	93	12140.38	7436.65	7439.15	224.64	1.32
MWD	208	19696	93.05	0.61	94	12135.16	7530.49	7533.00	225.71	0.30
MWD	209	19791	92.79	0.79	95	12130.32	7625.34	7627.87	226.87	0.33
MWD	210	19886	90.99	0.97	95	12127.18	7720.26	7722.80	228.33	1.90
MWD	211	19979	91.03	0.61	93	12125.54	7813.22	7815.78	229.61	0.39
MWD	212	20074	90.29	0.53	95	12124.45	7908.19	7910.77	230.55	0.78
MWD	213	20168	90.86	0.44	94	12123.51	8002.17	8004.76	231.35	0.61
MWD	214	20261	91.25	0.53	93	12121.79	8095.14	8097.74	232.14	0.43
MWD	215	20356	90.55	359.82	95	12120.30	8190.12	8192.73	232.43	1.05
MWD	216	20450	90.37	359.56	94	12119.55	8284.11	8286.72	231.92	0.34
MWD	217	20545	90.95	359.74	95	12118.45	8379.11	8381.71	231.34	0.64
MWD	218	20639	91.43	359.82	94	12116.50	8473.08	8475.69	230.98	0.52
MWD	219	20734	92.00	358.15	95	12113.66	8568.04	8570.63	229.29	1.86
MWD	220	20828	93.10	358.42	94	12109.48	8661.92	8664.49	226.48	1.20
MWD	221	20922	93.76	358.24	94	12103.85	8755.73	8758.29	223.75	0.73
MWD	222	21017	94.86	357.54	95	12096.71	8850.43	8852.95	220.26	1.37
MWD	223	21112	93.93	358.59	95	12089.43	8945.12	8947.62	217.06	1.47
MWD	224	21206	94.20	358.42	94	12082.77	9038.87	9041.35	214.62	0.34
MWD	225	21300	92.00	358.94	94	12077.69	9132.72	9135.18	212.46	2.40
MWD	226	21394	92.04	358.77	94	12074.37	9226.65	9229.10	210.58	0.19
MWD	227	21489	90.95	358.42	95	12071.89	9321.61	9324.04	208.25	1.21
MWD	228	21584	90.77	358.94	95	12070.47	9416.59	9419.00	206.06	0.58
MWD	229	21679	92.26	359.30	95	12067.96	9511.55	9513.95	204.60	1.61
MWD	230	21773	92.57	358.15	94	12063.99	9605.46	9607.85	202.51	1.27
MWD	231	21868	93.05	358.33	95	12059.34	9700.32	9702.69	199.60	0.54
MWD	232	21962	93.67	358.33	94	12053.83	9794.14	9796.49	196.87	0.66
MWD	233	22056	94.77	357.98	94	12046.91	9887.86	9890.18	193.85	1.23
MWD	234	22150	95.60	357.63	94	12038.42	9981.44	9983.73	190.26	0.96
MWD	235	22245	96.79	357.54	95	12028.16	10075.83	10078.09	186.28	1.26
MWD	236	22357	98.46	357.10	112	12013.30	10186.76	10188.97	181.09	1.54
PTB	237	22422	98.46	357.10	65	12003.74	10251.00	10253.18	177.84	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-49196										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BLUE MARLIN FED COM		
								6. Well Number: 212H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat JAL; WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	19	25-S	36-E	-	285'	SOUTH	2223'	WEST	LEA
BH:	C	18	25-S	36-E	-	29'	NORTH	2498'	WEST	LEA
13. Date Spudded 8/22/2021	14. Date T.D. Reached 10/22/2021		15. Date Rig Released 10/25/2021		16. Date Completed (Ready to Produce) 12/31/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3062 GR		
18. Total Measured Depth of Well 22422'			19. Plug Back Measured Depth 22389'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12210 ft to 22289 ft, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1302'		17.5"		1130 SKS		0
9.625"		40		5438'		12.25"		1574 SKS		0
7.625"		29.7		11533'		8.75"		611 SKS		0
5.5"		23		22407'		6.75"		907 SKS		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
Perforate from 12210 ft to 22289 ft, 1 SPF, .55 inch holes with 663 total shots					12210 ft to 22289 ft		51 stage frac with 27,779,110 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production 1/9/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 2/2/2022	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period	Oil - Bbl 1175	Gas - MCF 1479	Water - Bbl. 3574	Gas - Oil Ratio 794			
Flow Tubing Press. 0	Casing Pressure 1400	Calculated 24-Hour Rate	Oil - Bbl. 1175	Gas - MCF 1479	Water - Bbl. 3574	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments DIRECTIONAL SURVEY, C-102 AS DRILLED										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica		Title Regulatory Analyst			Date 3/3/2022		
E-mail Address jtrlica@taprock.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	

OIL OR GAS
SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1345		QUATERNARY					
1345	1485		RUSTLER					
1485	5185		TOP OF SALT					
5185	5285		BASE OF SALT					
5285	5330		DELAWARE					
5330	6289		BELL CANYON					
6289	7347		CHERRY CANYON					
7347	8396		BRUSHY CANYON					
8396	8774		BONE SPRING LIME					
8774	9731		AVALON					
9731	10307		1ST BONE SPRING SAND					
10307	11478		2ND BONE SPRING SAND					
11478	11676		3RD BONE SPRING SAND					
11676	12020		WOLFCAMP A					
12020			WOLFCAMP B					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 208610

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 208610
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 208610

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 208610
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	4/18/2023