

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 12/2/2022
⁴ API Number 30 – 015-47600	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 321601	⁸ Property Name: SALT FLAT CC 20-29 FEDERAL COM	⁹ Well Number: 14H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South Line SOUTH	Feet from the 1010	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location

FTP- 235' FNL 362' FEL LTP- 160' FSL 691' FEL

UL or lot no. P	Section 29	Township 24S	Range 29E	Lot Idn	Feet from the 45	North/South line SOUTH	Feet from the 690	East/West line EAST	County EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 12/3/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 07/16/22	²² Ready Date 12/2/2022	²³ TD 18610'M 7722'V	²⁴ PBDT 18567'M 7721'V	²⁵ Perforations 8237-18495'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		347'	475
9-7/8"		7-5/8"		7035'	1912
6-3/4"		5-1/2"		18590'	1185

V. Well Test Data

³¹ Date New Oil 12/5/22	³² Gas Delivery Date 12/3/22	³³ Test Date 12/21/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 929
³⁷ Choke Size 95/128	³⁸ Oil 4671	³⁹ Water 4824	⁴⁰ Gas 5226		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.comDate: 04/03/2023
Phone: 422-695-5036

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 4/21/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47600	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 321601	Property Name SALT FLAT CC 20_29 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 14H
		⁹ Elevation 2927'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	17	24S	29E		1070	SOUTH	1010	EAST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	29	24S	29E		45	SOUTH	690	EAST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.9997801707 Convergence Angle: 00°10'21.400000"

Schlumberger

OXY




Borehole:	Well:	Field:	Structure:
Salt Flat CC 20_29 Federal Com 14H	Salt Flat CC 20_29 Federal Com 14H	NM Eddy County (NAD 83)	Oxy Salt Flat CC 20_29 Federal Com Pad

Gravity & Magnetic Parameters				Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous Salt Flat CC			
Model:	IFR1	Dip:	59.896°	Date:	22-Sep-2022	Lat:	N 32 12 47.59	Northing:	441462.31RUS	Grid Conv:	0.177°
MagDec:	6.73°	FS:	47545.6nT	Gravity FS:	998.469mgn (9.80665 Based)	Lon:	W 104 0 4.47	Easting:	644043.56RUS	Scale Fact:	0.99992117
								Slot:	20_29 Federal Com 14H	TVD Ref:	RKB(2951.3ft above MSL)
								Plan:	Oxy Salt Flat CC 20_29 Federal Com 14H Gyro-MWD 0' to 18610' MD		

Critical Points

Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	
First Gyro Survey	94.61	0.75	232.16	94.61	0.27	-0.28	-0.36	1.06
Last Gyro Survey	333.08	0.72	285.38	333.05	0.36	-0.48	-3.97	0.38
First SLB Survey	408.00	0.22	331.87	407.97	0.10	-0.23	-4.49	0.79
Actual KOP	7081.00	7.12	123.17	6997.86	584.77	-569.80	522.48	5.99
1st Bone Spring Intersection	7711.49	49.52	172.50	7554.30	833.46	-816.01	611.38	11.79
100' FNL Crossing	8096.00	88.44	171.98	7679.05	1188.73	-1170.60	640.03	8.95
Exit Target Box	10479.00	94.04	181.91	7750.52	3562.98	-3546.27	625.95	4.78
Enter Target Box	10668.00	91.07	178.93	7744.30	3751.69	-3735.11	623.98	2.30
100' FSL Crossing	18554.00	89.45	179.22	7721.17	11598.57	-11594.12	321.82	0.57
Final MWD Survey	18579.00	89.45	179.08	7721.41	11623.57	-11619.12	322.19	0.57
Proj to TD	18610.00	89.45	179.08	7721.71	11654.57	-11650.11	322.68	0.00



Schlumberger



Oxy Salt Flat CC 20_29 Federal Com 14H Gyro+MWD 0' to 18610'MD Survey Geodetic Report (Def Survey)

Report Date: November 06, 2022 - 12:42 PM Client: OXY Field: NM Eddy County (NAD 83) Structure / Slot: Oxy Salt Flat CC 20_29 Federal Com Pad / Salt Flat CC 20_29 Federal Com 14H Well: Salt Flat CC 20_29 Federal Com 14H Borehole: Salt Flat CC 20_29 Federal Com 14H UWI / API#: Unknown / Unknown Survey Name: Oxy Salt Flat CC 20_29 Federal Com 14H Gyro+MWD 0' to 18610'MD Survey Date: August 23, 2022 Tort / AHD / DDI / ERD Ratio: 315.167 " / 11948.487 ft / 6.956 / 1.541 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 12' 47.59374", W 104° 0' 4.46651" Location Grid N/E Y/X: N 441462.310 RUS, E 644043.560 RUS CRS Grid Convergence Angle: 0.1770 ° Grid Scale Factor: 0.99992117 Version / Patch: 2.10.829.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 178.332 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 2951.300 ft above MSL Seabed / Ground Elevation: 2927.300 ft above MSL Magnetic Declination: 6.730 ° Total Gravity Field Strength: 998.4692mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47545.600 nT Magnetic Dip Angle: 59.896 ° Declination Date: September 22, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.1800 ° Total Corr Mag North->Grid North: 6.5500 ° Local Coord Referenced To: Well Head	
--	---	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	441462.31	644043.56	N 32 12 47.59	W 104 0 4.47
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	441462.31	644043.56	N 32 12 47.59	W 104 0 4.47
First Gyro Survey	94.61	0.75	232.16	94.61	0.27	-0.28	-0.36	1.06	0.46	232.16	441462.03	644043.19	N 32 12 47.59	W 104 0 4.47
	180.81	1.05	270.03	180.80	0.58	-0.63	-1.60	0.75	1.72	248.54	441461.68	644041.96	N 32 12 47.59	W 104 0 4.49
	269.23	0.88	272.16	269.21	0.51	-0.60	-3.09	0.20	3.15	258.95	441461.71	644040.47	N 32 12 47.59	W 104 0 4.50
Last Gyro Survey	333.08	0.72	285.38	333.05	0.36	-0.48	-3.97	0.38	3.99	263.12	441461.83	644039.59	N 32 12 47.59	W 104 0 4.51
First SLB Survey	408.00	0.22	331.87	407.97	0.10	-0.23	-4.49	0.79	4.49	267.11	441462.08	644039.07	N 32 12 47.59	W 104 0 4.52
	502.00	0.27	82.04	501.97	-0.09	-0.04	-4.35	0.43	4.35	269.52	441462.27	644039.21	N 32 12 47.59	W 104 0 4.52
	595.00	0.19	206.34	594.97	0.02	-0.14	-4.20	0.44	4.21	268.03	441462.17	644039.36	N 32 12 47.59	W 104 0 4.52
	688.00	0.14	147.43	687.97	0.26	-0.38	-4.21	0.18	4.23	264.86	441461.93	644039.35	N 32 12 47.59	W 104 0 4.52
	781.00	0.22	66.58	780.97	0.29	-0.40	-3.99	0.26	4.01	264.22	441461.91	644039.57	N 32 12 47.59	W 104 0 4.51
	949.00	0.21	179.44	948.96	0.48	-0.58	-3.69	0.21	3.73	261.02	441461.73	644039.87	N 32 12 47.59	W 104 0 4.51
	1041.00	0.14	33.68	1040.96	0.55	-0.66	-3.66	0.36	3.68	259.71	441461.65	644039.94	N 32 12 47.59	W 104 0 4.51
	1134.00	0.19	254.42	1133.96	0.50	-0.60	-3.71	0.33	3.76	260.74	441461.71	644039.85	N 32 12 47.59	W 104 0 4.51
	1227.00	0.27	8.82	1226.96	0.32	-0.43	-3.82	0.42	3.85	263.59	441461.88	644039.74	N 32 12 47.59	W 104 0 4.51
	1320.00	0.18	35.05	1319.96	-0.01	-0.09	-3.71	0.14	3.71	268.55	441462.22	644039.85	N 32 12 47.59	W 104 0 4.51
	1413.00	0.05	19.74	1412.96	-0.17	0.06	-3.61	0.14	3.61	271.02	441462.37	644039.95	N 32 12 47.59	W 104 0 4.51
	1507.00	0.09	224.22	1506.96	-0.16	0.05	-3.65	0.15	3.65	270.78	441462.36	644039.91	N 32 12 47.59	W 104 0 4.51
	1599.00	0.24	151.62	1598.96	0.07	-0.17	-3.61	0.25	3.61	267.28	441462.14	644039.95	N 32 12 47.59	W 104 0 4.51
	1693.00	0.14	267.15	1692.96	0.24	-0.35	-3.63	0.35	3.64	264.48	441461.96	644039.93	N 32 12 47.59	W 104 0 4.51
	1787.00	0.13	261.99	1786.96	0.26	-0.37	-3.85	0.02	3.86	264.49	441461.94	644039.71	N 32 12 47.59	W 104 0 4.51
	1882.00	0.20	257.82	1881.96	0.30	-0.42	-4.12	0.07	4.14	264.16	441461.89	644039.44	N 32 12 47.59	W 104 0 4.51
	1976.00	0.21	291.71	1975.96	0.26	-0.39	-4.44	0.13	4.45	264.95	441461.92	644039.12	N 32 12 47.59	W 104 0 4.52
	2071.00	0.27	151.70	2070.96	0.39	-0.52	-4.49	0.08	4.52	263.34	441461.79	644039.07	N 32 12 47.59	W 104 0 4.52
	2165.00	0.22	165.02	2164.96	0.77	-0.89	-4.34	0.48	4.43	258.36	441461.42	644039.22	N 32 12 47.59	W 104 0 4.52
	2260.00	0.18	175.98	2259.96	1.09	-1.22	-4.28	0.06	4.45	254.11	441461.09	644039.28	N 32 12 47.58	W 104 0 4.52
	2355.00	0.25	174.04	2354.96	1.45	-1.57	-4.25	0.07	4.53	249.68	441460.74	644039.31	N 32 12 47.58	W 104 0 4.52
	2450.00	0.21	182.30	2449.96	1.83	-1.95	-4.24	0.05	4.67	245.24	441460.36	644039.32	N 32 12 47.57	W 104 0 4.52
	2544.00	0.21	208.23	2543.96	2.15	-2.28	-4.32	0.10	4.89	242.22	441460.03	644039.24	N 32 12 47.57	W 104 0 4.52
	2638.00	0.26	148.23	2637.96	2.48	-2.61	-4.29	0.25	5.03	238.70	441459.70	644039.27	N 32 12 47.57	W 104 0 4.52
	2733.00	0.03	64.51	2732.96	2.66	-2.78	-4.16	0.27	5.00	236.20	441459.53	644039.40	N 32 12 47.57	W 104 0 4.52
	2828.00	0.24	336.18	2827.96	2.47	-2.59	-4.22	0.25	4.95	238.43	441459.72	644039.34	N 32 12 47.57	W 104 0 4.52
	2923.00	1.38	209.53	2922.95	3.26	-3.40	-4.86	1.62	5.93	234.99	441458.91	644038.70	N 32 12 47.56	W 104 0 4.52
	3017.00	3.38	206.88	3016.86	6.66	-6.86	-6.67	2.13	9.57	224.19	441455.45	644036.89	N 32 12 47.53	W 104 0 4.54
	3112.00	5.52	192.08	3111.57	13.56	-13.83	-8.89	2.54	16.44	212.75	441448.48	644034.67	N 32 12 47.46	W 104 0 4.57
	3207.00	7.20	186.77	3205.99	23.89	-24.21	-10.55	1.87	26.41	203.55	441438.10	644033.01	N 32 12 47.35	W 104 0 4.59
	3301.00	9.00	181.71	3299.04	37.06	-37.41	-11.47	2.06	39.13	197.04	441424.90	644032.10	N 32 12 47.22	W 104 0 4.59
	3396.00	10.30	173.04	3392.70	52.94	-53.27	-10.66	2.05	54.32	191.31	441409.05	644032.90	N 32 12 47.10	W 104 0 4.59
	3490.00	11.06	167.76	3485.08	70.17	-70.42	-7.73	1.32	70.84	186.26	441391.89	644035.83	N 32 12 46.90	W 104 0 4.56
	3585.00	10.81	164.00	3578.35	87.76	-87.89	-3.34	0.80	87.85	182.18	441374.43	644040.40	N 32 12 46.72	W 104 0 4.51
	3679.00	10.34	157.59	3670.76	104.19	-104.16	2.31	1.35	104.19	178.73	441358.15	644045.86	N 32 12 46.56	W 104 0 4.44
	3774.00	10.50	152.64	3764.19	119.96	-119.73	9.53	0.96	120.11	175.45	441342.59	644053.09	N 32 12 46.41	W 104 0 4.38
	3869.00	10.92	145.41	3857.54	135.32	-134.83	18.62	1.48	136.11	172.14	441327.49	644062.18	N 32 12 46.26	W 104 0 4.25
	3964.00	10.64	136.93	3950.87	149.45	-148.65	29.72	1.69	151.59	168.69	441313.68	644073.28	N 32 12 46.12	W 104 0 4.13
	4059.00	10.75	129.02	4044.23	161.80	-160.63	42.59	1.55	166.18	165.15	441301.69	644086.15	N 32 12 46.00	W 104 0 3.98
	4153.00	10.61	126.50	4136.60	172.87	-171.30	56.36	0.52	180.33	161.79	441291.03	644099.92	N 32 12 45.90	W 104 0 3.82
	4248.00	10.77	128.61	4229.95	184.01	-182.04	70.33	0.45	195.15	158.88	441280.29	644113.88	N 32 12 45.79	W 104 0 3.65
	4342.00	10.65	132.55	4322.32	195.75	-193.39	83.59	0.79	210.69	156.63	441268.93	644127.14	N 32 12 45.68	W 104 0 3.50
	4437.00	10.61	132.72	4415.69	207.99	-205.26	96.48	0.05	226.81	154.82	441257.06	644140.03	N 32 12 45.56	W 104 0 3.35
	4531.00	10.64	132.88	4508.07	220.13	-217.04	109.20	0.04	242.96	153.29	441245.29	644152.75	N 32 12 45.44	W 104 0 3.20
	4626.00	10.61	131.50	4601.45	232.26	-228.80	122.17	0.27	259.38	151.90	441233.53	644165.72	N 32 12 45.33	W 104 0 3.05
	4721.00	10.65	130.08	4694.81	244.09	-240.25	135.44	0.28	275.80	150.59	441222.08	644178.99	N 32 12 45.21	W 104 0 2.90
	4815.00	10.85	129.65	4787.17	255.72	-251.49	148.90	0.23	292.26	149.26	441210.84	644192.85	N 32 12 45.10	W 104 0 2.74
	4910.00	10.72	129.93	4880.49	267.48	-262.86	162.56	0.15	309.07	148.27	441199.47	644206.11	N 32 12 44.99	W 104 0 2.58
	5004.00	10.39	130.59	4972.90	278.99	-273.99	175.70	0.37	325.49	147.33	441188.34	644219.25	N 32 12 44.88	W 104 0 2.43
	5099.00	10.53	130.68	5066.32	290.60	-285.22	188.79	0.15	342.04	146.50	441177.11	644232.33	N 32 12 44.77	W 104 0 2.28
	5193.00	10.96	131.42	5158.67	302.49	-296.73	202.00	0.48	358.97	145.75	441165.60	644245.53	N 32 12 44.65	W 104 0 2.13
	5288.00	13.27	132.70	5251.55	316.28	-310.10	216.79	2.45	378.37	145.04	441152.23	644260.33	N 32 12 44.52	W 104 0 1.95
	5382.00	14.01	130.18	5342.90	331.42	-324.76	233.41	1.01	399.94	144.29	441137.57	644276.95	N 32 12 44.37	W 104 0 1.76
	5477.00	14.05	129.90	5435.06	346.74	-339.58	251.04	0.08	422.30	143.53	441122.76	644294.58	N 32 12 44.23	W 104 0 1.56
	5572.00	14.73	129.60	5527.08	362.36	-354.67	268.20	0.72	445.26	142.80	441107.67	644312.74	N 32 12 44.08	W 104 0 1.35
	5667.00	14.39	130.34	5619.03	378.23	-370.01	287.50	0.41	468.58	142.15	441092.33	644331.04	N 32 12 43.92	W 104 0 1.13
	5761.00	14.57	129.57	5710.04	393.84	-385.11	305.52	0.28	491.58	141.57	441077.23	644349.05	N 32 12 43.77	W 104 0 0.92
	5856.00	14.45	130.39	5802.01	409.65	-400.40	323.76	0.25	514.92	141.04	441061.94	644367.29	N 32 12 43.62	W 104 0 0.71
	5951.00	14.34	129.86	5894.03	425.39	-413.62	341.82	0.18	538.12	140.57				

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Exit Target Box	8973.00	88.63	179.39	7738.69	2061.88	-2043.19	671.79	2.16	2150.80	161.80	439419.28	644715.29	N 32 12 27.36	W 103 59 56.72
	9067.00	88.26	178.28	7741.24	2155.84	-2137.14	673.70	1.24	2240.81	162.50	439325.35	644717.20	N 32 12 26.43	W 103 59 56.70
	9162.00	89.90	179.19	7742.77	2250.82	-2232.10	675.79	1.97	2332.16	163.16	439230.39	644719.30	N 32 12 25.49	W 103 59 56.68
	9256.00	89.94	182.38	7742.90	2344.72	-2326.08	674.51	3.39	2421.90	163.83	439136.42	644718.01	N 32 12 24.56	W 103 59 56.70
	9351.00	89.44	181.88	7743.41	2439.51	-2421.01	670.98	0.74	2512.27	164.51	439041.50	644714.48	N 32 12 23.62	W 103 59 56.74
	9446.00	89.29	181.35	7744.47	2534.35	-2515.96	668.30	0.58	2603.21	165.12	438946.55	644711.80	N 32 12 22.68	W 103 59 56.78
	9540.00	88.61	175.74	7746.19	2628.30	-2609.88	670.68	0.01	2694.68	165.59	438852.64	644714.19	N 32 12 21.75	W 103 59 56.75
	9635.00	90.07	180.14	7747.28	2723.26	-2704.79	674.10	4.88	2787.52	166.01	438757.74	644717.60	N 32 12 20.81	W 103 59 56.72
	9730.00	89.91	181.88	7747.30	2818.15	-2799.77	672.42	1.84	2879.38	166.50	438662.77	644715.93	N 32 12 19.87	W 103 59 56.74
	9824.00	88.65	177.76	7748.48	2912.09	-2893.74	672.72	4.58	2970.90	166.91	438568.81	644716.22	N 32 12 18.94	W 103 59 56.74
Enter Target Box	9919.00	89.85	180.72	7749.73	3007.06	-2988.71	673.98	3.36	3063.76	167.29	438473.84	644717.48	N 32 12 18.00	W 103 59 56.73
	10014.00	89.68	185.35	7750.12	3101.71	-3083.55	668.95	4.88	3155.28	167.76	438379.01	644712.45	N 32 12 17.06	W 103 59 56.79
	10083.00	86.57	185.74	7752.37	3170.12	-3152.18	662.28	4.54	3221.00	168.13	438310.38	644705.79	N 32 12 16.38	W 103 59 56.87
	10107.00	87.63	185.76	7753.59	3193.89	-3176.03	659.88	4.42	3243.86	168.26	438286.54	644703.39	N 32 12 16.15	W 103 59 56.90
	10201.00	90.21	186.69	7755.36	3286.97	-3269.47	649.69	2.92	3333.38	168.76	438193.13	644693.20	N 32 12 15.22	W 103 59 57.02
	10293.00	90.36	185.79	7754.90	3378.10	-3360.90	639.69	0.99	3421.24	169.22	438101.68	644683.20	N 32 12 14.32	W 103 59 57.14
	10385.00	90.48	184.65	7754.23	3469.43	-3452.52	631.32	1.25	3509.76	169.64	438010.07	644674.83	N 32 12 13.41	W 103 59 57.24
	10479.00	91.04	181.91	7750.52	3562.98	-3546.27	625.95	1.78	3601.08	169.99	437916.33	644669.46	N 32 12 12.48	W 103 59 57.31
	10572.00	91.22	180.80	7746.25	3655.74	-3639.13	623.75	3.26	3692.20	170.27	437823.47	644667.26	N 32 12 11.58	W 103 59 57.34
	10664.00	91.07	179.01	7744.37	3744.69	-3731.11	623.91	1.95	3782.91	170.51	437731.50	644667.41	N 32 12 10.65	W 103 59 57.34
Exit Target Box	10668.00	91.07	178.93	7744.30	3751.69	-3735.11	623.98	2.30	3786.87	170.52	437727.51	644667.49	N 32 12 10.62	W 103 59 57.34
	10757.00	90.07	177.15	7743.41	3840.68	-3824.04	627.02	2.30	3875.11	170.69	437638.57	644670.53	N 32 12 9.74	W 103 59 57.31
	10851.00	89.96	176.39	7743.38	3934.64	-3917.89	632.32	0.82	3968.59	170.83	437544.73	644675.83	N 32 12 8.81	W 103 59 57.25
	10944.00	89.90	176.17	7743.50	4027.58	-4010.70	638.35	0.25	4061.18	170.96	437451.94	644681.86	N 32 12 7.89	W 103 59 57.18
	11036.00	89.99	177.72	7743.59	4119.55	-4102.57	643.25	1.69	4152.69	171.09	437360.08	644686.76	N 32 12 6.98	W 103 59 57.13
	11131.00	89.99	179.51	7743.60	4214.55	-4197.53	645.55	1.88	4246.88	171.26	437265.12	644689.06	N 32 12 6.04	W 103 59 57.10
	11225.00	90.49	180.08	7743.21	4308.51	-4291.53	645.89	0.81	4339.66	171.44	437171.13	644689.39	N 32 12 5.11	W 103 59 57.10
	11320.00	89.68	180.60	7743.07	4403.45	-4386.53	645.32	1.01	4433.74	171.63	437076.14	644688.83	N 32 12 4.17	W 103 59 57.11
	11415.00	89.80	179.74	7743.50	4498.40	-4481.53	645.04	0.91	4527.71	171.81	436981.15	644688.55	N 32 12 3.23	W 103 59 57.12
	11510.00	89.97	180.71	7743.69	4593.35	-4576.52	644.67	1.04	4621.71	171.98	436886.16	644688.18	N 32 12 2.29	W 103 59 57.13
Exit Target Box	11604.00	90.43	178.92	7743.36	4687.31	-4670.52	644.97	1.97	4714.84	172.14	436792.17	644688.48	N 32 12 1.36	W 103 59 57.13
	11698.00	90.22	180.42	7742.83	4781.28	-4764.51	645.51	1.61	4808.04	172.28	436698.16	644689.02	N 32 12 0.43	W 103 59 57.13
	11793.00	89.72	180.43	7742.88	4876.20	-4859.50	644.31	0.83	4902.03	172.45	436603.20	644687.82	N 32 12 0.43	W 103 59 57.14
	11887.00	89.64	180.67	7743.40	4970.11	-4953.49	642.92	0.39	4995.04	172.60	436509.22	644686.42	N 32 11 58.56	W 103 59 57.16
	11982.00	89.05	181.54	7744.49	5064.99	-5048.47	641.08	1.11	5089.01	172.76	436414.25	644684.59	N 32 11 57.62	W 103 59 57.19
	12077.00	89.79	179.68	7745.45	5159.90	-5143.45	640.07	2.11	5183.13	172.91	436319.27	644683.58	N 32 11 56.68	W 103 59 57.20
	12171.00	89.63	179.47	7745.93	5253.88	-5237.45	640.77	0.28	5276.50	173.02	436225.28	644682.58	N 32 11 55.75	W 103 59 57.20
	12266.00	90.13	182.67	7746.13	5348.76	-5332.42	639.00	3.41	5370.57	173.17	436130.32	644682.50	N 32 11 54.81	W 103 59 57.22
	12361.00	90.09	178.89	7745.94	5443.66	-5427.39	637.70	3.98	5464.73	173.30	436035.36	644681.21	N 32 11 53.87	W 103 59 57.24
	12455.00	90.11	179.34	7745.78	5537.65	-5521.38	639.16	0.48	5558.25	173.40	435941.38	644682.66	N 32 11 52.94	W 103 59 57.23
Exit Target Box	12550.00	90.23	179.05	7745.50	5632.63	-5616.37	640.49	0.33	5652.77	173.49	435846.39	644684.00	N 32 11 52.00	W 103 59 57.21
	12645.00	90.49	180.04	7744.90	5727.61	-5711.37	641.24	1.08	5747.25	173.59	435751.41	644684.75	N 32 11 51.06	W 103 59 57.21
	12740.00	90.63	179.97	7743.97	5822.57	-5806.36	641.24	1.16	5841.66	173.70	435656.42	644684.74	N 32 11 50.12	W 103 59 57.21
	12834.00	89.51	179.19	7743.86	5916.54	-5900.36	641.93	1.45	5935.17	173.79	435562.43	644685.43	N 32 11 49.19	W 103 59 57.21
	12929.00	88.98	180.37	7745.11	6011.52	-5995.34	643.12	0.83	6028.15	173.88	435467.45	644686.06	N 32 11 48.25	W 103 59 57.20
	13024.00	90.67	179.12	7745.40	6090.33	-6074.37	644.37	1.08	6124.32	173.96	435372.47	644687.88	N 32 11 47.31	W 103 59 57.19
	13118.00	90.40	180.32	7744.52	6200.47	-6184.32	644.83	1.31	6217.85	174.05	435278.49	644688.34	N 32 11 46.38	W 103 59 57.18
	13213.00	90.50	179.50	7743.77	6295.43	-6279.32	644.98	0.87	6312.35	174.14	435183.50	644688.49	N 32 11 45.44	W 103 59 57.19
	13308.00	90.54	179.75	7742.91	6390.40	-6374.31	645.60	0.27	6406.92	174.22	435088.51	644689.11	N 32 11 44.50	W 103 59 57.18
	13403.00	91.08	178.62	7741.57	6485.38	-6469.29	646.95	1.32	6501.56	174.29	434993.54	644690.46	N 32 11 43.56	W 103 59 57.17
Exit Target Box	13498.00	91.82	181.95	7739.16	6580.28	-6564.24	648.06	1.39	6596.00	174.36	434898.60	644691.69	N 32 11 42.62	W 103 59 57.18
	13594.00	90.06	181.08	7737.59	6676.11	-6660.19	643.94	2.05	6691.25	174.48	434802.66	644687.45	N 32 11 41.67	W 103 59 57.21
	13687.00	90.10	179.40	7737.46	6769.06	-6753.19	643.55	1.81	6783.78	174.56	434709.67	644687.06	N 32 11 40.75	W 103 59 57.22
	13782.00	90.27	178.77	7737.15	6864.05	-6848.18	645.07	0.69	6878.49	174.62	434614.69	644688.58	N 32 11 39.81	W 103 59 57.21
	13877.00	89.93	177.89	7736.99	6959.05	-6943.13	647.84	0.99	6973.29	174.67	434519.74	644691.35	N 32 11 38.87	W 103 59 57.18
	13971.00	90.46	180.06	7736.67	7053.04	-7037.11	649.52	2.38	7067.02	174.73	434425.77	644693.03	N 32 11 37.94	W 103 59 57.16
	14066.00	90.66	179.10	7735.74	7148.01	-7132.02	650.22	1.03	7161.68	174.79	434330.78	644693.72	N 32 11 37.00	W 103 59 57.16
	14161.00	90.66	179.34	7734.64	7242.99	-7227.09	651.56	0.25	7256.40	174.85	434235.			

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 163517

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 163517
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163517

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 163517
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	RT Expires 03/02/2023	2/8/2023

Well Name: SALT FLAT CC 20-29 FEDERAL COM	Well Location: T24S / R29E / SEC 17 / SESE / 32.2132205 / -104.0012407	County or Parish/State: EDDY / NM
Well Number: 14H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM102914	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547600	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2718739

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/02/2023

Date Operation Actually Began: 11/13/2022

Type of Action: Workover Operations

Time Sundry Submitted: 04:11

Actual Procedure: RUPU 11/13/22, RIH & clean out to PBTD @ 18567', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 8237-18495' Total 1230 holes. Frac in 41 stages w/ 253137BBL Produced Water + 168758BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25714581# sand, RD NexTier 11/27/22. Well ready to produce 12/2/22. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 08/31/2023. Formation Tops for this completion are as follows: TOP MD TVD RUSTLER 300 300 SALADO 520 520 CASTILE 1238 1238 DELAWARE 2850 2850 BELL CANYON 2881 2881 CHERRY CANYON 3777 3776 BRUSHY CANYON 5059 5027 BONE SPRING 6608 6533 1ST BONE SPRING 7710 7552

Received by OCD: 4/4/2023 3:31:05 PM

Well Name: SALT FLAT CC 20-29
FEDERAL COM

Well Location: T24S / R29E / SEC 17 /
SESE / 32.2132205 / -104.0012407

County or Parish/State: EDDY /
NM

Well Number: 14H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM102914

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001547600

Well Status: Drilling Well

Operator: OXY USA
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA

Signed on: MAR 02, 2023 04:11 PM

Name: OXY USA INCORPORATED

Title: Regulatory Coordinator

Street Address: PO BOX 50250

City: Midland

State: TX

Phone: (432) 685-5936

Email address: Janalyn_mendiola@oxy.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 03/16/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-47600			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name SALT FLAT CC 20-29 FEDERAL COM			
8. Name of Operator: OXY USA INC.						6. Well Number: 14H				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	17	24S	29E		1070	SOUTH	1010	EAST	EDDY
BH:	P	29	24S	29E		45	SOUTH	690	EAST	EDDY
13. Date Spudded 07/16/22	14. Date T.D. Reached 11/04/2022		15. Date Rig Released 11/09/2022		16. Date Completed (Ready to Produce) 12/02/2022		17. Elevations (DF and RKB, RT, GR, etc.) 2927' GL			
18. Total Measured Depth of Well 18610'M 7722'V			19. Plug Back Measured Depth 18567'M 7721'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 8237-18495' 1 st Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		347'		17.5"		475sx-surf circ		
7.625" HCL80		26.4		7035'		9.875"		1912sx-surf		
5.5" P110		20		18590'		6.75"		1185sx-TOC@surf		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
									PACKER SET	
26. Perforation record (interval, size, and number) 8237-18495' Total 1230 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED				
8237-18495'						253137BBL Produced Water + 168758BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25714581# sand				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
12/05/2022		Flowing				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
12/21/2022	24 hrs.	95/128	Test Period	4671	5226	4824	1119			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	929		4671	5226	4824					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature:		Name: Jana Mendiola				Title: Sr. Regulatory Analyst		Date: 04/04/2023		
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 300'	T. Bell Canyon 2881'	T. Ojo Alamo	T. Penn A"
T. Salado 520'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1238'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2850'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3777'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5059'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Oztzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6608'	T. Todilto	
T. Abo	T. 1 st Bone Spring 7710'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Spring	T. Wingate	
T. Penn	T. 3 rd Bone Spring	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
SALT FLAT CC 20-29 FEDERAL COM 14H
API No. 30-015-47600



Perfs @ 8237-18495'

TD- 18610'M 7722'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 204230

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 204230
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 204230

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 204230
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	4/21/2023