

Well Name: BISTI COAL 17 COM	Well Location: T25N / R12W / SEC 17 / NESE / 36.399085 / -108.128149	County or Parish/State: SAN JUAN / NM
Well Number: 1T	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF078058	Unit or CA Name: BISTI COAL 17 COM	Unit or CA Number: NMNM86353
US Well Number: 3004533167	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 1341280

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/10/2021 Time Sundry Submitted: 08:48

Date Operation Actually Began: 12/18/2020

Actual Procedure: The subject well was Plugged & Abandoned on 12/18/20 per the attached detailed EOWR, As Plugged Wellbore Diagram and P&A Marker.

SR Attachments

Actual Procedure

Bisti_Coal_17_Com_1T_PA_Marker_20210210084847.pdf

Bisti_Coal_17_Com_1T_EOWR_AsPlugged_WBD_20210210084839.pdf

BLM Point of Contact

BLM POC Name: WILLIAM F TAMBEKOU	BLM POC Title: PETROLEUM ENGINEER
BLM POC Phone: 7192698500	BLM POC Email Address: wtambekou@blm.gov
Disposition: Accepted	Disposition Date: 04/01/2021
Signature: William Max Tambekou	

DJR Operating, LLC
P&A End of Well Report
Bisti Coal 17 Com 1T
API # 30-045-33167
NE/SE Unit I. Sec 25, T22N, R12W
San Juan County, NM
Spud Date: 6-22-2008
Plug Date: 12-18-2020

12-18-2020:

MIRU rig and equipment. SITP = 0, SICP = 0, BH = 0. TOO H with rods. NDWH, NU BOP. TOO H with production tubing.

TIH with bit and string mill to 1105'. TOO H. TIH with workstring and cement retainer, set retainer at 1105'. Load and roll hole. PT casing, good test.

P&A Plug 1: Fruitland perforations, Mix and pump 10 sx through retainer.

P&A Plug 2: Fruitland, Kirtland, Ojo Alamo to surface: Sting out of retainer and place 135 sx above retainer to surface.

TOO H.

ND BOP. Cut off WH, TOC at 17' in annulus and 60' in casing. Install P&A marker.

Top off casings and cellar with 30 sx

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Mark Decker, BLM and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.3990898 N, Long; 108.1281357 W

**DJR Operating, LLC
Bisti Coal 17 Com 1T
API # 30-045-33167
NE/SE, Unit I, Sec. 17, T25N, R12W
San Juan County, NM**



DJR Operating, LLC
P&A End of Well Report

Bisti Coal 17 Com 1T

API # 30-045-33167
 NE/SE, Unit I, Sec 17, T25N, R12W
 San Juan County, NM

GL 6274'
 KB 6286'
 Spud Date 6/22/2008

SURF CSG

Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: J-55
 ID: 6.336"
 Depth 143'
 casing cap ft3/ft: 0.3575
 TOC: Circ cmt
 to surface

FORMATION TOPS

Nacimiento	Surface
Ojo Alamo	160'?
Kirtland	270'
Fruitland	918'
Pictured Cliffs	1142'

PROD CSG

Hole size 7.875"
 Csg Size: 5.5"
 Wt: 15.5#
 Grade: J-55
 ID: 4.95"
 Depth 1373'
 casing cap ft3/ft: 0.1336
 8.625x5.5 cap ft3/ft 0.1926
 TOC: Circ cmt
 to surface

Cement Ret. 1105'
 Fruitland Coal perms
 1121-1164'

COTD 1329'
 TD 1388'

12-18-2020: Cut off WH. Check fall back, 17' in annulus, 60' in casing. Install P&A marker. Mix and top off with 30 sx class G cement.

12-18-2020: Plug 2: Mix and pump 135 sx class G cement from 1105' to surface. Good cement returns.

12-18-2020: Plug 1: Mix and pump 10 sx class G cement through CR into Fruitland perms.

Pressure test 5 1/2" casing to 600 psi, good test.

12-18-2020: Pull Rods and Tbg, Run scraper run. Set cement retainer at 1105'.

All cement used was class G, mixed at 15.8 ppg, yield 1.15
 Regulatory representative: Mark Decker, BLM
 GPS Coordinates: Lat: 36.399419931694865, Lng: -108.12825151719153

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 198065

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 198065
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 12/18/20	4/6/2023