

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-26126
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name RIGHTHAND CANYON 35 FEE COM
8. Well Number #001
9. OGRID Number 192463
10. Pool name or Wildcat INDIAN BASIN; UPPER PENN (ASSOC)

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator OXY USA WTP, LP	
3. Address of Operator 5 GREENWAY PLAZA SUITE 110, HOUSTON, TX	
4. Well Location Unit Letter <u>L</u> : <u>1328</u> feet from the <u>SOUTH</u> line and <u>1160</u> feet from the <u>WEST</u> line Section <u>35</u> Township <u>21S</u> Range <u>24E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL 3860'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/></p>		<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/></p>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well is plugged. Job start:3/24/23. Job complete:4/16/23. See the attached daily job details, plugged wellbore diagram for reference.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY MANAGER DATE 4/21/23

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

RIGHTHAND CANYON 35 FEE COM #001
30-015-26126 PA_SR JOB SUMMARY

3/24/23 MIRU.

3/27/23 ND WH, NU AND FUNCTION TEST BOP. POOL WITH TUBING AND ESP.

3/28/23 RIG REPAIR DAY.

3/29/23 CONT'D TO POOH WITH TUBING AND ESP.

3/30/23 FINISHED POOH WITH TUBING. RIH AND SET CIBP @ 7785'.

3/31/23 RIH WITH BOND LOG FROM 7280' TO SURFACE.

4/3/23 SD DUE TO WEATHER.

4/5/23 RIH AND TAGGED CIBP @ 7280'. DRILL OUT CIBP PUSH DOWN TO 7800'. POOH

4/6/23 RIH WITH GUAGE RING TO 7800'. RIH W/ CIBP AND SET @ 7785'.

4/10/23 RIH AND TAGGED CIBP @ 7785'. PSI TESTED TO 500PSI FOR 30 MINUTES.

4/11/23 PUMPED 100SX CL H ON TOP ON CIBP. WOC. RIH AND TAGGED TOC @ 7195'. PULLED UP, EOT @ 6985'. PUMPED 25SX CL C CMT. WOC.

4/12/23 RIH AND TAGGED TOC @ 6825'. PULLED UP, PERF'D @ 5240'. SET PKR @ 4942'. NO INJ RATE, PSI HELD 1500PSI FOR 30 MIN. POOH WITH PKR.

4/13/23 CONT'D TO POOH WITH PKR. RIH, EOT @ 5305'. PUMPED 40SX CL C CMT. WOC. TAGGED TOC @ 5090'. PERF'D @ 3510'.

4/14/23 RIH W PKR TO 3144'. PSI TESTED TO 500PSI, HELD. PERF'D @ 3560'. EST INJ RATE. SQUEEZED 50SX CL C CMT. WOC. RIH AND TAGGED TOC @ 3365'. PERF'D @ 2890'. EST INJ RATE. SQUEEZED 160SX CL C CMT. WOC.

4/15/23 RIH AND TAGGED TOC @ 2360'. PERF'D @ 2050'. EST INJ RATE. SQUEEZED 50 SX CL C CMT. WOC. RIH AND TAGGED TOC @ 1905'. PERF'D @ 417'. EST INJ RATE. SQUEEZED 160SX CL C CMT TO SURFACE.

4/16/23 VERIFIED CEMENT TO SURFACE. RDMO.

TD-8504¹

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 209760

CONDITIONS

Operator: OXY USA WTP LIMITED PARTNERSHIP P.O. Box 4294 Houston, TX 772104294	OGRID: 192463
	Action Number: 209760
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	5/2/2023