

District I
1625 N. French Dr., Hobbs, NM 88240State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 08/11/2022
⁴ API Number 30 - 015-47241	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8345	⁶ Pool Code 98220
⁷ Property Code: 328304	⁸ Property Name: JEFF SMITH MDP1 7-18 FEDERAL COM	⁹ Well Number: 174H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	6	24S	31E		275	SOUTH	2291	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 189' FNL 1679' FEL LTP- 319' FSL 1759' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	18	24S	31E		180	SOUTH	1766	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 8/14/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 04/22/22	²² Ready Date 08/11/2022	²³ TD 22220'M 11682'V	²⁴ PBTD 22177'M 11687'V	²⁵ Perforations 12009-22080'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		878'	1160
9-7/8"		7-5/8"		11011'	1929
6-3/4"		5-1/2"		22200'	909
		2-3/8" tbg		11729'	na

V. Well Test Data

³¹ Date New Oil 8/14/22	³² Gas Delivery Date 8/14/22	³³ Test Date 8/24/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 847
³⁷ Choke Size 128/128	³⁸ Oil 2848	³⁹ Water 7041	⁴⁰ Gas 6950		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

11/12/2022

Phone:

432-685-5936

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 05/02/2023

File 3160-4 within 10 days of BLM Approval

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47241	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 328304	Property Name JEFF SMITH MDP1 7_18 FED COM	⁶ Well Number 174H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3460'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	6	24S	31E		275	SOUTH	2291	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	18	24S	31E		180	SOUTH	1766	EAST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8345						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 701025.74' / Y: 445824.06' B - X: 701001.66' / Y: 451107.73' C - X: 703642.47' / Y: 451120.08' D - X: 703666.72' / Y: 445836.54' E - X: 703690.34' / Y: 440553.00' F - X: 701051.64' / Y: 440540.15' CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 659841.68' / Y: 445765.14' B - X: 659817.78' / Y: 451048.69' C - X: 662458.59' / Y: 451061.04' D - X: 662482.65' / Y: 445777.62' E - X: 662506.09' / Y: 440494.20' F - X: 659867.40' / Y: 440481.35' SURFACE HOLE LOCATION 275' FSL 2291' FWL, SECTION 6 NAD 83, SPCS NM EAST X: 700592.11' / Y: 451381.09' LAT: 32.23987267N / LON: 103.81824649W NAD 27, SPCS NM EAST X: 659408.24' / Y: 451322.04' LAT: 32.23974954N / LON: 103.81776136W KICK OFF POINT 256' FSL 1758' FEL, SECTION 6 11172' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701883.47' / Y: 451367.99' LAT: 32.23981957N / LON: 103.81407013W NAD 27, SPCS NM EAST X: 660699.60' / Y: 451308.95' LAT: 32.23969643N / LON: 103.81358511W FIRST TAKE POINT 189' FNL 1679' FEL, SECTION 7 12009' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701964.85' / Y: 450923.17' LAT: 32.23859578N / LON: 103.81381389W NAD 27, SPCS NM EAST X: 660780.96' / Y: 450864.14' LAT: 32.23847262N / LON: 103.81332893W LAST TAKE POINT 319' FSL 1759' FEL, SECTION 18 22080' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701930.25' / Y: 440863.57' LAT: 32.21094447N / LON: 103.81408302W NAD 27, SPCS NM EAST X: 660746.01' / Y: 440804.76' LAT: 32.21082105N / LON: 103.81359933W BOTTOM HOLE LOCATION 180' FSL 1766' FEL, SECTION 18 22220' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701923.56' / Y: 440724.78' LAT: 32.21056306N / LON: 103.81410682W NAD 27, SPCS NM EAST X: 660739.32' / Y: 440665.98' LAT: 32.21043963N / LON: 103.81362314W	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: Date: 8/10/22 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. AUGUST 9, 2022 Date of Survey Signature and Seal of Professional Surveyor: Certificate Number: LLOYD P. SHORT 21653
--	---

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977704 Convergence Angle: 00°16'56.57999"




OXY



Borehole:	Well:	Field:	Structure:
Jeff Smith MDP1 7_18 Fed Com 174H	Jeff Smith MDP1 7_18 Fed Com 174H	NM Eddy County (NAD 83)	Jeff Smith MDP1 7_18 Fed Com

Gravity & Magnetic Parameters					Surface Location					NAD83 New Mexico State Plane, Eastern Zone, US Feet					Miscellaneous	
Model:	IFR1	Dip:	59.899°	Date:	14-Jun-2022	Lat:	N 32 14 23.54	North:	451381.091US	Grid Con:	0.2748°	Slot:	7.18 Fed Com	TVD Ref:	RKB(3492.5ft above MSL)	
MagDec:	6.68°	FS:	47638.1nT	Gravity FS:	998.437mgn (9.80665 Based)	Lon:	W 103 49 5.69	Eastng:	700992.111RUS	Scale Fact:	0.99993814	Plan:	Oxy Jeff Smith MDP1 7.18 Fed Com 174H Gyro-MWD 0' to 22220' MD			

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	32.50	0.00	0.00	32.50	0.00	0.00	0.00	0.00
First Gyro Survey	105.28	0.27	151.30	105.28	0.16	-0.15	0.08	0.37
Last Gyro Survey	873.49	2.64	241.12	872.95	16.90	-19.16	-16.91	0.42
First SLB Survey	929.00	2.52	242.25	928.40	17.81	-20.34	-19.11	0.23
Actual KOP	11172.00	2.20	118.62	10994.38	173.85	-13.10	1291.44	13.33
Wolfcamp A Intersection	11711.64	41.40	169.09	11480.50	384.73	-217.73	1354.33	9.48
100' FNL Crossing	11911.00	60.90	176.46	11609.65	535.32	-367.55	1369.93	14.94
Final MWD Survey	22190.00	97.79	183.05	11685.93	10710.60	-10627.31	1333.12	2.07
Proj to TD	22220.00	97.79	183.05	11681.86	10739.85	-10656.99	1331.54	0.00



Schlumberger



Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to 22220'MD

Survey Geodetic Report

(Def Survey)

Report Date: June 20, 2022 - 09:55 AM
Client: OXY USA INC.
Field: NM Eddy County (NAD 83)
Structure / Slot: Jeff Smith MDP1 7_18 Fed Com / Jeff Smith MDP1 7_18 Fed Com 174H
Well: Jeff Smith MDP1 7_18 Fed Com 174H
Borehole: Jeff Smith MDP1 7_18 Fed Com 174H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to 22220'MD
Survey Date: May 10, 2022
Tort / AHD / DDI / ERD Ratio: 305.856 " / 12138.322 ft / 6.848 / 1.036
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 14' 23.54163", W 103° 49' 5.68740"
Location Grid N/E Y/X: N 451381.090 ftUS, E 700592.110 ftUS
CRS Grid Convergence Angle: 0.2748 °
Grid Scale Factor: 0.99993814
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 172.845 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3492.500 ft above MSL
Seabed / Ground Elevation: 3460.000 ft above MSL
Magnetic Declination: 6.680 °
Total Gravity Field Strength: 998.4365mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47638.100 nT
Magnetic Dip Angle: 59.899 °
Declination Date: June 14, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.2800 °
Total Corr Mag North->Grid North: 6.4000 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	451381.09	700592.11	N 32 14 23.54	W 103 49 5.69
SHL	32.50	0.00	0.00	32.50	0.00	0.00	0.00	0.00	0.00	0.00	451381.09	700592.11	N 32 14 23.54	W 103 49 5.69
First Gyro Survey	105.28	0.27	151.30	105.28	0.16	-0.15	0.08	0.37	0.17	151.30	451380.94	700592.19	N 32 14 23.54	W 103 49 5.69
	192.56	0.68	171.79	192.56	0.87	-0.84	0.26	0.50	0.88	163.17	451380.25	700592.37	N 32 14 23.53	W 103 49 5.68
	281.54	1.22	207.95	281.52	2.17	-2.20	-0.11	0.88	2.21	182.95	451378.89	700592.00	N 32 14 23.52	W 103 49 5.69
Last Gyro Survey First SLB Survey	375.77	1.98	209.89	375.72	4.29	-4.50	-1.39	0.81	4.71	197.22	451376.59	700590.72	N 32 14 23.50	W 103 49 5.70
	469.90	2.33	211.33	469.78	7.09	-7.54	-3.20	0.38	8.20	202.99	451373.55	700588.91	N 32 14 23.47	W 103 49 5.73
	564.21	2.27	216.21	564.01	9.95	-10.69	-5.30	0.22	11.93	206.38	451370.40	700586.81	N 32 14 23.44	W 103 49 5.75
	658.58	2.65	226.08	658.30	12.61	-13.71	-7.98	0.60	15.86	210.19	451367.38	700584.13	N 32 14 23.41	W 103 49 5.78
	752.98	2.95	242.39	752.59	14.77	-16.35	-11.70	0.90	20.11	215.59	451364.74	700580.41	N 32 14 23.38	W 103 49 5.82
	847.31	2.75	241.21	846.80	16.45	-18.56	-15.83	0.22	24.40	220.46	451362.53	700576.28	N 32 14 23.36	W 103 49 5.87
	873.49	2.64	241.12	872.95	16.90	-19.16	-16.91	0.42	25.56	221.44	451361.93	700575.20	N 32 14 23.35	W 103 49 5.89
	929.00	2.52	242.25	928.40	17.81	-20.34	-19.11	0.23	27.91	223.21	451360.75	700573.00	N 32 14 23.34	W 103 49 5.91
	1023.00	2.31	247.66	1022.32	19.03	-22.03	-22.69	0.33	31.62	225.85	451359.07	700569.42	N 32 14 23.32	W 103 49 5.95
	1117.00	0.96	260.45	1116.28	19.56	-22.88	-25.22	1.48	34.05	227.79	451358.21	700566.89	N 32 14 23.32	W 103 49 5.98
	1212.00	1.30	292.22	1211.26	19.06	-22.60	-27.00	0.74	35.21	230.07	451358.49	700565.11	N 32 14 23.32	W 103 49 6.00
	1306.00	1.69	299.98	1305.23	17.70	-21.51	-29.19	0.47	36.26	233.62	451359.59	700562.92	N 32 14 23.33	W 103 49 6.03
	1400.00	1.74	317.55	1399.19	15.70	-19.76	-31.36	0.56	37.06	237.78	451361.33	700560.76	N 32 14 23.35	W 103 49 6.05
	1495.00	2.40	330.38	1494.13	12.69	-16.97	-33.31	0.84	37.38	243.01	451364.12	700558.80	N 32 14 23.38	W 103 49 6.08
	1589.00	2.01	343.24	1588.06	9.24	-13.68	-34.76	0.67	37.35	248.52	451367.41	700557.35	N 32 14 23.41	W 103 49 6.09
	1683.00	1.07	9.41	1682.02	6.77	-11.23	-35.09	1.22	36.85	252.25	451369.86	700557.02	N 32 14 23.43	W 103 49 6.10
	1779.00	0.12	39.34	1778.02	5.85	-10.27	-34.88	1.01	36.36	253.59	451370.82	700557.23	N 32 14 23.44	W 103 49 6.09
	1874.00	0.38	93.43	1873.02	5.84	-10.21	-34.51	0.34	35.98	253.51	451370.88	700557.61	N 32 14 23.44	W 103 49 6.09
	1969.00	1.39	127.66	1968.01	6.71	-10.94	-33.28	1.15	35.03	251.81	451370.16	700558.83	N 32 14 23.44	W 103 49 6.08
	2064.00	1.43	145.17	2062.98	8.57	-12.61	-31.69	0.45	34.11	248.30	451368.48	700560.42	N 32 14 23.42	W 103 49 6.06
	2159.00	1.06	163.94	2157.96	10.49	-14.43	-30.77	0.57	33.98	244.87	451366.66	700561.34	N 32 14 23.40	W 103 49 6.05
	2254.00	0.24	218.81	2252.95	11.49	-15.43	-30.65	0.99	34.32	243.28	451365.66	700561.46	N 32 14 23.39	W 103 49 6.05
	2349.00	0.15	330.04	2347.95	11.52	-15.48	-30.84	0.34	34.50	243.35	451365.61	700561.27	N 32 14 23.39	W 103 49 6.05
	2444.00	0.10	60.04	2442.95	11.37	-15.33	-30.83	0.19	34.43	243.56	451365.76	700561.28	N 32 14 23.39	W 103 49 6.05
	2539.00	0.08	213.24	2537.95	11.39	-15.34	-30.79	0.18	34.40	243.52	451365.75	700561.32	N 32 14 23.39	W 103 49 6.05
	2635.00	0.54	246.23	2633.95	11.57	-15.58	-31.24	0.49	34.91	243.50	451365.51	700560.87	N 32 14 23.39	W 103 49 6.05
	2730.00	1.31	252.36	2728.93	11.89	-16.09	-32.69	0.82	36.43	243.79	451365.00	700559.42	N 32 14 23.38	W 103 49 6.07
	2825.00	1.62	257.29	2823.90	12.22	-16.71	-35.03	0.35	38.82	244.49	451364.38	700557.08	N 32 14 23.38	W 103 49 6.10
	2920.00	2.18	254.83	2918.85	12.60	-17.48	-38.09	0.60	41.91	245.34	451363.61	700554.03	N 32 14 23.37	W 103 49 6.13
	3015.00	1.52	253.50	3013.80	13.06	-18.31	-41.04	0.70	44.94	245.95	451362.78	700551.07	N 32 14 23.36	W 103 49 6.17
3110.00	1.07	260.49	3108.78	13.30	-18.82	-43.12	0.50	47.05	246.42	451362.27	700548.99	N 32 14 23.36	W 103 49 6.19	
3205.00	0.82	269.27	3203.76	13.26	-18.97	-44.68	0.30	48.54	246.99	451362.12	700547.44	N 32 14 23.36	W 103 49 6.21	
3300.00	0.41	256.57	3298.76	13.22	-19.06	-45.69	0.45	49.50	247.35	451362.03	700546.43	N 32 14 23.36	W 103 49 6.22	
3395.00	1.01	261.43	3393.75	13.28	-19.26	-46.84	0.63	50.65	247.65	451361.83	700545.27	N 32 14 23.35	W 103 49 6.23	
3490.00	1.75	270.53	3488.72	13.11	-19.38	-49.12	0.81	52.81	248.32	451361.72	700542.99	N 32 14 23.35	W 103 49 6.26	
3585.00	2.99	278.04	3583.64	12.26	-19.02	-53.03	1.34	56.33	250.27	451362.06	700539.09	N 32 14 23.36	W 103 49 6.31	
3680.00	2.98	286.63	3678.51	10.62	-17.96	-57.85	0.47	60.57	252.75	451363.13	700534.27	N 32 14 23.37	W 103 49 6.38	
3775.00	2.87	296.10	3773.39	8.32	-16.21	-62.35	0.92	64.42	255.43	451364.88	700529.77	N 32 14 23.38	W 103 49 6.41	
3870.00	2.42	312.56	3868.29	5.48	-13.81	-65.96	0.52	67.39	258.18	451367.28	700526.15	N 32 14 23.41	W 103 49 6.46	
3965.00	1.92	334.38	3963.22	2.44	-11.01	-68.13	1.01	69.01	260.82	451370.08	700523.99	N 32 14 23.44	W 103 49 6.48	
4060.00	2.00	339.61	4058.16	-0.68	-8.03	-69.39	0.21	69.86	263.40	451373.06	700522.72	N 32 14 23.47	W 103 49 6.50	
4155.00	2.53	329.54	4153.09	-4.22	-4.66	-71.03	0.70	71.19	266.24	451376.43	700521.98	N 32 14 23.50	W 103 49 6.51	
4250.00	1.76	14.98	4248.03	-7.50	-1.45	-71.72	1.90	71.73	268.84	451379.64	700520.40	N 32 14 23.53	W 103 49 6.52	
4345.00	4.06	83.27	4342.92	-8.82	0.36	-68.00	3.98	68.00	270.30	451381.45	700524.11	N 32 14 23.55	W 103 49 6.48	
4440.00	6.37	87.65	4437.52	-8.36	0.97	-59.39	2.47	59.40	270.93	451382.06	700532.72	N 32 14 23.55	W 103 49 6.38	
4535.00	7.13	87.74	4531.86	-7.41	1.42	-48.24	2.80	48.26	271.68	451382.51	700543.88	N 32 14 23.56	W 103 49 6.25	
4630.00	7.30	87.62	4626.11	-6.41	1.90	-36.32	0.18	36.37	272.99	451382.99	700555.80	N 32 14 23.56	W 103 49 6.11	
4725.00	7.51	87.90	4720.32	-5.36	2.28	-24.08	0.22	24.20	275.64	451383.47	700568.49	N 32 14 23.57	W 103 49 5.97	
4820.00	8.74	84.69	4814.36	-4.58	3.27	-10.69	1.38	11.18	287.02	451384.36	700581.42	N 32 14 23.57	W 103 49 5.81	
4915.00	10.03	81.07	4908.09	-4.60	5.22	4.67	1.49	7.01	41.79	451386.31	700596.78	N 32 14 23.59	W 103 49 5.63	
5010.00	10.37	90.19	5001.60	-3.77	6.48	21.39	1.74	22.35	73.15	451387.57	700613.50	N 32 14 23.60	W 103 49 5.44	
5105.00	10.30	94.65	5095.06	-0.93	5.76	38.41	0.85	38.84	81.47	451386.85	700630.52	N 32 14 23.60	W 103 49 5.24	
5200.00	10.51	90.75	5188.49	-1.99	4.96	55.54	0.77	55.76	84.90	451386.05	700647.64	N 32 14 23.59	W 103 49 5.04	
5295.00	10.54	91.82	5281.90	-4.54	4.57	72.89	0.21	73.03	90.41	451385.66	700664.64	N 32 14 23.58	W 103 49 4.84	
5390.00	10.63	93.13	5375.28	7.46	3.82	90.32	0.27	90.40	87.58	451384.91	700682.42	N 32 14 23.58	W 103 49 4.64	
5485.00	10.43	93.41	5468.68	10.60	2.83	107.65	0.22	107.69	88.50	451383.92	700699.76	N 32 14 23.56	W 103 49 4.43	
5580.00	10.52	92.49	5562.10	13.63	1.94	124.90	0.20	124.92	89.11	451383.03	700717.00	N 32 14 23.55	W 103 49 4.23	
5676.00	10.83	90.25	5656.44	16.26	1.52	142.68	0.54	142.68	89.39	451382.61	700734.78	N 32 14 23.55	W 103 49 4.03	
5771.00	11.09	88.41	5749.70	18.30	1.73	160.73	0.46	160.74	89.38	451382.82	700752.83	N 32 14 23.55	W 103 49 3.82	
5866.00	12.10	86.90	5842.76	19.89	2.53	179.81	1.11	179.83	89.20	451383.62	700771.91	N 32 14 23.56	W 103 49 3.59	
5961.00	13.98	90.05	5935.31	22.03	3.05	201.23	2.11	201.25	89.13</					

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	OLS (ft)	Closure (ft)	Closure Azimuth (°)	Northing (ft)	Easting (ft)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
	9287.00	13.20	93.12	9117.36	153.73	-9.24	1160.63	1.04	1160.66	90.46	451371.85	701752.66	N 32 14 23.39	W 103 48 52.18
	9382.00	11.72	93.26	9210.12	157.41	-10.38	1181.09	1.56	1181.14	90.50	451370.71	701773.13	N 32 14 23.38	W 103 48 51.94
	9477.00	9.74	93.93	9303.45	160.70	-11.49	1198.74	2.09	1198.80	90.55	451369.61	701790.78	N 32 14 23.37	W 103 48 51.73
	9572.00	7.42	99.36	9397.38	163.99	-13.03	1212.81	2.58	1212.88	90.62	451368.06	701804.85	N 32 14 23.35	W 103 48 51.57
	9668.00	5.27	93.54	9492.79	166.57	-14.31	1223.33	2.33	1223.42	90.67	451366.78	701815.36	N 32 14 23.34	W 103 48 51.45
	9763.00	4.24	78.64	9587.47	167.13	-13.89	1231.13	1.68	1231.21	90.65	451367.20	701823.16	N 32 14 23.35	W 103 48 51.35
	9858.00	5.12	63.33	9682.15	166.90	-12.71	1238.78	1.01	1238.85	90.59	451366.38	701830.62	N 32 14 23.36	W 103 48 51.27
	9952.00	5.17	95.25	9775.77	167.85	-12.72	1247.17	1.14	1247.23	90.58	451367.48	701839.20	N 32 14 23.36	W 103 48 51.17
	10048.00	4.58	98.44	9871.43	169.81	-13.57	1255.27	0.68	1255.34	90.62	451367.52	701847.30	N 32 14 23.35	W 103 48 51.07
	10143.00	4.36	95.12	9966.14	171.60	-14.45	1262.62	0.36	1262.70	90.66	451366.65	701854.64	N 32 14 23.34	W 103 48 50.99
	10238.00	3.93	88.06	10060.89	172.66	-14.66	1269.47	0.70	1269.55	90.66	451366.43	701861.49	N 32 14 23.34	W 103 48 50.91
	10333.00	3.05	82.24	10155.71	172.93	-14.21	1275.22	1.00	1275.30	90.64	451366.88	701867.25	N 32 14 23.34	W 103 48 50.84
	10428.00	2.60	78.52	10250.60	172.74	-13.44	1279.84	0.51	1279.91	90.60	451367.65	701871.87	N 32 14 23.36	W 103 48 50.79
	10523.00	2.68	82.49	10345.50	172.56	-12.72	1284.15	0.28	1284.22	90.57	451368.37	701876.18	N 32 14 23.35	W 103 48 50.74
	10618.00	1.69	81.86	10440.43	172.53	-12.23	1287.74	1.04	1287.80	90.54	451368.86	701879.77	N 32 14 23.35	W 103 48 50.70
	10713.00	0.20	216.46	10535.41	172.62	-12.16	1289.03	1.93	1289.09	90.54	451368.93	701881.06	N 32 14 23.36	W 103 48 50.68
	10808.00	0.09	73.69	10630.41	172.73	-12.28	1289.00	0.29	1289.06	90.55	451368.81	701881.03	N 32 14 23.36	W 103 48 50.68
	10903.00	0.23	45.04	10725.41	172.60	-12.12	1289.21	0.17	1289.27	90.54	451368.97	701881.24	N 32 14 23.36	W 103 48 50.68
	10999.00	0.14	29.31	10821.41	172.39	-11.88	1289.40	0.11	1289.46	90.53	451369.21	701881.43	N 32 14 23.36	W 103 48 50.68
	11075.00	0.43	91.86	10899.41	172.56	-12.03	1289.63	0.55	1289.68	90.53	451369.06	701881.66	N 32 14 23.35	W 103 48 50.67
Actual KOP	11171.00	2.10	116.41	10993.38	173.83	-13.08	1291.41	1.81	1291.47	90.58	451368.01	701883.43	N 32 14 23.35	W 103 48 50.65
	11172.00	2.20	118.62	10994.38	173.85	-13.10	1291.54	13.33	1291.51	90.58	451367.99	701883.47	N 32 14 23.35	W 103 48 50.65
	11266.00	14.34	150.80	11087.26	185.74	-24.17	1298.74	13.33	1298.96	91.07	451356.92	701890.76	N 32 14 23.24	W 103 48 50.57
	11361.00	20.83	160.59	11177.79	213.19	-50.40	1310.10	7.48	1311.07	92.20	451330.69	701902.13	N 32 14 22.98	W 103 48 50.44
	11456.00	24.21	163.45	11265.53	248.93	-85.02	1321.27	13.74	1324.00	93.68	451296.08	701913.29	N 32 14 22.84	W 103 48 50.31
	11551.00	63.89	166.27	11349.76	292.41	-127.42	1332.61	7.14	1335.65	95.46	451253.68	701924.64	N 32 14 22.22	W 103 48 50.10
	11646.00	35.62	165.38	11429.15	344.08	-177.89	1345.39	5.03	1357.10	97.53	451203.21	701937.41	N 32 14 21.72	W 103 48 50.03
	11711.64	41.40	169.09	11480.50	384.73	-217.73	1354.33	9.48	1371.72	99.13	451163.37	701946.35	N 32 14 21.32	W 103 48 49.93
	11741.00	44.02	170.48	11502.07	404.61	-237.33	1357.86	9.48	1378.44	99.91	451143.77	701949.88	N 32 14 21.13	W 103 48 49.89
	11836.00	49.71	175.96	11567.03	473.86	-306.11	1365.88	7.32	1399.76	102.63	451075.00	701957.90	N 32 14 20.45	W 103 48 49.80
Wolfcamp A Intersection	11911.00	60.90	176.46	11609.65	535.32	-367.55	1369.93	14.94	1418.38	105.02	451013.57	701961.95	N 32 14 19.84	W 103 48 49.76
	11931.00	63.89	176.57	11616.91	553.00	-385.24	1377.51	14.94	1424.10	105.69	450995.88	701963.03	N 32 14 19.68	W 103 48 49.75
	12026.00	76.38	181.21	11651.15	641.63	-474.36	1372.59	13.92	1452.25	109.06	450906.76	701964.62	N 32 14 18.78	W 103 48 49.73
	12121.00	85.89	184.23	11665.77	733.98	-568.00	1368.11	10.49	1481.34	112.55	450813.12	701960.14	N 32 14 17.86	W 103 48 49.79
	12216.00	92.99	183.40	11666.70	827.18	-662.73	1361.80	7.52	1514.50	115.95	450718.41	701953.82	N 32 14 16.92	W 103 48 49.87
	12270.00	93.09	183.29	11663.84	880.20	-716.56	1358.65	0.28	1536.03	117.81	450664.58	701950.67	N 32 14 16.39	W 103 48 49.91
	12364.00	92.87	182.62	11658.95	972.62	-810.30	1353.81	0.75	1577.78	120.90	450570.84	701945.84	N 32 14 15.46	W 103 48 49.94
	12460.00	94.48	183.44	11656.14	1067.06	-906.12	1348.74	2.63	1624.85	123.89	450475.03	701940.76	N 32 14 14.51	W 103 48 50.07
	12555.00	88.61	183.34	11659.90	1160.45	-1000.95	1343.12	1.97	1675.07	125.69	450380.21	701935.15	N 32 14 13.57	W 103 48 50.11
	12650.00	89.38	183.20	11658.56	1253.86	-1095.78	1337.70	0.82	1729.21	129.32	450285.38	701929.73	N 32 14 12.64	W 103 48 50.17
100' FNL Crossing	12745.00	89.95	183.23	11659.12	1347.31	-1190.63	1332.38	0.60	1786.85	131.78	450190.54	701924.40	N 32 14 11.70	W 103 48 50.24
	12840.00	89.16	183.05	11659.86	1440.77	-1285.48	1327.17	0.85	1847.66	134.09	450095.69	701919.20	N 32 14 10.76	W 103 48 50.31
	12934.00	89.77	183.00	11660.74	1533.29	-1379.35	1322.21	0.65	1910.72	136.21	450001.83	701914.24	N 32 14 9.83	W 103 48 50.37
	13029.00	89.26	182.18	11661.54	1626.92	-1474.24	1317.92	1.02	1977.45	138.20	449906.94	701909.95	N 32 14 8.89	W 103 48 50.43
	13124.00	89.32	179.54	11662.72	1759.22	-1569.22	1310.42	1.97	2046.12	140.01	449821.97	701908.21	N 32 14 7.91	W 103 48 50.45
	13219.00	89.55	177.67	11663.65	1815.46	-1664.19	1318.56	1.67	2123.23	141.61	449771.01	701910.58	N 32 14 7.01	W 103 48 50.43
	13314.00	89.45	180.47	11664.48	1909.86	-1759.17	1319.85	2.63	2199.24	143.12	449622.04	701911.88	N 32 14 6.07	W 103 48 50.42
	13409.00	89.57	180.48	11665.30	2004.02	-1854.16	1319.06	0.44	2275.49	144.57	449527.05	701911.09	N 32 14 5.13	W 103 48 50.43
	13504.00	89.49	180.89	11666.07	2098.12	-1949.15	1317.89	0.49	2352.87	145.94	449432.06	701909.97	N 32 14 4.19	W 103 48 50.45
	13599.00	89.18	181.65	11667.18	2192.08	-2044.12	1315.74	0.82	2430.96	147.23	449337.10	701907.77	N 32 14 3.25	W 103 48 50.48
	13694.00	89.20	181.78	11668.24	2285.94	-2139.07	1313.62	1.08	2509.85	148.52	449242.15	701904.64	N 32 14 2.31	W 103 48 50.50
	13789.00	89.98	181.42	11667.54	2379.83	-2234.04	1310.24	0.44	2589.91	149.61	449147.22	701902.27	N 32 14 1.37	W 103 48 50.56
	13884.00	89.97	180.85	11667.58	2473.84	-2329.02	1308.36	0.60	2671.35	150.67	449052.22	701900.39	N 32 14 0.43	W 103 48 50.59
	13979.00	89.99	179.82	11667.62	2568.03	-2424.01	1307.81	1.08	2754.31	151.65	448957.23	701899.83	N 32 13 59.49	W 103 48 50.60
	14074.00	89.93	180.12	11667.68	2662.30	-2519.01	1307.86	0.32	2838.29	152.56	448862.24	701899.88	N 32 13 58.55	W 103 48 50.60
	14169.00	90.00	180.64	11667.74	2756.48	-2614.01	1307.23	0.55	2922.65	153.43	448767.25	701899.25	N 32 13 57.61	W 103 48 50.62
	14264.00	90.10	179.30	11667.66	2850.74	-2709.68	1306.78	0.60	3007.94	154.24	448672.25	701899.30	N 32 13 56.67	W 103 48 50.62
	14359.00	90.48	178.54	11667.54	2945.10	-2804.00	1305.10	0.54	3094.19	155.07	448577.24	701897.54	N 32 13 55.73	W 103 48 50.63
	14454.00	90.29	178.79	11666.54	3039.51	-2898.99	1309.44	0.93	3181.00	155.69	448482.28	701901.47	N 32 13 54.79	W 103 48 50.61
	14550.00	90.59	179.14	11665.80	3134.96	-2994.97	1311.17	0.48	3269.41	156.36	448386.31	701903.20	N 32 13 53.84	W 103 48 50.59
	14645.00	91.22	178.07	11664.30	3229.47	-3089.93	1313.49	1.31	3357.52	156.97	448291.36	701905.51	N 32 13 52.90	W 103 48 50.57
	14740.00	90.90	178.01	11662.54	3324.06	-3184.86	1316.73	0.34	3446.32	157.54	448196.43	701908.76	N 32 13 51.96	W 103 48 50.54
	14835.00	90.68	178.62	11661.23	3418.62	-3279.81	1319.53	0.68	3535.29	158.08	448101.49	701911.55	N 32 13 51.03	W 103 48 50.51
	14930.00	90.76	178.53	11660.14	3513.14	-3374.78	1321.85	0.61	3624.41	158.61	448006.65	701914.29	N 32 13 50.09	W 103 48 50.47

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	21202.00	88.18	179.35	11701.43	9733.41	-9641.20	1343.11	1.15	9734.31	172.07	441740.50	701935.13	N 32 12 48.08	W 103 48 50.58
	21297.00	87.87	178.61	11703.93	9827.84	-9736.15	1344.80	1.58	9828.59	172.14	441645.56	701936.82	N 32 12 47.14	W 103 48 50.58
	21391.00	88.45	178.53	11706.95	9921.32	-9830.07	1347.14	0.62	9921.95	172.20	441551.64	701939.17	N 32 12 46.21	W 103 48 50.56
	21485.00	88.97	179.56	11709.06	10014.74	-9924.04	1348.71	1.23	10015.26	172.26	441457.69	701940.73	N 32 12 45.28	W 103 48 50.54
	21579.00	87.83	178.93	11711.69	10108.12	-10017.99	1349.95	1.39	10108.53	172.33	441363.74	701941.97	N 32 12 44.35	W 103 48 50.53
	21674.00	88.33	179.60	11714.87	10202.47	-10112.93	1351.17	0.88	10202.79	172.39	441268.81	701943.19	N 32 12 43.41	W 103 48 50.53
	21768.00	91.45	181.91	11715.05	10295.56	-10206.90	1349.93	4.13	10295.78	172.47	441174.84	701941.95	N 32 12 42.48	W 103 48 50.55
	21957.00	92.96	182.06	11707.78	10482.01	-10395.64	1343.39	0.80	10482.08	172.64	440986.11	701935.41	N 32 12 40.61	W 103 48 50.63
	22051.00	94.83	182.63	11701.40	10574.51	-10489.34	1339.55	2.08	10574.53	172.72	440892.42	701931.57	N 32 12 39.69	W 103 48 50.68
	22145.00	96.99	182.57	11691.72	10666.65	-10582.74	1335.31	2.30	10666.65	172.81	440799.03	701927.33	N 32 12 38.76	W 103 48 50.74
Final MWD Survey	22190.00	97.79	183.05	11685.93	10710.60	-10627.31	1333.12	2.07	10710.60	172.85	440754.46	701925.15	N 32 12 38.32	W 103 48 50.76
Prot to TD	22220.00	97.79	183.05	11681.86	10739.85	-10656.99	1331.54	0.00	10739.86	172.88	440724.78	701923.56	N 32 12 38.03	W 103 48 50.78

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	32.500	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Jeff Smith MDP1 7_18 Fed Com 174H / Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to Jeff Smith MDP1 7_18 Fed Com
	1	32.500	32.500	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	174H / Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to Jeff Smith MDP1 7_18 Fed Com
	1	32.500	873.490	Act Stns	26.400	26.400	GYD_GC+DROP+OH	174H / Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to Jeff Smith MDP1 7_18 Fed Com
	1	873.490	11076.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	174H / Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to Jeff Smith MDP1 7_18 Fed Com
	1	11076.000	11551.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG	174H / Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to Jeff Smith MDP1 7_18 Fed Com
	1	11551.000	22220.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	174H / Oxy Jeff Smith MDP1 7_18 Fed Com 174H Gyro+MWD 0' to

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: JEFF SMITH MDP1 7-18 FEDERAL C	Well Location: T24S / R31E / SEC 6 / SESW / 32.2398726 / -103.8182464	County or Parish/State: EDDY / NM
Well Number: 174H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM57273	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547241	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2702731

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 11/12/2022	Time Sundry Submitted: 09:54
Date Operation Actually Began: 07/25/2022	

Actual Procedure: RUPU 07/25/22, RIH & clean out to PBTD @ 22177', pressure test casing to 8800# for 30 min, good test. RIH & perf @ 12009-22080' Total 1428 holes. Frac in 42 stages w/ 419212BBL Produced Water + 8522BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25022620# sand, RD Liberty 08/06/22. Well ready to produce 08/11/22. 9/20/22 RIH with 2-3/8" L80 tbg & gas lift set @ 11729', RD 9/21/22. Formation Tops for this completion are as follows: Rustler 536'M 536'V Salado 918'M 917'V Bell Canyon 4220'M 4219'V Cherry Canyon 5130'M 5120'V Brushy Canyon 6423'M 6379'V Bone Spring 8190'M 8055'V 1st Bone Spring 9227'M 9059'V 2nd Bone Spring 9900'M 9730'V 3rd Bone Spring 11179'M 10992'V Wolfcamp 11642'M 11426'V

Received by OCD: 3/27/2023 11:21:59 AM

Page 9 of 14

Well Name: JEFF SMITH MDP 1 7-18 FEDERAL C	Well Location: T24S / R31E / SEC 6 / SESW / 32.2398726 / -103.8182464	County or Parish/State: EDDY / NM
Well Number: 174H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM57273	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547241	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: NOV 12, 2022 09:54 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/18/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-47241			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name JEFF SMITH MDP1 7-18 FEDERAL COM			
8. Name of Operator: OXY USA INC.							6. Well Number: 174H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat PURPLE SAGE WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	6	24S	31E		275	SOUTH	2291	WEST	EDDY
BH:	O	18	24S	31E		180	SOUTH	1766	EAST	EDDY
13. Date Spudded 04/22/22	14. Date T.D. Reached 06/17/2022		15. Date Rig Released 06/20/2022		16. Date Completed (Ready to Produce) 08/11/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3460' GL			
18. Total Measured Depth of Well 22220'M 11682'V			19. Plug Back Measured Depth 22177'M 11687'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 12009-22080' Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		878'		14.75"		1160sx-surf circ		
7.625" HCL80		26.4		11011'		9.875"		1929sx-surf		
5.5" P110 ICY		20		22200'		6.75"		909sx-TOC@11270'-BLM approved to monitor 5-1/2"x7-5/8" annulus for life of well		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
						2-3/8"	11729'			
26. Perforation record (interval, size, and number) 12009-22080' Total 1428 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12009-22080'		419212BBL Produced Water + 8522BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25022620# sand		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
08/14/2022		Gas Lift				Prod.				
Date of Test 08/24/2022	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 2848	Gas - MCF 6950	Water - Bbl. 7041	Gas - Oil Ratio 2440			
Flow Tubing Press.	Casing Pressure 847	Calculated 24-Hour Rate	Oil - Bbl. 2848	Gas - MCF 6950	Water - Bbl. 7041	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>11/12/2022</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 536'	T. Bell Canyon 4220'	T. Ojo Alamo	T. Penn A"
T. Salado 918'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5130'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6423'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8190'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9227'	T. Entrada	
T. Wolfcamp 11642'	T. 2 nd Bone Springs 9900'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11179'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
JEFF SMITH MDP1 7-18 FEDERAL COM 174H
API No. 30-015-47241



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 201007

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 201007
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 201007

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 201007
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval	5/2/2023