

State of New Mexico
Energy, Minerals and Natural ResourcesForm **C-405** Page 1 of 3
Revised July 18, 2013

Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03516
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator FAE II OPERATING LLC		6. State Oil & Gas Lease No.
3. Address of Operator 11757 KATY FREEWAY, SUITE 725, HOUSTON, TX 77079		7. Lease Name or Unit Agreement Name PHILLIPS B STATE
4. Well Location Unit Letter L : 1680 feet from the SOUTH line and 330 feet from the WEST line Section 28 Township 21S Range 35E NMPM LEA County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3645		9. OGRID Number 329326
		10. Pool name or Wildcat [53790] SAN SIMON; YATES, NORTH

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

11/11/22

Moved over R/U services rig, Checked well psi, Well had 0 psi, N/D well head & N/U bop, Stood back 61 stands, R/U W/L to R.I.W w/ 5-1/2 G/R got down to 3724', P.O.O.W w/ G/R, R.I.W w/ 5-1/2 cibp sat down @ 1430' called OCD Kerry Fortner was told to spot 50 sx of cmt 50' above top perms, S.D

11/12/22

Checked well psi, Well had 0 psi, R.I.W w/ 60 stands leaving eot @ 3774' S.D

11/14/22

Checked well psi, Well had 0 psi, Spotted 50 sx of cmt from 3774' & dsp it to 3485' w/ 12 bbls of b.w S.B 20 stands, WOC, R.I.W w/ 102 jts tagged toc @ 3200' L/D 41 jts leaving eot @ 1945', Spotted 45 sx from 1945' & dsp it to 1511' w/ 5 bbls of b.w, S/B 20 stands WOC, R.I.W w/ 49 jts tagged toc @ 1545' L/D 50 jts, R/U W/L to perf @ 318' broke Circ.N/D BOP & flanded well head up Sqzed 170 sx of cmt to surface S.D

11/15/22

Checked to see how far cmt fell in well topped well off w/ 40 sx of cmt R/D & Moved out

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leo Apodaca TITLE Supervisor DATE 11/15/2022

Type or print name Leo Apodaca E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

		WELLBORE DIAGRAM		Date:	11/15/2022																																																
		Well Name: Phillips B State 1		OGRID#	003044																																																
County	Lea	State	NM	Field	API# 30-025-03516																																																
Surf Location:	SEC 28 T21S R35E 1980' FSL, 330' FWL			GL Elev:																																																	
Wellhead				TVD:	3920'																																																
Original Spud Date:	1/28/1958	Completed Pool:	YATES																																																		
<div style="border: 1px solid black; padding: 5px; margin: 10px auto; width: 150px;">CURRENT</div>																																																					
PERFORATIONS:																																																					
<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">3824-3840'</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">3850-3863'</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"></div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"></div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"></div>																																																					
50 sxs cmt @ 3200-3774'																																																					
Prod 3920' 5 1/2" 14# 400 sx, circ																																																					
PBTD = 3920'																																																					
7-7/8"																																																					
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Tubing Details:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Description</th> <th>Qty</th> <th>Length</th> <th>Depth</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> <div style="width: 45%;"> <p>Run Date:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Size</th> <th>Qty</th> <th>Length</th> <th>Depth</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> </div>						Description	Qty	Length	Depth																					Size	Qty	Length	Depth																				
Description	Qty	Length	Depth																																																		
Size	Qty	Length	Depth																																																		
<p>Pump Details:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Description</th> <th>Size</th> <th>Qty</th> <th>Length</th> <th>Depth</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>						Description	Size	Qty	Length	Depth																																											
Description	Size	Qty	Length	Depth																																																	
<p>Pump Description</p>																																																					
<p>Formation Tops</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>YATES</th> <th>SAN ANDRES</th> <th>TUBB</th> </tr> </thead> <tbody> <tr> <td>7 RIVERS</td> <td>GLORIETA</td> <td>DRINKARD</td> </tr> <tr> <td>QUEEN</td> <td>PADDOCK</td> <td>ABO</td> </tr> <tr> <td>PENROSE</td> <td>BLINBRY</td> <td>DEVONIAN</td> </tr> </tbody> </table>						YATES	SAN ANDRES	TUBB	7 RIVERS	GLORIETA	DRINKARD	QUEEN	PADDOCK	ABO	PENROSE	BLINBRY	DEVONIAN																																				
YATES	SAN ANDRES	TUBB																																																			
7 RIVERS	GLORIETA	DRINKARD																																																			
QUEEN	PADDOCK	ABO																																																			
PENROSE	BLINBRY	DEVONIAN																																																			
<p>History</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>11/1/2022</th> <th>Well P&A'd</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>						11/1/2022	Well P&A'd																																														
11/1/2022	Well P&A'd																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Pumping Unit</th> <th>SPM</th> <th>Stroke Length</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>						Pumping Unit	SPM	Stroke Length																																													
Pumping Unit	SPM	Stroke Length																																																			

History

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 162730

CONDITIONS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 162730
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	5/3/2023