

# U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: TRANTULA 3 FEDERAL Well Location: T25S / R37E / SEC 3 / County or Parish/State: LEA /

SESE /

NM

Well Number: 04 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC032592A Unit or CA Name: Unit or CA Number:

US Well Number: 3002538401 Well Status: Plugged and Abandoned Operator: CONTANGO

RESOURCES LLC

# **Subsequent Report**

**Sundry ID: 2706775** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/12/2022 Time Sundry Submitted: 07:45

**Date Operation Actually Began:** 10/21/2022

Actual Procedure: Description of Work Performed: 1. MIRU rig. Pulled rods & pump, started pulling tbg (10/21/2022). 2. Finished pulling tbg (10/22/2022). 3. RIH w/ bit & tbg to 6,062', POOH, Set CIBP @ 6,062'. Spot 15 sxs Class C cmt on top. (10/23/2022). 4. Set 5-1/2" CIBP @ 5,676'. Spot 25 sxs Class C cmt on top of CIBP (10/24/2022). 5. P&A rig shut down for days off (10/25/2022 - 10/31/2022). 6. Tag TOC @ 5,293'. Tested csg to 500 psi. Circulated well w/ WBM. Spot 25 sxs Class C cmt plug @ 4,956' (11/1/2022). 7. Tag TOC @ 4,786'. Spot 50 sxs Class C cmt plug @ 3,830'. Tag TOC @ 3,455' (11/2/2022). 8. Spot 25 sxs Class C cmt plug @ 2,598' (11/2/2022). 9. Tag TOC @ 2,314'. Spot 35 sxs Class C cmt plug @ 1,173'. Tag TOC @ 890'. Perf @ 200' (11/3/2022). 10. Circulate/squeeze 55 sxs Class C cmt from 200' to surface (11/4/2022). 11. Cut off wellhead 3' below ground level, verified cmt to surface, installed dry hole marker, covered up cellar (11/4/2022). 12. Dug up & cut off rig anchors. RDMO P&A rig (11/4/2022).

Accepted for record – NMOCD

JRH <u>05/08/2023</u>

County or Parish/State: LEA eived by OCD: 5/8/2023 11:20:14 AM Well Name: TRANTULA 3 FEDERAL Well Location: T25S / R37E / SEC 3 /

SESE /

Well Number: 04 Allottee or Tribe Name: Type of Well: OIL WELL

**Unit or CA Number:** Lease Number: NMLC032592A **Unit or CA Name:** 

Operator: CONTANGO **US Well Number: 3002538401** Well Status: Plugged and Abandoned

RESOURCES LLC

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: DEC 12, 2022 07:45 AM **Operator Electronic Signature: KRISTY POLK** 

Name: CONTANGO RESOURCES LLC

Title: Regulatory Analyst

Street Address: 1717 SOUTH BOULDER SUITE 900

City: TULSA State: OK

Phone: (918) 748-3349

Email address: KRISTY.POLK@CONTANGO.COM

### **Field**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name: JAMES A AMOS BLM POC Title:** Acting Assistant Field Manager

**BLM POC Phone:** 5752345927 BLM POC Email Address: jamos@blm.gov

**Disposition:** Accepted Disposition Date: 01/05/2023

Signature: James A. Amos

Form 3160-5 (June 2019)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021

5. Lease Serial No. NMLC032592A

		MINEGOOZOZA	
Do not use this form for prop	D REPORTS ON WELLS posals to drill or to re-enter an 60-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - O	ther instructions on page 2	7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well			
	Other	8. Well Name and No. TRANTULA 3 FEDERAL 4	
2. Name of Operator CONTANGO RESOURCES, INC.	<b>.</b>	9. API Well No. 30-025-38401	
3a. Address 717 TEXAS AVE., SUITE 2900 HOUSTON, TX 77002	3b. Phone No. (include area code) (713) 236-7400	10. Field and Pool or Exploratory Area JUSTIS, TUBB-DRINKARD (35280); JUSTIS, BLINEB	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey De	escription)	11. Country or Parish, State	
UNIT P, SEC: 3, TWN: 25S ,RGE: 37E		LEA COUNTY, NM	
12. CHECK THE APPROP	PRIATE BOX(ES) TO INDICATE NATURE OF NOT	TICE, REPORT OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF AC	CTION	
Notice of Intent		duction (Start/Resume) Water Shut-Off	
Alter Casi		elamation Well Integrity	
Subsequent Report Casing Re	. = = = = = = = = = = = = = = = = = = =	complete Other	
Change Pl		nporarily Abandon	
Final Abandonment Notice Convert to	<u> </u>	ter Disposal	
the proposal is to deepen directionally or recomplete I the Bond under which the work will be perfonned or performed or performed the involved operations. If the operation completed. Final Abandonment Notices must be filed is ready for final inspection.)  Description of Work Performed:  1. MIRU rig. Pulled rods & pump, started pulling 2. Finished pulling tbg (10/22/2022).	horizontally, give subsurface locations and measured a provide the Bond No. on file with BLM/BIA. Required in results in a multiple completion or recompletion in a only after all requirements, including reclamation, has	date of any proposed work and approximate duration thereof. If and true vertical depths of all pertinent markers and zones. Attach d subsequent reports must be filed within 30 days following a new interval, a Form 3160-4 must be filed once testing has been we been completed and the operator has detennined that the site	
<ol> <li>Set 5-1/2" CIBP @ 5,676'. Spot 25 sxs Class</li> <li>P&amp;A rig shut down for days off (10/25/2022 -</li> <li>Tag TOC @ 5,293'. Tested csg to 500 psi. Ci</li> <li>Tag TOC @ 4,786'. Spot 50 sxs Class C cmt</li> <li>Spot 25 sxs Class C cmt plug @ 2,598' (11/2)</li> <li>Tag TOC @ 2,314'. Spot 35 sxs Class C cmt</li> <li>Circulate/squeeze 55 sxs Class C cmt from</li> </ol>	C cmt on top of CIBP (10/24/2022). 10/31/2022). rculated well w/ WBM. Spot 25 sxs Class C cmt plug @ 3,830'. Tag TOC @ 3,455' (11/2/2022). /2022). plug @ 1,173'. Tag TOC @ 890'. Perf @ 200' (1200' to surface (11/4/2022). ded cmt to surface, installed dry hole marker, cove	olug @ 4,956' (11/1/2022). 1/3/2022).	
14. I hereby certify that the foregoing is true and correct.	Name (Printed/Tuned)		

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)  Kristy Polk	hat the foregoing is true and correct. Name (Printed/Typed)  Regulatory Analyst Title		
Signature AMM	Date	01/17/2023	
THE SPACE FOR FED	ERAL OR STATE OF	FICE USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.	nt or ease Office		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for an any false, fictitious or fraudulent statements or representations as to any matter with	ny person knowingly and wil	Ifully to make to any department or agency of the	United S

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve hydraulic fracturing operations, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.


BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect ofthis form to U.S. Department ofthe Interior, Bureau ofLand Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# Plugging Plan Trantula 3 Federal 4, 30-025-38401 Contango Resources, Inc. OGRID #330447

Notify OCD 24 hours prior to MIRU & PA.

#### Description of Work Performed:

- 1. MIRU rig. Pulled rods & pump, started pulling tbg (10/21/2022).
- 2. Finished pulling tbg (10/22/2022).
- 3. RIH w/ bit & tbg to 6,062', POOH, Set CIBP @ 6,062'. Spot 15 sxs Class C cmt on top. (10/23/2022).
- 4. Set 5-1/2" CIBP @ 5,676'. Spot 25 sxs Class C cmt on top of CIBP (10/24/2022).
- 5. P&A rig shut down for days off (10/25/2022 10/31/2022).
- 6. Tag TOC @ 5,293'. Tested csg to 500 psi. Circulated well w/ WBM. Spot 25 sxs Class C cmt plug @ 4,956' (11/1/2022).
- 7. Tag TOC @ 4,786'. Spot 50 sxs Class C cmt plug @ 3,830'. Tag TOC @ 3,455' (11/2/2022).
- 8. Spot 25 sxs Class C cmt plug @ 2,598' (11/2/2022).
- 9. Tag TOC @ 2,314'. Spot 35 sxs Class C cmt plug @ 1,173'. Tag TOC @ 890'. Perf @ 200' (11/3/2022).
- 10. Circulate/squeeze 55 sxs Class C cmt from 200' to surface (11/4/2022).
- 11. Cut off wellhead 3' below ground level, verified cmt to surface, installed dry hole marker, covered up cellar (11/4/2022).
- 12. Dug up & cut off rig anchors. RDMO P&A rig (11/4/2022).



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 214597

#### **CONDITIONS**

Operator:	OGRID:
Contango Resources, LLC	330447
111 E. 5TH STREET	Action Number:
FORT WORTH, TX 76102	214597
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By		Condition Date
john.harrison	None	5/8/2023