

Sundry Print Reports

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 5

Well Name: BOIS D` ARC DIVIDE 22 Well Location: T21N / R5W / SEC 22 /

SENE / 36.03658 / -107.344035

County or Parish/State: SANDOVAL / NM

Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM105533 Unit or CA Name: Unit or CA Number:

US Well Number: 3004320979 Well Status: Abandoned Operator: EOG RESOURCES

INCORPORATED

Subsequent Report

Sundry ID: 2724689

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/06/2023 Time Sundry Submitted: 09:04

Date Operation Actually Began: 03/27/2023

Actual Procedure: 2/24/23- Notified & received approval by email from Monica Kuehling (NMOCD) & Kenny Rennick (BLM) to use fresh water instead of salted gel per the approved procedure on 2/24/23. Additional COA's: approval is given if treated as you would oil based mud. All water zones must be sealed prior to use 2/25/23 thru 3/26/23- Waiting for plugging operations to begin 3/27/23- PSI test- good. 3/28/23- DUSTIN PORCH (BLM) WITNESSED OPERATIONS, Notified by text MONICA K (OCD). Tag CIBP @ 3592' Plug #1- 3457'- 3592' FOR POINT LOOKOUT PERFS AND FORMATION TOP (TBG TAG). SPOT 10 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 2.5 BBL SLURRY=102', 1.6 BBL MIX WATER, DISPLACE W/ 20.2 BBLS FW. 3/29/23- CASEY ARNETT (BLM) WITNESSED OPERATIONS, Notified by text MONICA K (OCD). Plug #2- 2816'- 3003' FOR MENEFEE FORMATION TOP (TBG TAG). SPOT 17 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 4.1 BBL SLURRY=174', 2.7 BBL MIX WATER, DISPLACE W/16.4 BBLS FW. Plug #3-2097'- 2277' FOR CLIFF HOUSE FORMATION TOP (TBG TAG). SPOT 17 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 4.1 BBL SLURRY=174', 2.7 BBL MIX WATER, DISPLACE W/ 12.1 BBLS FW. Set 5-1/2" cement retainer @ 1403'. Test tbg to 1000psi- good. Sting back in retainer. Plug #4- 1447'- 1452' FRUITLAND OPEN PERFS AND PICTURED CLIFFS FORMATION TOP. SQUEEZE 25 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 6 BBL SLURRY, 3.9 BBL MIX WATER, DISPLACE W/ 8.1 BBLS FW. Sting out of retainer. Test 5-1/2" to 600psi - good. Plug #5- 881'- 1403' FOR FRUITLAND AND OJO ALAMO FORMATION TOPS (CAL TOC). SPOT 51 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 12.4 BBL SLURRY=522', 8.1 BBL MIX WATER, DISPLACE 5.1 BBLS FW. SDFD. 3/30/23- CASEY ARNETT (BLM) WITNESSED OPERATIONS, Notified by text MONICA K (OCD). Plug #6- 0- 259' FOR SURFACE CSG SHOE (VISUAL). SPOT 25 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 6 BBL SLURRY=259', 3.9 BBL MIX WATER. Top off with cement @ 0 - 22' between 5-1/2 & 8.625 csg - SPOT 3 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 75 BBL SLURRY=22, .49 BBL MIX WATER. Final P&A, DHM INSTALLED

Accepted for record – NMOCD

JRH <u>05/08/2023</u>

eceived by OCD: 4/6/2023 2:25:21 PM Well Name: BOIS D'ARC DIVIDE 22

Well Location: T21N / R5W / SEC 22 /

SENE / 36.03658 / -107.344035

County or Parish/State: SANDOVAL / NM

Page 2 o

Well Number: 5

Type of Well: OIL WELL

Lease Number: NMNM105533

Allottee or Tribe Name:

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004320979

Well Status: Abandoned

Operator: EOG RESOURCES

INCORPORATED

Zip:

SR Attachments

Actual Procedure

Bois_D_Arc_Divide_22_005_final_Wellbore_Diagram_20230406090401.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LACEY GRANILLO Signed on: APR 06, 2023 09:04 AM

Name: EOG RESOURCES INCORPORATED

Title: Contractor Regulatory Specialist

Street Address: 104 SOUTH FOURTH STREET

City: ARTESIA State: NM

Phone: (575) 909-5284

Email address: LACEY_GRANILLO@EOGRESOURCES.COM

Field

Representative Name:

Street Address:

City: State:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted Disposition Date: 04/06/2023

Signature: Matthew Kade

Page 2 of 2

P&A-3/30/23

Final Wellbore Diagram

EOG Resources INC Bois D Arc Divide 22 #005 API: 30-043-20979 Sandoval County, New Mexico

Top OFF 0- 22' 3 sacks Type III

Plug 6 259 ' - Surface 259 foot plug **Surface Casing** 28 Sacks of Type I/II Cement 8.625" 24#@ 190 ft Plug 5 OH: 12.25" 881'- 1403' 522 foot plug 51 Sacks of Type I/II Cement Cmt Retainer @ 1403' Fruitland Perforations 1447 ' 1452 ' Formation Ojo Alamo - 1050' Plug 4 Fruitland - 1235' 1447'-1452-Pictured Cliffs - 1462' 5 foot plug (Squeeze 1403'-Lewis - 1580' 1405') Cliff House - 2212' 25 Sacks of Type I/II Cement Menefee - 2940' Point Lookout - 3770' Plug 3 2097'- 2277' 180 foot plug **Production Casing** 17 Sacks of Type I/II Cement 5.5" 15.5# @ 4050 feet OH: 7.875" Plug 2 2816'- 3003' 187 foot plug 17 Sacks of Type I/II Cement CIBP @ 3592' Mesa Verde Perforations 3662'- 3726' Plug 1 3457'- 3592' 135 foot plug 10 sacks of Type I/II Cement TD @ 4055 feet

PBTD @ 3999 feet

Released to Imaging: 5/8/2023 10:21:13 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 204926

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	204926
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrison	None	5/8/2023