

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

Energy, Minerals and Natural Resources

Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-27360
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NEW MEXICO DA STATE
8. Well Number 001 SIDE TRACK
9. OGRID Number 162683
10. Pool name or Wildcat GRAMA RIDGE; MORROW, EAST

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well ☒ Other2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location

Unit Letter N : 660 feet from the SOUTH line and 1980 feet from the WEST line
 Section 31 Township 21S Range 35E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,690' – GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A
 CASING/CEMENT JOB ☐

OTHER: ☐OTHER: ☐


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 4-1/2" CIBP @ 12,800'; CIRC. WELL W/ M.L.F.; PRES. TEST 4-1/2" CSG. X CIBP; PUMP (25) SXS. CLASS "H" CMT. @ 12,800'-12,545' (T/MRRW.).
- 2) PUMP (25) SXS. CLASS "H" CMT. @ 11,643'-11,114' (T/ATOKA, T/PENN, T/WLCP.)
- 3) CUT X PULL 4-1/2" CSG. @ +/-8,400'.
- 4) PUMP (45) SXS. CLASS "H" CMT. @ 8,490'-8,310' (T/BNSG., 4-1/2" CSG.CUT); WOC X TAG TOC.
- 5) CUT X PULL 7" CSG. @ +/-5,613'.
- 6) PUMP (70) SXS. CLASS "C" CMT. @ 5,770'-5,563' (T/DLWR., 9-5/8" CSG.SHOE); WOC X TAG TOC.
- 7) PUMP (60) SXS.CLASS "C" CMT. @ 4,156'-4,016' (T/REEF).
- 8) PUMP (55) SXS. CLASS "C" CMT. @ 3,867'-3,737' (T/YATES); WOC X TAG TOC.
- 9) PUMP (55) SXS. CLASS "C" CMT. @ 3,367'-3,237' (9-5/8" DV TOOL); WOC X TAG TOC.
- 10) PUMP (75) SXS. CLASS "C" CMT. @ 1,912'-1,726' (T/SALT, 13-3/8" CSG.SHOE, T/ANYH.); WOC X TAG TOC.
- 11) MIX X CIRC. 25 SXS. CMT. @ 63'-3'.
- 12) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE: AGENT

DATE: 04/20/2023

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use OnlyAPPROVED BY: 

TITLE: Petroleum Specialist

DATE: 05/17/2023

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

Energy, Minerals and Natural Resources

Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-27360
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NEW MEXICO DA STATE
8. Well Number 001 SIDE TRACK
9. OGRID Number 162683
10. Pool name or Wildcat GRAMA RIDGE; MORROW, EAST

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well ☒ Other2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location

Unit Letter N : 660 feet from the SOUTH line and 1980 feet from the WEST line
 Section 31 Township 21S Range 35E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,690' – GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A
 CASING/CEMENT JOB ☐

OTHER: ☐OTHER: ☐


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 4-1/2" CIBP @ 12,800'; CIRC. WELL W/ M.L.F.; PRES. TEST 4-1/2" CSG. X CIBP; PUMP (25) SXS. CLASS "H" CMT. @ 12,800'-12,545' (T/MRRW.).
- 2) PUMP (25) SXS. CLASS "H" CMT. @ 11,643'-11,114' (T/ATOKA, T/PENN, T/WLCP.).
- 3) CUT X PULL 4-1/2" CSG. @ +/-8,400'.
- 4) PUMP (45) SXS. CLASS "H" CMT. @ 8,490'-8,310' (T/BNSG., 4-1/2" CSG.CUT); WOC X TAG TOC.
- 5) CUT X PULL 7" CSG. @ +/-5,613'.
- 6) PUMP (70) SXS. CLASS "C" CMT. @ 5,770'-5,563' (T/DLWR., 9-5/8" CSG.SHOE); WOC X TAG TOC.
- 7) PUMP (60) SXS.CLASS "C" CMT. @ 4,156'-4,016' (T/REEF).
- 8) PUMP (55) SXS. CLASS "C" CMT. @ 3,867'-3,737' (T/YATES); WOC X TAG TOC.
- 9) PUMP (55) SXS. CLASS "C" CMT. @ 3,367'-3,237' (9-5/8" DV TOOL); WOC X TAG TOC.
- 10) PUMP (75) SXS. CLASS "C" CMT. @ 1,912'-1,726' (T/SALT, 13-3/8" CSG.SHOE, T/ANYH.); WOC X TAG TOC.
- 11) MIX X CIRC. 25 SXS. CMT. @ 63'-3'.
- 12) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE: AGENT

DATE: 04/20/2023

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY:

TITLE

DATE

CIMAREX

CURRENT.

Cimarex Energy Co. of Colorado

New Mexico DA State Com #1

660' FSL & 1981' FWL

Sec. 31, T-21-S, R-25-E, Lea Co., NM

A. Santiago

9/9/2015

30-025-27360

RE-ENTRY 11-4-2002

13 3/8", 54.5# K-55 csg @ 1776'
 cmtd w/2100 sx, cmt circ

9 5/8", 36# K-55 csg @ 5613'
 cmtd w/ 900 sx, cmt circ
 DV Tool @ 3302'

Kick Off Side Track @ 10404'

CIBP @ 10400'

7", 29# S-95 LTC @ 11011'

CIBP @ 12990'
 capped w/10' cmt
Pkr @ 12580'

Morrow perfs 12860'-12868', 12938'-12946' 3 JSPF

Pkr @ 12800'

Morrow perfs 13006'-13016' 6 JSPF

5", 18# N-80 csg @ 13325'
 TOL @ 10498'

2 3/8" 4.7# N-80 To 12817'

Morrow Perfs (12860'-12868' & 12938'-12946')

PBTD: 12980'

4-1/2" 13.5# P-110 LTC & STL @ 13222'
 cmtd w/ 375sx, cmt circ

CIMAREX

Cimarex Energy Co. of Colorado

New Mexico DA State Com #1

660' FSL & 1981' FWL

Sec. 31, T-21-S, R-25-E, Lea Co., NM

A. Santiago

9/9/2015

30-025-27360

RE-ENTRY 11-4-2002

CIRC. (25) SXS @ 63'-3'

T/ANHY. ~ 1,770'

T/SALT - 1,862'

T/YATES ~ 3,802'

T/REEF ~ 4,086'

T/DLWR. ~ 5,720'

T/BNSG. ~ 8,396'

T/WLCP. ~ 11,164'

T/PENN ~ 11,460'

T/ATOKA ~ 11,593'
(STWN.)

T/MREW. ~ 12,595'



CIBP @ 10400'

7", 29# S-95 LTC @ 11011'

CIBP @ 12990'

capped w/ 10' cmt

Pkr @ 12580'

Morrow perfs 12860'-12868', 12938'-12946' 3 JSPF

Pkr @ 12800'

Morrow perfs 13006'-13016' 6 JSPF

5", 18# N-80 csg @ 13325'

TOL @ 10498'

Pump (60) SXS @ 11,643' - 11,114'

Pump (25) SXS @ 12,800' - 12,545'

SET 4-1/2" c JSP @ 12,800'

Morrow Perfs (12860'-12868' & 12938'-12946')

PBTD: 12980'

4-1/2" 13.5# P-110 LTC & STL @ 13222'

cmtd w/ 375sx, cmt circ

DAE 04/20/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 211158

CONDITIONS

Operator: CIMAREX ENERGY CO. OF COLORADO 6001 Deauville Blvd, Ste 300N Midland, TX 79706	OGRID: 162683
	Action Number: 211158
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	Adhere to all NMOCD COAs attached	5/17/2023