Office	State of New Mexico	Form C-103
District I – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013
Office  District I – (575) 393-6161  1625 N. French Dr., Hobbs, NM 88240  District II – (575) 748-1283		WELL API NO.
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	30-015-21399
<u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease STATE FEE
District III – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa 1 0, 1111 07303	6. State Off & Gas Lease No.
A I	TICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROP	OSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	TRACY C COM
PROPOSALS.)	ICATION FOR PERMIT" (FORM C-101) FOR SUCH	
_	Gas Well 🛛 Other	8. Well Number
1. Type of Well: Oil Well     2. Name of Operator  SDC Page		1
2. Name of Operator	TIC	9. OGRID Number 372262
3. Address of Operator	urces, LLC	10. Pool name or Wildcat
	020, Artesia, NM 88211	Burton Flat Morrow
	020, Alicsia, INVI 60211	Duiton i lat Moriow
4. Well Location		
Unit Letter_H_	:1980_feet from the _NORTH line and66	
Section 32	Township 21S Range 27E	NMPM County EDDY
	11. Elevation (Show whether DR, RKB, RT, GR, etc.	c.)
	RKB: 3132'	
12. Check	Appropriate Box to Indicate Nature of Notice	e, Report or Other Data
	**	
		BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK		<del>_</del>
TEMPORARILY ABANDON		RILLING OPNS. □ PAND A □
PULL OR ALTER CASING		NT JOB
DOWNHOLE COMMINGLE	1	
CLOSED-LOOP SYSTEM		
		T
OTHER: Add Perfs	☐ OTHER:	
OTHER: Add Perfs  13. Describe proposed or con	apleted operations. (Clearly state all pertinent details, a	
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed v	apleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple C	
OTHER: Add Perfs  13. Describe proposed or con	apleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple C	
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed v	apleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple C	
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Cecompletion.	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Cecompletion.	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed of proposed completion or re	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or r  Add Morrow pe	apleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  affs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or r  Add Morrow pe	upleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  offs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or r  Add Morrow pe	apleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  affs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'	completions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to the starting and proposed completion or responsed to the starting any proposed of the starting and	repleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  rfs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'  Rig Release Date:	ompletions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to the starting and proposed completion or responsed to the starting any proposed of the starting and	apleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  affs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'	ompletions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to the starting and proposed completion or responsed to the starting any proposed of the starting and	repleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  rfs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'  Rig Release Date:	ompletions: Attach wellbore diagram of
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or r  Add Morrow pe  Spud Date: 3/19/1975  I hereby certify that the information	repleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  Ifs: 11,086'-11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'  Rig Release Date:	ompletions: Attach wellbore diagram of ', 11,273'-11,276', dge and belief.
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to the starting and proposed completion or responsed to the starting any proposed of the starting and	repleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Completion.  rfs: 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'  Rig Release Date:	ompletions: Attach wellbore diagram of ', 11,273'-11,276', dge and belief.
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to proposed completion or responsed to proposed completion or response to proposed	ripleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Clecompletion.  If s: 11,086'-11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'  Rig Release Date:  TITLE VP of Reservoir Eng	dge and belief.  DATE3/10/2023
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to proposed completion or responsed to proposed completion or response and the starting any proposed of the proposed completion or response and the proposed completion or respons	repleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Clecompletion.  If s: 11,086'-11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'  Rig Release Date:  On above is true and complete to the best of my knowledge of the best of my knowledge.  TITLE VP of Reservoir Eng	dge and belief.  DATE3/10/2023
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to proposed completion or responsed to proposed completion or response and the starting any proposed of the proposed completion or response and the starting any proposed of the proposed completion or response and the proposed of the proposed	Rig Release Date:  Rig Release Date:  TITLEVP of Reservoir Eng. and address:jcompton@santopetr	dge and belief.  DATE3/10/2023  oleum.com PHONE: _713-600-7500
OTHER: Add Perfs  13. Describe proposed or con of starting any proposed or proposed completion or responsed to proposed completion or responsed to proposed completion or response and the starting any proposed of the proposed completion or response and the starting any proposed of the proposed completion or response and the proposed of the proposed	ripleted operations. (Clearly state all pertinent details, a work). SEE RULE 19.15.7.14 NMAC. For Multiple Clecompletion.  If s: 11,086'-11,089', 11,182'-11,186', 11,261'-11,265 11,334'-11,342', 11,349'-11,356'  Rig Release Date:  TITLE VP of Reservoir Eng	dge and belief.  DATE3/10/2023  oleum.com PHONE: _713-600-7500

Tracy C Com #001

30-015-21399

# **WORK PLAN**

MIRU wireline

Run GR log to correlate depth to proposed Morrow perfs

Perforate the Morrow from 11,086'- 11,089', 11,182'-11,186', 11,261'-11,265', 11,273'-11,276',

11,334'-11,342', 11,349'-11,356' 4spf, 90-deg phase

Open well to production

AFE No.	SPC Resources	Location: 1980' FNL & 660' FEL Sec. 32-21S-27E
API # 30-015-21399	Tracy C Com #1	Lat/Long: 32.4382248, -104.2056274 NAD83
Spud: 3/19/1975	Eddy County, NM	TD: 11,725' TMD , PBTD: 11,686'
Compl. Date: 5/30/1981	Current Wellbore Diagram	KB: 3,132' , GL: 3,113'
		, , ,
	407'	17-1/2" bit to 407' Set 13-3/8" 48# K-55 at 407' Cmt w/ 450 sx Cmt circ to surface
	3003'	12-1/4" bit to 3009' Set 9-5/8" 36# K-55 at 3003' Cmt w/ 1100 sx Cmt circ
		TOC @ 8800'
PBD @ 11,686' TD @ 11,725'	11.686'	2-7/8" Tbg at 11,198'  Packer at 11,190'  Morrow perfs: 11,299' - 11,303' Morrow perfs: 11,361', 11,364', 11,367' Morrow perfs: 11,369' - 11,372' Morrow perfs: 11,374', 11,375', 11,377'  8-3/4" bit to 11,725' Set 5-1/2" 17# & 20#, N-80 & K-55 at 11,725' Cmt w/ 800 sx Cmt circ

AFE No.	SPC Resources	Location: 1980' FNL & 660' FEL Sec. 32-21S-27E
API # 30-015-21399	Tracy C Com #1	Lat/Long: 32.4382248, -104.2056274 NAD83
Spud: 3/19/1975	Eddy County, NM	TD: 11,725' TMD , PBTD: 11,686'
Compl. Date: 5/30/1981	Current Wellbore Diagram	KB: 3,132' , GL: 3,113'
······································		
	407'	17-1/2" bit to 407' Set 13-3/8" 48# K-55 at 407' Cmt w/ 450 sx Cmt circ to surface
	3003'	12-1/4" bit to 3009' Set 9-5/8" 36# K-55 at 3003' Cmt w/ 1100 sx Cmt circ
		TOC @ 8800'
PBD @ 11,686' TD @ 11,725'	11.686'	2-7/8" Tbg at 11,198'  Packer at 11,190'  Morrow perfs: 11,086' - 11,276' Morrow perfs: 11,299' - 11,303' Morrow perfs: 11,334'- 11,367' Morrow perfs: 11,369' - 11,372' Morrow perfs: 11,374', 11,375', 11,377'  8-3/4" bit to 11,725' Set 5-1/2" 17# & 20#, N-80 & K-55 at 11,725' Cmt w/ 800 sx Cmt circ

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

COMMENTS

Action 220658

# **COMMENTS**

Operator:	OGRID:
SPC RESOURCES, LLC	372262
P.O. Box 1020	Action Number:
Artesia, NM 88211	220658
	Action Type:
	[C-103] NOI Workover (C-103G)

### COMMENTS

Created By		Comment Date
dmcclure	An operator is required to receive approval from the Division prior to conducting any work altering a well's construction. This includes the addition of perforations even if a new pool is not added.	5/25/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 220658

# **CONDITIONS**

Operator:	OGRID:
SPC RESOURCES, LLC	372262
P.O. Box 1020	Action Number:
Artesia, NM 88211	220658
	Action Type:
	[C-103] NOI Workover (C-103G)

### CONDITIONS

Created By		Condition Date
dmcclure	None	5/25/2023