

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: NORTH ALAMITO UNIT Well Location: T23N / R7W / SEC 29 / County of the count

NWNW / 36.201969 / -107.603775

County or Parish/State: SANDOVAL / NM

Well Number: 565H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM36943 Unit or CA Name: /1/NORTH ALAMITO Unit or CA Number:

UNIT NMNM135229A

US Well Number: 3004321485 Well Status: Drilling Well Operator: DJR OPERATING LLC

# **Subsequent Report**

**Sundry ID: 2714666** 

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 02/08/2023 Time Sundry Submitted: 09:39

**Date Operation Actually Began:** 02/04/2023

Actual Procedure: Production Liner & Cement. Depths adjusted for 26' KB of production rig. 2/4/23: PT 7" casing 1500 (30min), test good & recorded on chart. TIH. Drill 6.125" hole from 5442' to 6085'. 2/5/23: Drill 6.125" hole to 9475'. 2/6/23: Drill 6.125" hole to 12029' TD (5219' TVD). TOH. 2/7/23: RU CRTs. RIH with 152 jts of 4.5" 11.6# P110 BTC casing set from TOL: 5197' to BOL: 12024'. Weatherford CTH Hanger & Packer at 5219'. Marker jts at 5670' – 8769' – 11780'. AlphaSleeve at 11973'. FC at 12010'. RU to cement. 5k test on lines, test good. Cement: Type G, 159 bbls (589sx), 13.3 ppg, 1.52 yield, 7.53 gps. Bump plug 1760 FCP, pressure up to 2700 & hold for 5min. Set TSP pack off, test packer seals to 500 psi, test good. Circulate 45 bbls good cement to surface. TOC: 5197' BOC: 12024'. RD cementers. ND BOPE. Install BPV & well cap. Rig H&P 443 released on 02/07/23. Please note, PT of 4.5" casing will be provided on next report.

eceived by OCD: 2/22/2023 10:42:36 AM Well Name: NORTH ALAMITO UNIT

Well Location: T23N / R7W / SEC 29 / NWNW / 36.201969 / -107.603775

County or Parish/State: SANDOVAL / NM

Well Number: 565H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM36943

Unit or CA Name: /1/NORTH ALAMITO

UNIT

**Unit or CA Number:** 

NMNM135229A

**US Well Number: 3004321485** 

Well Status: Drilling Well

Operator: DJR OPERATING LLC

Page 2 o

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: FEB 08, 2023 09:38 AM Operator Electronic Signature: SHAW-MARIE FORD

Name: DJR OPERATING LLC Title: Regulatory Specialist Street Address: 1 Road 3263

State: NM City: Aztec

Phone: (505) 632-3476

Email address: sford@djrllc.com

### **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

## **BLM Point of Contact**

**BLM POC Name: KENNETH G RENNICK BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742 BLM POC Email Address: krennick@blm.gov

**Disposition:** Accepted Disposition Date: 02/21/2023

Signature: Kenneth Rennick

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 189214

#### **CONDITIONS**

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	189214
	Action Type:
	[C-103] Sub. Drilling (C-103N)

#### CONDITIONS

Created By	Condition	Condition Date
gramirez	PT details for the 4.5" casing must be submitted on the next drilling sundry.	2/24/2023